

Contents

Preface *xi*

Part I Update of SRF Fundamentals *1*

1	Introduction	<i>3</i>
2	SRF Fundamentals Review	<i>7</i>
2.1	SRF Basics	<i>7</i>
2.2	Fabrication and Processing on Nb-Based SRF Structures	<i>11</i>
2.2.1	Cavity Fabrication	<i>12</i>
2.2.2	Preparation	<i>12</i>
2.2.3	A Decade of Progress	<i>15</i>
2.3	SRF Physics	<i>15</i>
2.3.1	Zero DC Resistance	<i>15</i>
2.3.2	Meissner Effect	<i>17</i>
2.3.3	Surface Resistance and Surface Impedance in RF Fields	<i>19</i>
2.3.4	Nonlocal Response of Supercurrent	<i>22</i>
2.3.5	BCS	<i>24</i>
2.3.6	Residual Resistance	<i>30</i>
2.3.7	Smearing of Density of States	<i>31</i>
2.3.8	Ginzburg–Landau (GL) Theory	<i>31</i>
2.3.9	Critical Fields	<i>34</i>
2.3.10	Comparison Between Ginzburg–Landau and BCS	<i>39</i>
2.3.11	Derivation of R_s and X_s	<i>39</i>

Part II High Q Frontier: Performance Advances and Understanding *43*

3	Nitrogen-Doping	<i>45</i>
3.1	Introduction	<i>45</i>
3.2	N-Doping Discovery	<i>46</i>
3.3	Surface Nitride	<i>48</i>

3.4	Interstitial N	49
3.5	Electron Mean Free Path Dependence	52
3.5.1	LE- μ SR Measurements of Mean Free path	53
3.6	Anti-Q-Slope Origins from BCS Resistance	55
3.7	N-Doping and Residual Resistance	58
3.7.1	Trapped DC Flux Losses	58
3.7.2	Residual Resistance from Hydride Losses	58
3.7.3	Tunneling Measurements	59
3.8	RF Field Dependence of the Energy Gap	61
3.9	Frequency dependence of Anti-Q-Slope	63
3.10	Theories for Anti-Q-Slope	63
3.10.1	Xiao Theory	63
3.10.2	Gurevich Theory	68
3.10.3	Nonequilibrium Superconductivity	72
3.10.4	Two-Fluid Model-Based on Weak Defects	75
3.11	Quench Field of N-Doped Cavities	77
3.12	Evolution and Comparison of N-doping Recipes	83
3.13	High Q and Gradient R&D Program for LCLS-HE	83
3.14	N-Doping at Other Labs	88
3.15	Summary of N-doping	88
4	High Q via 300 °C Bake (Mid-T-Bake)	91
4.1	A Surprise Discovery	91
4.2	Similarities to N-Doping	91
4.3	Mid-T Baking at Other Labs	95
4.4	The Low-Field Q-Slope (LFQS) and 340 °C Baking Cures	97
4.5	Losses at Very Low Fields	100
4.6	Losses from Two-Level Systems (TLS)	100
4.7	Eliminating TLS Losses	101
5	High Q's from DC Magnetic Flux Expulsion	105
5.1	Trapped Flux Losses, Sensitivity	105
5.2	Trapped Flux Sensitivity Models	106
5.3	Vortex Physics	108
5.4	Calculation of Sensitivity to Trapped Flux	110
5.5	Dependence of Sensitivity on RF Field Amplitude	112
5.6	DC Magnetic Flux Expulsion	114
5.6.1	Fast <i>versus</i> Slow-Cooling Discovery	114
5.6.2	Thermoelectric Currents	118
5.7	Cooling Rates for Flux Expulsion	122
5.8	Flux Expulsion Patterns	123
5.9	Geometric Effects – Flux Hole	127
5.10	Flux Trapping With Quench	127
5.11	Material Quality Variations	129
5.12	Modeling Flux Trapping From Pinning Variations	135

Part III High Gradient Frontier: Performance Advances and Understanding 139

6	High-Field Q Slope (HFQS) – Understanding and Cures	141
6.1	HFQS Summary	141
6.2	HFQS in Low- β Cavities	142
6.3	Deconvolution of R_{BCS} and R_{res}	143
6.4	Depth of Baking Effect	145
6.4.1	From Anodization	145
6.4.2	From HF Rinsing	145
6.4.3	Depth of Magnetic Field Penetration by LE- μ SR	145
6.5	Role of the Oxide Layer and Role of N-Infusion	148
6.6	SIMS Studies of O, H, and OH Profiles	151
6.7	Hydrogen Presence in HFQS	156
6.8	TEM Studies on Hydrides	158
6.9	Niobium–hydrogen Phase Diagram	160
6.10	H Enrichment at Surface	161
6.11	Q -disease Review	163
6.12	Visualizing Niobium Hydrides	165
6.12.1	Cold-stage Confocal Microscopy	165
6.12.2	Cold-stage Atomic Force Microscopy (AFM)	166
6.13	Model for HFQS – Proximity Effect Breakdown of Nano-hydrides	168
6.13.1	Baking Benefit and Proximity Effect Model	170
6.14	Positron Annihilation Studies of HFQS and Baking Effect	172
6.15	Point Contact Tunneling Studies of HFQS and Baking Effect	173
7	Quest for Higher Gradients: Two-Step Baking and N-Infusion	175
7.1	Two-Step Baking	175
7.2	Subtle Effects of Two-Step Baking – Bifurcation	175
7.2.1	Bifurcation Reduction	177
7.3	N-Infusion at 120 °C	181
7.4	N-Infusion at Medium Temperatures	184
7.5	Unifying Quench Fields	188
7.6	Quench Detection by Second Sound in Superfluid Helium	190
8	Improvements in Cavity Preparation	193
8.1	Comparisons of Cold and Warm Electropolishing Methods	193
8.2	Chemical Soaking	197
8.3	Optical Inspection System and Defects Found	199
8.4	Robotics in Cavity Preparation	200
8.5	Plasma Processing to Reduce Field Emission	201
9	Pursuit of Higher Performance with Alternate Materials	207
9.1	Nb Films on Cu Substrates	207
9.1.1	Direct Current Magnetron Sputtering	209

9.1.2	DC-bias Diode Sputtering at High Temperature (400–600 °C)	209
9.1.3	Seamless Cavity Coating	210
9.1.4	Nb–Cu Films by ECR	211
9.1.5	Nb–Cu Films via High-Power Impulse Magnetron Sputtering (HIPIMS)	212
9.2	Alternatives to Nb	214
9.2.1	Nb ₃ Sn	215
9.2.2	MgB ₂	217
9.2.3	NbN and NbTiN	221
9.3	Multilayers	222
9.3.1	SIS' Structures	222
9.3.2	Theoretical Estimates	223
9.3.3	Results	223
9.3.4	SS' Structures	225
9.4	Summary	227

Part IV Applications 229

10	New Cavity Developments	231
10.1	Crab Cavities for LHC High Luminosity	231
10.2	Short-Pulse X-Rays (SPX) System for the APS Upgrade	238
10.3	QWR Cavity for Acceleration	239
10.4	Traveling Wave Structure Development	241
11	Ongoing Applications	245
11.1	Overview	245
11.2	Low-Beta Accelerators for Nuclear Science and Nuclear Astrophysics	246
11.2.1	ATLAS at Argonne	246
11.2.2	ISAC and ISAC-II at TRIUMF	247
11.2.3	SPIRAL II at GANIL	247
11.2.4	HIE ISOLDE	248
11.2.5	RILAC at RIKEN	249
11.2.6	SPES Upgrade of ALPI at INFN	249
11.2.7	FRIB at MSU	250
11.2.8	RAON	253
11.2.9	Spoke Resonator Structure Developments to Avoid Multipacting	254
11.2.10	JAEA Upgrade	255
11.2.11	HELIAC	256
11.2.12	SARAF	259
11.2.13	HIAF at IMP	259
11.2.14	IFMIF	260
11.3	High-Intensity Proton Accelerators	260
11.3.1	SNS	260

11.3.2	ESS	262
11.3.3	Accelerator Driven Systems (CADS)	262
11.3.4	CiADS (China Initiative Accelerator Driven System)	265
11.3.5	Japan Atomic Energy Agency (JAEA) – ADS	266
11.3.6	High-Intensity Proton Accelerator Development in India	266
11.3.7	PIP-II and Beyond	267
11.4	Electrons for Light Sources – Linacs	269
11.4.1	European X-ray Free Electron Laser (XFEL)	269
11.4.2	Linac Coherent Light Source LCLS-II and LCLS-HE (LCLS-High Energy)	273
11.4.3	Shanghai Coherent Light Facility (SCLF) SHINE	278
11.4.4	Institute of Advanced Science Facilities (IASF)	279
11.4.5	Polish Free-Electron Laser POLFEL	279
11.5	Electrons for Storage Ring Light Sources	281
11.5.1	High-Energy Photon Source (HEPS)	281
11.5.2	Taiwan Photon Source (TPS)	281
11.5.3	Higher Harmonic Cavities for Storage Rings Chaoen WANG, NSRRC, Taiwan	282
11.5.4	BNL	284
11.6	Electrons in Energy Recovery Linacs (ERL) for Light Sources & Electron–Ion Colliders	285
11.6.1	Prototyping ERL Technology at Cornell	285
11.6.2	KEK ERLs	287
11.6.3	Light-House Project for Radiopharmaceuticals	288
11.6.4	Peking ERL	288
11.6.5	Berlin ERL	288
11.6.6	MESA ERL	289
11.6.7	SRF Photo-injectors for ERLs	289
11.7	Electrons for Nuclear Physics, Nuclear Astrophysics, Radio-Isotope Production	290
11.7.1	CEBAF at Jefferson Lab	290
11.7.2	ARIEL at TRIUMF	291
11.7.3	ERL for LHeC at CERN	291
11.8	Crab Cavities for LHC High Luminosity	292
11.9	Ongoing and Near-Future Projects Summary	293
12	Future Prospects for Large-Scale SRF Applications	295
12.1	The International Linear Collider (ILC) for High-Energy Physics	295
12.2	Future Circular Collider FCCee	298
12.3	China Electron–Positron Collider, CEPC	300
13	Quantum Computing with SRF Cavities	303
13.1	Introduction to Quantum Computing	303
13.2	Qubits	303
13.3	Superposition and Coherence	304

13.4	Entanglement	304
13.5	2D SRF Qubits	306
13.6	Josephson Junctions	307
13.7	Dilution Refrigerator for Milli-Kelvin Temperatures	308
13.8	Quantum Computing Examples	310
13.9	3D SRF Qubits	310
13.10	Cavity QED Quantum Processors and Memories	312

References 315

List of Symbols 365

List of Acronyms 369

Index 375