

Contents

1	Introduction	1
	<i>Prof. L. Kroll, Dr. J. Tröltzsch</i>	
1.1	Thematic focus	2
1.2	Scientific program	3
1.3	Interacting Research Domains	4
1.4	Structure and management	5
2	Hybrid designs and technologies	9
2.1	Composite materials and material compounds	10
	<i>Prof. L. Kroll, Prof. D. Nestler</i>	
2.1.1	Composite materials	11
2.1.2	Material compounds	12
2.1.3	Material concepts	13
2.1.4	Material-specific technology routes	14
	2.1.4.1 Types of composite materials	14
	2.1.4.2 Mixed design	15
	2.1.4.3 Hybrid design	17
	2.1.4.4 Interface engineering	20
2.2	Design methods and lightweight designs	22
	<i>Prof. L. Kroll, Prof. O. Helms</i>	
2.2.1	Products and their functions	22
2.2.2	Shape synthesis for load bearing	23
	2.2.2.1 Proven lightweight concepts	24
	2.2.2.2 Designs for load-bearing structures	25
	2.2.2.3 Structure-based mixed design	25
2.2.3	Lightweight hybrid designs for large-scale production	26
	2.2.3.1 Functionally integrated shell designs	26
	2.2.3.2 Functionally integrated hollow structures	30
	2.2.3.3 Skeletal design	32
	2.2.3.4 FRP/metal hybrid design	35
2.3	References	38

3	Semi-finished products and preform technologies	41
3.1	Production of hybrid material compounds for large-scale manufacture . .	42
	<i>Prof. W.-G. Drossel, Prof. L. Kroll, Prof. K. Nendel, Prof. D. Nestler,</i>	
	<i>Prof. G. Wagner, Prof. B. Wielage, Dr. H. Illing-Günther, Dr. H. Jung,</i>	
	<i>F. Ebert, R. Helbig, S. Nendel, N. Reimann, J. Stiller, Dr. C. Zopp,</i>	
	<i>Dr. A. Todt, Dr. M. Trautmann</i>	
3.1.1	Thermoplastic-based fiber-reinforced semi-finished UD products	42
3.1.1.1	Production feasibility studies on fiber spreading and impregnation	42
3.1.1.2	Characterization of impregnation and mechanical properties	44
3.1.2	Surface modification of the metallic component	45
3.1.3	Manufacture of thermoplastic-based hybrid semi-finished products	50
3.1.3.1	Structure and composition of hybrid laminates	51
3.1.3.2	Properties of selected hybrid laminates	53
3.1.3.3	Forming trials using technology demonstrators	55
3.1.4	Simulation and failure analysis of hybrid laminates	57
3.2	Novel orbital winding technology	60
	<i>Prof. C. Cherif, Prof. A. C. Hübler, Prof. L. Kroll, Dr. U. Fügmann,</i>	
	<i>Dr. V. Sankaran, A. Böddicker, T. Ruder, M. Spieler, R. Tirschmann,</i>	
	<i>R. Wallasch</i>	
3.2.1	Continuous production of FRP profiles	60
3.2.1.1	Process analysis and technological approaches	61
3.2.1.2	Process control investigations	62
3.2.1.3	Conceptual design of the modular process chain	64
3.2.1.4	Movement of the laying device in the winding process . .	65
3.2.1.5	Functional structure and conceptual design of the orbital winding process	66
3.2.1.6	Orbital winding unit kinematics	68
3.2.1.7	Construction of the orbital winding unit	71
3.2.1.8	Overall concept of the pilot plant	73
3.2.1.9	Production of system components and COW system commissioning	74
3.2.1.10	First production feasibility studies	75
3.2.1.11	Control's implementation	77
3.2.2	Semi-finished textile reinforcement products with locally specific properties	78
3.2.2.1	Pilot studies of the manufacturing principle	79
3.2.2.2	Multiaxial thermoplastic fabrics for tape production . .	81
3.2.2.3	Load-adapted multifunctional thermoplastic tapes	84
3.2.3	Manufacture of sensors for structural monitoring	86

3.2.4 Synthesis and integration of sensors 88

3.2.4.1 Multiaxial fiber composite semi-finished products for
orbital winding technology 88

3.2.4.2 Sensor integration 90

3.2.5 Evaluation of findings 90

3.3 Bionic inspired hybrid semi-finished products 92

*Prof. T. Lampke, Prof. D. Nestler, Dr. F. Böttger-Hiller, Dr. F. Helbig,
Dr. S. Müller, Dr. D. Nickel, Dr. I. Roth-Panke, Dr. L. Ulke-Winter,
K. Böttcher N. Buschner, A. Czech, K. Jahn, A. Kolonko, S. Schindler,
M. Scholze*

3.3.1 Complex load path-adapted textile reinforcements 93

3.3.1.1 Multi-criteria optimization of FRP structures 95

3.3.1.2 Analytical calculation of notch stress states 97

3.3.1.3 Non-destructive damage analysis in FRP structures 102

3.3.2 Applying the principles of nature 104

3.3.3 Compatible materials for FRP- and metal components 106

3.3.3.1 Metal component 107

3.3.3.2 Polymer component 108

3.3.3.3 Glass fiber 113

3.3.3.4 Carbon fiber 114

3.3.4 Interface design and corrosion protection 115

3.3.4.1 Additive adhesion promoters between metal and FRP . . 115

3.3.4.2 Modified polymer-based adhesion promoter layer 116

3.3.5 Characterization of load path-oriented hybrid components 117

3.3.6 Characterization of the basic GFRP structure 120

3.4 Continuous production of intelligent hybrid composites 122

*Prof. A. C. Hübler, Prof. D. Nestler, Prof. T. Otto, Prof. G. Wagner,
Prof. B. Wielage, Prof. T. Gefßner †, Dr. U. Fügmann, Dr. D. Wett,
A. Böddicker, F. Ebert, C. Karapapas, N. Reimann, T. Seider*

3.4.1 Humidity sensor investigations 123

3.4.1.1 Sensor concept evaluation 123

3.4.1.2 In-line production of the humidity sensor 125

3.4.1.3 Integrating the humidity sensor 127

3.4.2 Strain sensor based on Ni-C composite layers 131

3.4.2.1 Mechanical testing of commercially available strain
gauges in hybrid laminates 133

3.4.2.2 Mechanical testing of polyimide films in hybrid laminates 133

3.4.2.3 Manufacturing Ni-C mosaic targets 135

3.4.2.4 Light microscopic and SEM investigations 136

3.4.2.5 Chemical composition and structure of the Ni-C layers . 136

3.4.2.6 Temperature coefficients of resistance, sheet resistance,
and temperature stability of the Ni-C layers 139

3.4.2.7	Temperature-programmed Raman measurements and temperature stability over time	141
3.4.2.8	Conclusion	142
3.5	References	144
4	Metal-based hybrid technologies	155
4.1	Metal foam structures and fiber-reinforced plastics	156
	<i>Prof. W.-G. Drossel, Prof. L. Kroll, C. Drebenstedt, J. Eichler, A. Hackert, S. Rybandt</i>	
4.1.1	Metal foam structure	157
4.1.1.1	Aluminum foam in semi-finished products	160
4.1.1.2	Processing porous metallic materials	160
4.1.1.3	Joining porous metallic materials	161
4.1.1.4	Foam inserts	162
4.1.2	Thermoplastic FRP as cover layer	162
4.1.3	Manufacture and processing of hybrid core composites	163
4.1.4	Interfaces and how to modify them	165
4.1.4.1	Anodic oxidation	165
4.1.4.2	Sandblast coating (SACO)	166
4.1.4.3	Silicoater process (corundum blasting and flame coating)	166
4.1.4.4	Electrochemical machining	167
4.1.5	Manufacturing core composites	169
4.1.6	Determining physical properties	170
4.1.6.1	Cross tension test	170
4.1.6.2	Pull-out test	171
4.1.6.3	3-point bending test	173
4.1.6.4	4-point bending test	175
4.1.7	Hybrid technology demonstrators	177
4.1.7.1	Technology demonstrator I: front control arm	177
4.1.7.2	Technology demonstrator II: wheel rim of a car wheel	179
4.2	In-situ process chains for making FRP components	188
	<i>Prof. W.-G. Drossel, Prof. D. Landgrebe, Prof. W. Nendel, A. Albert, S. Demmig, Dr. U. Engelmann, M. Layer, W. Zorn</i>	
4.2.1	State of the science	188
4.2.1.1	Metal-plastic hybrid component applications	188
4.2.1.2	Industrial process chains for the production of hybrid components	190
4.2.1.3	State of research in hybrid component manufacture	192
4.2.2	Combining processes to produce sheet-based hybrid components	194
4.2.2.1	Process flow concept	194
4.2.2.2	Tool system concept and structure	195
4.2.2.3	Process and structure simulation methods	197
4.2.2.4	Production feasibility studies for process control	200

4.2.3	Process combination of high-pressure hydroforming and injection molding	204
4.2.3.1	Conceptual design of the in-situ process	204
4.2.3.2	Connection mechanism studies	205
4.2.3.3	Development of fiber-reinforced plastic tubes for IHPF injection molding	210
4.3	Process concepts for high-precision functional surfaces	213
	<i>Prof. W.-G. Drossel, Prof. T. Lampke, Prof. D. Landgrebe, Prof. B. Wielage, Dr. F. Riedel, T. Lindner, D. Mattheß, M. Scholze, G. Töberling, B. Zillmann</i>	
4.3.1	Preliminary investigations into material behavior	215
4.3.2	Surface structuring methods	219
4.3.2.1	Sandblasting	220
4.3.2.2	Laser structuring	221
4.3.2.3	Micromilling	222
4.3.2.4	Thermal spraying	222
4.3.2.5	Structure selection and comparison	224
4.3.3	Integration process and property determination	226
4.3.3.1	Laser heating	226
4.3.3.2	Thermal pressing	227
4.3.3.3	Induction heating	230
4.4	A holistic methodology to evaluate process chains	236
	<i>Prof. B. Awiszus, Prof. U. Götze, Prof. S. Ihlenfeldt, Prof. V. Kräusel, Prof. D. Landgrebe, Dr. A. Rautenstrauch, Dr. H. Wiemer, J. Boll, R. Freund, D. Grzelak, L. Markov, C. Symmank</i>	
4.4.1	MEMPHIS: Multidimensional Evaluation Method for Process Chains of Hybrid Structures	236
4.4.2	Single and multidimensional evaluation	241
4.4.2.1	Energetic evaluation	241
4.4.2.2	Economic evaluation	244
4.4.2.3	Methods for evaluating robustness	248
4.4.2.4	Multi-criteria evaluation	251
4.4.3	Information technology implementation of MEMPHIS	253
4.4.3.1	Developing a user-friendly IT tool	253
4.4.3.2	Methodology implementation and application	256
4.5	Functional hybrid textiles with passive and active metal monofilaments	260
	<i>Prof. W.-G. Drossel, Prof. J. Mehner, Prof. D. Nestler, Prof. M. F.-X. Wagner, Dr. C. Auerswald, Dr. C. Elibol, Dr. F. Helbig, A. Kolonko, B. Senf</i>	
4.5.1	System design concepts for 3D textiles	261
4.5.2	Characterization and reliability analysis	263
4.5.3	Modeling and simulation of the composites	271

4.5.4	Passive and active textile structures	273
4.5.5	Measurement and control technology	278
4.6	References	283
5	Textile- and plastic-based technologies	295
5.1	Process fusion of metal die casting and plastic injection molding technologies	297
	<i>Prof. L. Kroll, Prof. E. Müller, Prof. K. Nendel, Dr. J. Sumpf, C. Rohne, M. Schreiter, M. Tawalbeh</i>	
5.1.1	Injection molding process for the production of composites	299
5.1.2	Conceptual design of the mold system	302
5.1.3	Experimental investigation of hybrid chain links	306
5.1.3.1	Mechanical properties	306
5.1.3.2	Application of sensor systems	309
5.1.4	Planning approach for large-scale production	311
5.1.4.1	Logistics concept	312
5.1.4.2	Logistics planning procedure	314
5.1.4.3	Logistics workshop	315
5.1.4.4	Prototype implementation	315
5.1.5	Evaluation of the findings to date	316
5.2	Integration of QD-LEDs in injection-molded structures	317
	<i>Prof. A. C. Bullinger-Hoffmann, Prof. L. Kroll, Prof. T. Otto, Dr. A. Weiß, A. Kaiser, J. Langenickel, M. Meyer</i>	
5.2.1	Foundational analyses	317
5.2.1.1	Preparation and characterization	319
5.2.1.2	Variation of the zinc oxide nanoparticle dispersion	321
5.2.1.3	Inversion of the stacked layers	323
5.2.1.4	Integration in lightweight structures	325
5.2.2	Integrating control elements into lightweight structures	327
5.2.2.1	Current button concepts	327
5.2.2.2	Determining the haptic and optical properties of surface structures	329
5.2.2.3	Relevant anthropometric data	329
5.2.2.4	Designing the gear selector	331
5.2.2.5	Investigating the arrangement and function assignment of the control elements	332
5.2.2.6	Investigation of control element haptics	334
5.2.2.7	Functional integration in the demonstrator	336
5.2.2.8	Finalization of the gear selector concept and production .	337
5.2.3	Evaluation of results	339

5.3 Scalable process for the production of active hybrid laminates 340
Prof. W. Hardt, Prof. V. Kräusel, Prof. L. Kroll, Prof. D. Landgrebe, Prof. M. Heinrich, R. Decker, A. Graf, F. Ullmann

5.3.1 Compounding trials and film technology 341

5.3.1.1 Sample production 342

5.3.1.2 Electrical properties 343

5.3.1.3 Rheological properties 345

5.3.1.4 Film production 347

5.3.2 Joining and forming technology 348

5.3.2.1 Discontinuous joining 349

5.3.2.2 Continuous joining 351

5.3.2.3 Forming properties 352

5.3.2.4 Forming simulation 354

5.3.3 Signal processing and localization 356

5.3.3.1 Characteristics and features as a basis for signal processing 356

5.3.3.2 Embedded signal processing system 358

5.3.3.3 Signal processing using analytical methods 359

5.3.3.4 Signal processing through machine learning 360

5.3.4 Transfer to the application 362

5.4 Textile and plastic processing with renewable raw materials 363
Prof. W. Nendel, Prof. S. Spange, Prof. A. Wagenführ, Dr. R. Rinberg, Dr. K. Schreiter, Dr. K. Trommler, B. Buchelt, R. John, A.-A. Ouali, C. Siegel

5.4.1 Polymer modification and fiber functionalization 364

5.4.1.1 Adsorption of polyvinylamine on wood veneer surfaces 365

5.4.1.2 Polymer-analogous reactions on polyvinylamine-coated wood veneer surfaces 368

5.4.1.3 Modification of wood veneer surfaces with maleic anhydride copolymers 370

5.4.1.4 Potential of the modification variants 371

5.4.2 Developing thermoplastic semi-finished veneers 372

5.4.2.1 Veneer structures 372

5.4.2.2 Processing with thermoplastic matrix 373

5.4.2.3 The influence of temperature 374

5.4.2.4 Pressing parameters 375

5.4.2.5 Characteristic values of the veneer prepregs 376

5.4.2.6 Veneer modifications for improved adhesion 376

5.4.2.7 Reinforcing effect in the composite and further processing as prepreg 377

5.4.2.8 Comparative evaluation of the results 379

5.4.3 Production and processing of bio-based prepregs 380

5.4.3.1 Methods for the production of semi-finished composite products 380

5.4.3.2	Properties of unidirectional natural fiber laminates	382
5.4.3.3	Processing natural fiber prepregs into components	384
5.4.3.4	Evaluation of the composite properties	385
5.5	Physiologically compatible hybrid components	385
	<i>Prof. D. Nestler, Prof. S. Odenwald, Dr. F. Helbig, Dr. S. Schwanitz, D. Krumm, S. Ren</i>	
5.5.1	Integration of knitted spacer fabrics	387
5.5.2	Physiological adaptation of 3D textiles	389
5.5.3	Lightweight seat demonstrator	389
5.5.3.1	Seat stiffness	389
5.5.3.2	Vibration transmission behavior	391
5.5.3.3	Sitting/seated behavior	395
5.5.3.4	Seat pressure distribution measurement	396
5.5.3.5	Implementation of the methodology in the lightweight seat demonstrator	398
5.6	References	400
6	Integrating micro and nano systems into lightweight structures	407
6.1	Integrating functional electronic elements	409
	<i>Prof. U. Götze, Prof. L. Kroll, Prof. T. Otto, Prof. T. Geßner †, Dr. A. Schmidt, M. Lipowski, M. Schüller, C. Stiehl, C. Symmank, M. Walther</i>	
6.1.1	Actuators for active flow control as electronically functional elements	409
6.1.1.1	Active flow control	409
6.1.1.2	Actuator concepts for fluidic flow control	410
6.1.1.3	Concepts for the integration of fluidic actuators in lightweight structures	411
6.1.2	Integrating functional electronic elements in injection molded structures	412
6.1.2.1	Using thermoplastic foam injection molding as the basic integration technology	412
6.1.2.2	Production-oriented implementation and integration of fluidic transducer elements in lightweight structures . . .	414
6.1.3	Proof of function and characterization of directly integrated fluidic actuators	417
6.1.4	Economic analysis and evaluation of integrated functional electronic elements	418
6.1.4.1	MERGE Economic Lightweight Concept (MELC)	425

6.2 Development and integration of film-based sensors for stress detection . 428
Prof. R. R. Baumann, Prof. H. Lang, Prof. T. Otto, Prof. D. R. T. Zahn, Prof. T. Geßner †, Dr. V. Dzhagan, Dr. J. Martin, M. Hartwig, Dr. D. Miesel, Dr. M. Moebius

6.2.1 Sensor concept, structure, and functionality 428

6.2.2 Synthesis of organic semiconductors to increase the energy efficiency of the autonomous sensor system 431

6.2.3 Technologies for manufacturing film-based sensors 434

6.2.4 Characterization and integration of functional layer stacks 439

6.3 Metasurface integration technologies 446
Prof. R. R. Baumann, Prof. L. Kroll, Prof. T. Otto, Prof. T. Geßner †, Dr. S. Kurth, T. Großmann, M. Hartwig, Prof. M. Heinrich

6.3.1 Developing the sensor concept 447

6.3.1.1 Motivation and classification 447

6.3.1.2 Sensor principle 448

6.3.2 Design and numerical analysis 449

6.3.2.1 Simulation with ideal materials 449

6.3.2.2 Simulation with real, lossy materials 454

6.3.3 Printing technology for the in-line production of metasurfaces . . 457

6.3.3.1 Inkjet and gravure technology 457

6.3.3.2 Substrate materials, inks, and their functionalization . . . 457

6.3.3.3 Influence of pressure and material parameters on sheet resistance 459

6.3.4 In-situ integration of metamaterials as functionalized semi-finished products in high-performance composite structures 462

6.3.4.1 Integration method 463

6.3.4.2 Results with illustrated examples 465

6.3.5 Evaluating the sensor concept 466

6.3.5.1 Designing laboratory samples for experimental evaluation 466

6.3.5.2 Method for measuring properties of printed semi-finished products 468

6.3.5.3 Analysis of printed semi-finished products 470

6.4 Technologies for the integration of miniaturized silicon sensor systems . 473
Prof. L. Kroll, Prof. J. Mehner, Prof. B. Michel, Prof. T. Otto, Prof. S. Rzepka, Prof. T. Geßner †, B. Arnold, F. Rost, R. Decker, A. Bauer, A. Tsapkolenko, Prof. M. Heinrich

6.4.1 Fusing microsystem processes and micro injection molding 473

6.4.1.1 Interposer 474

6.4.1.2 Sensor selection 475

6.4.1.3 Technology demonstrators 476

6.4.2 Manufacture of the intelligent semi-finished textile 479

6.4.2.1 Contacting options between interposer and electronics . . 479

6.4.2.2	Energy and data transmission	480
6.4.2.3	Textiles with integrated conductor tracks	482
6.4.2.4	Conductively functionalized polymers	484
6.4.2.5	Molding tool concept	488
6.4.3	Reliability study on the integration processes for intelligent lightweightstructures	489
6.4.3.1	The stress chip measuring system	490
6.4.3.2	Investigations during chip and wire bonding processes . .	491
6.4.3.3	In-situ investigations during injection molding	492
6.4.3.4	Defect analysis of intelligent injection molded components	495
6.4.4	Development of a condition monitoring system with integrated sensors for lightweight structures	496
6.4.4.1	Functional analysis of sensors integrated via injection molding	496
6.4.4.2	Sound emission analysis with MEMS acoustic emission sensor technology	498
6.5	References	501
7	Surface and interface technologies	509
7.1	Interface design for metal-plastic composites	510
	<i>Prof. T. Lampke, Prof. S. Spange, Dr. S. Anders, Dr. F. Böttger-Hiller, Dr. D. Nickel, Dr. I. Roth-Panke, Dr. I. Scharf, Dr. K. Schreiter, Dr. K. Trommler, M. Birkner, M. Göring, C. Mende, M. Müller, E. Saborowski, A. Schuberth</i>	
7.1.1	Synthesis of functional twin monomers	510
7.1.2	Interface design for injection molding applications	518
7.1.3	Evaluation of suitability for mass production	523
7.1.4	Simulation of hybrid material compounds	532
7.2	Interface design for integration systems	536
	<i>Prof. T. Lampke, Prof. H. Lang, Prof. A. Schubert, Prof. G. Wag- ner, Dr. S. Hausner, Dr. S. Jahn, Dr. A. Jakob, P. Frenzel, J. Noll, R. Schimmelpfennig</i>	
7.2.1	Metal carboxylate precursors	537
7.2.2	Printed electronics on polymeric materials	542
7.2.3	Joining and contacting at low temperatures	544
7.2.3.1	Joining experiments	544
7.2.3.2	Contacting experiments	551
7.2.4	Ultrasound-supported joining	552
7.3	References	559

8	Modeling, integrative simulation, and optimization	563
8.1	Experimental analysis and characterization of hybrid lightweight structures	564
	<i>Prof. J. Ihlemann, Prof. L. Kroll, Dr. M. Stockmann, S. Hannusch, E. Peretzki, N. Schramm</i>	
8.1.1	Analyzing and influencing residual stress states	565
8.1.1.1	Origin of residual stresses	565
8.1.1.2	Structure and function of fiber Bragg grating sensors	565
8.1.1.3	Investigation of different types of interrogator designs	567
8.1.1.4	Integration of FBG sensors into injection molded components	568
8.1.1.5	Residual stress analysis using strain gauges and FBG sensors	570
8.1.1.6	Test stand for determining residual stresses	570
8.1.2	Residual stresses and failure modes	574
8.1.2.1	The fiber-reinforced demonstrator components “Chemnitz Hook” and “plate with aluminum insert”	574
8.1.2.2	Failure analysis for fiber-reinforced thermoplastics	578
8.2	Adaptive, high-precision simulations for hybrid structures	580
	<i>Prof. J. Ihlemann, Prof. A. Meyer, N. Goldberg, H. Schmidt, R. Springer</i>	
8.2.1	Homogenization of short fiber-reinforced materials	580
8.2.2	Injection molding simulation for short fiber-reinforced components	581
8.2.3	Parameterized FEM simulation	583
8.2.3.1	Software, special features, and MERGE based modifications	583
8.2.3.2	Test calculations	587
8.2.3.3	Uncertainties in the material description	591
8.2.4	Modification of the adaptive FEM	593
8.2.4.1	Material behavior	594
8.2.4.2	Improving implementation	596
8.2.4.3	Test calculations	597
8.2.5	Constitutive equations	599
8.2.5.1	Basic structure of the material law	600
8.2.5.2	Accounting for the fiber orientation distribution	602
8.2.5.3	Experimental basis for material parameter identification	603
8.2.5.4	Application of the material law in an FEM simulation	605
8.3	Multi-criteria optimization and simulation	606
	<i>Prof. R. Herzog, Prof. L. Kroll, Prof. A. Meyer, Prof. G. Rünger, Dr. M. Hofmann, Dr. L. Ulke-Winter, R. Dietze, F. Ospald</i>	
8.3.1	Bivalent optimization of short fiber-reinforced components	606
8.3.1.1	Shape and topology optimization of short fiber-reinforced components	611

8.3.2	Nature-inspired optimization methods	612
8.3.2.1	Optimization of multilayer composites	612
8.3.2.2	Bivalent optimization of continuous fiber-reinforced high pressure vessels	616
8.3.3	Highly efficient calculation strategies	619
8.3.3.1	Component-based development of complex simulation applications for distributed computer platforms	619
8.3.3.2	Scheduling procedures for efficient simulation execution on heterogeneous compute clusters	622
8.3.3.3	Analysis and modeling of the energy consumption of parallel methods in scientific computing	623
8.4	References	625
9	Internationalization	631
	<i>A. Bochmann, K. Götz</i>	
9.1	References	636
10	Summary and outlook	637
	<i>Prof. L. Kroll</i>	
11	Appendix	641
11.1	Structural measures	641
11.2	Strategic focus of MERGE	643
12	List of abbreviations	645
13	Facts and figures	649
Index		655