CONTENTS

PART I: PRINCIPLES AND METHODS OF FORCE MEASUREMENT

| 1 | INT | RODUCTION TO FORCE MEASUREMENT | 3 |
|---|-----|--|----|
| | 1.1 | Various Approaches to Force Transduction | 3 |
| | 1.2 | Newton – Measurement Unit of Force | 6 |
| | 1.3 | Mechanical Measurements of Forces & Tribology | 8 |
| | | Force Transducers Other than Electrical | |
| | 1.5 | Terminology: Sensors or Transducers? | 13 |
| | 1.6 | Force Measurement Systems | 16 |
| | REF | TERENCES | 20 |
| 2 | ELF | CTRICAL METHODS OF FORCE MEASUREMENT | 23 |
| | | Energetical Aspects in Force Transduction | |
| | | Examples of Force Measurement in Thermal Processes | |
| | | Typical Requirements for Force Transducers | |
| | | Force Transducers (FTs) Classifications | |
| | | 2.4.1 First Attempts of Force Transducers Systematization | |
| | | 2.4.2 German FT Classifications | |
| | | 2.4.3 Dutch FT Classifications | 34 |
| | | 2.4.4 English FT Classifications | 35 |
| | 2.5 | Nonconventional Types of Force Transducers | 37 |
| | | 2.5.1 Electrodynamic Force Transducers | 37 |
| | | 2.5.2 Galvanomagnetic Force Transducers (Based on Hall Effect) | 37 |
| | | 2.5.3 Acoustic Force Transducers (SAWs) | 38 |
| | 2.6 | An Enlarged Classification of Force Transducers | |
| | REI | FERENCES | 44 |
| 3 | RES | SISTIVE FORCE TRANSDUCERS | 49 |
| - | | Resistive Force Transducers Types | |
| | | Potentiometers | |
| | | Pretensioned Wires | |
| | | Strain Gauges | |
| | | Piezoresistive Sensors | |
| | | 3.5.1 Silicon Devices | |
| | | 3.5.2 Carbon Film Coatings and Carbon Nanotubes (CNTs) | |



| | 3.6 | Force Sensing Resistors (FSRs) | 62 |
|---|-----|--|------------|
| | 3.7 | Force Sensing Resistive Networks | 65 |
| | REI | FERENCES | 68 |
| 4 | IND | OUCTIVE FORCE TRANSDUCERS | 7 3 |
| | 4.1 | LVDT (Linear Variable Differential Transformer) | 7 4 |
| | 4.2 | Variable Reluctance Transducers | |
| | 4.3 | Mutual Inductance Variation Force Transducers | 79 |
| | 4.4 | Inductive Eddy Current Transducer | 81 |
| | 4.5 | Biparametric Inductive Force Transducers | 81 |
| | | 4.5.1 Biparametric LR | 81 |
| | | 4.5.2 Biparametric LC | 82 |
| | REI | FERENCES | 85 |
| 5 | CAI | PACITIVE FORCE TRANSDUCERS | 87 |
| | | Capacitive Force Transducers Classification | |
| | | Capacitive Force Transducers (CFTs) with Plates | |
| | | 5.2.1 CFT with Variable Thickness of the Dielectric Pad | |
| | | 5.2.2 CFT with Variable Distance between Plates | 90 |
| | | 5.2.3 CFT with Plates Arranged under a Certain Angle | |
| | 5.3 | Multiple Plates Capacitive Force Transducers | 92 |
| | 5.4 | Interdigitated and Matrix of Capacitive Sensors | 94 |
| | | 5.4.1 CFT with Interdigitated Electrodes | |
| | | 5.4.2 CFT Using a Matrix of Capacitive Sensing Elements | |
| | | Cylindrical Capacitive Force Transducers | |
| | 5.6 | Applications Based on Electrostatic Forces | |
| | | 5.6.1 Electrostatic Force Balances | 100 |
| | | 5.6.2 Other Applications of Electrostatic Forces for the Measurement | |
| | | of Mechanical Quantities | 102 |
| | | Electronic Circuits for Capacitive Transducers | 103 |
| | REI | TERENCES | 105 |
| 6 | PIE | ZOELECTRIC FORCE TRANSDUCERS (PZFTs) | 109 |
| | 6.1 | Piezoelectric Materials | |
| | | 6.1.1 Quartz Crystals | |
| | | 6.1.2 Sensors with Organic Polymers | |
| | | 6.1.3 Solid State Devices | |
| | 6.2 | Unidirectional Piezoelectric Force Transducers | |
| | 6.3 | Tridirectional Piezoelectric Force Transducers | |
| | | Piezoelectric Bimorph as Force Transducer | |
| | | Electronic Circuits for Piezo Force Transducers | |
| | 6.6 | Complex Applications with Piezoelectric Devices | 125 |
| | REF | FERENCES | 126 |

| 7 | ELI | ECTROMAGNETIC FORCE TRANSDUCERS | 131 |
|----|------|---|-----|
| | 7.1 | Classification | |
| | 7.2 | Magnetoresistive Force Transducers | 135 |
| | 7.3 | Force Measurements in Magnetic Field | 138 |
| | | 7.3.1 Resistive Force Transducers in Magnetic Field | 139 |
| | | 7.3.2 Capacitive Force Transducers in Magnetic Field | 140 |
| | | 7.3.3 Pressure Transducers Based on Magnetic Higher-Order Harmo | nic |
| | | Fields | 141 |
| | 7.4 | Electromagnetic Weighing by Force Compensation | 142 |
| | 7.5 | Electromagnetic Devices for Small Forces | 144 |
| | | 7.5.1 Electromagnetic Probes for Micro- and Nano-force | |
| | | Measurements | |
| | | 7.5.2 Magnetic Flux Quantum as a Sub-pico-newton Weight | 146 |
| | | 7.5.3 Casimir Forces and Levitation Pressures Measurement | |
| | RE | FERENCES | 149 |
| _ | | · | |
| 8 | | ECTRODYNAMIC FORCE TRANSDUCERS | |
| | | Electrodynamic Force Compensation Principle | |
| | | Load Cells with Electrodynamic Feedback | |
| | 8.3 | | |
| | | 8.3.1 Hydrodynamic Gravimetric Balance | |
| | | 8.3.2 Electrodynamic Vacuum Microbalance | |
| | ~ 4 | 8.3.3 Electrodynamic Devices for Small Particles Experiments | |
| | | Micromechanical Testers with Moving Coils | |
| | | Multifunctional Transducers with Moving Coils | |
| | RE | FERENCES | 163 |
| 9 | МА | GNETOELASTIC FORCE TRANSDUCERS | 165 |
| | 9.1 | The Magnetostrictive Principle | |
| | 9.2 | | |
| | 9.3 | • | |
| | 7.5 | 9.3.1 Magnetostrictive Strips and Bars | |
| | | 9.3.2 Magnetostrictive Amorphous Wires | |
| | 9.4 | Frame-Shaped Magnetoelastic Force Transducers | |
| | | Tubular Magnetoelastic Force Transducers | |
| | | Circular Magnetoelastic Force Transducers | |
| | 9.7 | Block-Shaped Magnetoelastic Force Transducers | |
| | 9.8 | Magnetoelastic Shafts for Torque Transducers | |
| | | Magnetoelastic FTs Electronic Circuitry | |
| | | FERENCES | |
| | 1410 | * MATAIN (CAN) ************************************ | 10. |
| 1(| G. | ALVANOMAGNETIC FORCE TRANSDUCERS | 185 |
| | 10 | .1 Hall Effect and Its Applications | 186 |
| | | 2 Force Transducers Based on the Hall Effect | |

| | | 10.2.1 | Hall Effect in Geotechnical Engineering | 189 |
|----|-------|-----------|---|-----|
| | | | Medical Applications with Hall Sensors | |
| | 10.3 | Hall De | evices for Other Mechanical Quantities | 191 |
| | | | Displacement and Position Measurements Using Hall | |
| | | | Sensors | |
| | | | Weighing Based on Hall Devices | |
| | | | Pressure and Flow Measurements by Means of Hall Sensors . | |
| | | | Shock Measurements Using Hall Devices | 194 |
| | | | Penetration Velocity and Rotational Speed Measured with | |
| | | | Hall Sensors | |
| | 10.4 | | omagnetic FTs in Complex Measurement Chains | 196 |
| | | 10.4.1 | Combined Measurands in Galvanomagnetic Force | |
| | | | Transducers | |
| | | | Triaxial Galvanomagnetic Force Transducers | |
| | | | Electromagnetic Principles in Force Measurement | |
| | REF | ERENC | ES | 200 |
| 11 | X/TDI |) A TINIC | G-WIRE FORCE TRANSDUCERS | 203 |
| 11 | | | ng Wire as Force Measurement Principle | |
| | | | s' Structures and Characteristics | |
| | 11.3 | | nic Circuits for VWTs | |
| | 11.5 | | Vibrating-Wire Excitation Methods | |
| | | | Measuring Circuits for Vibrating-Wire Transducers | |
| | | | Digital Weighing Based on Vibrating-Wire Transducers | |
| | | | Virtual Musical Instruments Investigated by Means | 211 |
| | | 11.5.4 | of VWFTs | 212 |
| | 11.4 | Differe | nt Types of Vibrating-Wire Transducers | |
| | | | Applications for Other Physical Quantities | |
| | | | Viscometers and Densimeters | |
| | | | "Piezometers" (for Underground Water Pressure) | |
| | | | Tiltmeters / Inclinometers and Slope Indicators | |
| | 11.6 | | Progress and Their Extended Utilization | |
| | | | ES | |
| | | | | |
| 12 | | | R FORCE TRANSDUCERS | |
| | | | tor Principle in Force Measurement | |
| | 12.2 | | als for Resonators and Their Q-Factors | |
| | | 12.2.1 | Quartz Resonators for Force Transducers | 231 |
| | | | Silicon Resonators for Force Transducers | |
| | 12.3 | | s Shapes of Resonators | |
| | | | Resonating Beams for Force Transducers | 235 |
| | | 12.3.2 | Resonating Diaphragms / Membranes for Force / Pressure | |
| | | | Transducers | |
| | | 12.3.3 | Resonating Tubes for Force Transducers | 238 |

CONTENTS XVII

| | 12.4 | Single Beam (Micro)Resonators | 238 |
|----|------|--|-----|
| | 12.5 | | |
| | | 12.5.1 Classical Double-Ended Tuning Forks (DETFs) | 240 |
| | | 12.5.2 Modern Solutions for DETF Resonators | 242 |
| | 12.6 | Metallic Triple Beam Resonators (MTBRs) | 244 |
| | | 12.6.1 Force Transducers with MTBRs | 244 |
| | | 12.6.2 Torque Transducers with MTBRs | 246 |
| | REF | TERENCES | 247 |
| | | | |
| 13 | ACO | USTIC FORCE TRANSDUCERS | 251 |
| | | Interdigital Transducers (IDTs) | |
| | 13.2 | Acoustic Emission and Waveguides | |
| | | 13.2.1 Acoustic Emission Applications | |
| | | 13.2.2 Acoustic Waveguides Applications | |
| | 13.3 | Ultrasound Force Transducers | |
| | | 13.3.1 Industrial Applications of Ultrasound Force Transducers | |
| | | 13.3.2 Ultrasound Force Transducers for Food and Farmacology | |
| | | 13.3.3 Medical Applications of Ultrasound Force Transducers | |
| | 13.4 | Acoustic Radiation Force Transducers | |
| | | 13.4.1 Acoustic Radiation Force Transducers in Medicine | 261 |
| | | 13.4.2 Acoustic Radiation Force Transducers in Metrology | 262 |
| | 13.5 | Surface Acoustic Wave (SAW) Transducers | |
| | | 13.5.1 SAW Force Transducers | |
| | | 13.5.2 SAW Torque Transducers | |
| | | 13.5.3 SAW Pressure Transducers | |
| | | 13.5.4 SAW Fluidic Transducers | |
| | 13.6 | SAW Electronic Circuits | |
| | | ERENCES | |
| | | | |
| 14 | GYR | OSCOPIC FORCE TRANSDUCERS | 275 |
| | 14.1 | The Gyroscopic Principle in Force Measurement | |
| | 14.2 | Conventional Gyroscopic Force Transducers | |
| | 14.3 | Types of Micro-Gyroscopic Force Transducers | |
| | | 14.3.1 Inertial Gyroscopes | |
| | | 14.3.2 Piezoelectric Gyroscopes | |
| | | 14.3.3 Resonator / Vibrating Gyroscopes | |
| | | 14.3.4 Acoustic (and SAW) Gyroscopes | |
| | | 14.3.5 Coriolis Force Transducers in Medical Applications | |
| | 14.4 | | |
| | | 14.4.1 Fiber Optic Gyroscopes (FOGs) | |
| | | 14.4.2 Laser Gyroscopes | |
| | | 14.4.3 MOEMS (Micro-Opto-Electro-Mechanical System) | |
| | | Gyroscope | 288 |
| | 14.5 | A Topical Review of Gyroscopes | |
| | | ERENCES | |
| | | | |

| 15 | FOR | CE BALANCE TECHNIQUES | 293 |
|----|-------|--|-----|
| | 15.1 | Force Balance Principle Applied to Transducers | 294 |
| | 15.2 | Electromagnetic Force Compensation (EMFC) | 297 |
| | 15.3 | Electrostatic Force Compensation | 299 |
| | | Optical Devices Based on Force Feedback | |
| | REF | ERENCES | 304 |
| 16 | | ED METHODS IN FORCE MEASUREMENTS | |
| | 16.1 | Force Transducers Using Advanced Electronics | 308 |
| | | Cantilever Beams for Various Force Transducers | |
| | | CNTs for Measuring Mechanical Quantities | |
| | 16.4 | Combined Methods of Force Transduction | |
| | | 16.4.1 Force Transducers in Medical Instruments | 316 |
| | | 16.4.2 EMAT (Electro-Magnetic Acoustic Transducer) and | 210 |
| | | Lorentz Force | |
| | | 16.4.3 Multitransducer Equipment | |
| | | 16.4.4 Force Transducers Involving Optical Techniques | |
| | REF | ERENCES | 324 |
| PA | RT II | : FORCE TRANSDUCERS COMPONENTS | |
| 17 | THE | FORCE MEASUREMENT CHAIN | |
| | 17.1 | | |
| | 17.2 | | |
| | 17.3 | | |
| | | Strain Gauges Signal Processing | |
| | | Data Presentation for Force Transducers | |
| | REF. | ERENCES | 345 |
| 18 | | EATSTONE BRIDGE – THE BASIC CIRCUIT FOR STRAIN | |
| | | RCE TRANSDUCERS | |
| | | Wheatstone Bridge – General Presentation | |
| | 18.2 | Wheatstone Bridge – Fundamental Properties | |
| | 18.3 | j j | |
| | 18.4 | | |
| | | Different Applications with Measuring Bridges | |
| | | Further Connections for Wheatstone Bridges | |
| | REF | FERENCES | 358 |
| 19 | STR | AIN GAUGES ELECTRONIC CIRCUITS | |
| | 19.1 | Signal Conditioning for Force Transducers | |
| | 19.2 | 6 | |
| | | 19.2.1 Pre- and Post-Conditioning | |
| | | 19.2.2 High-Gain Signal Conditioning | |
| | | 19.2.3 "QuantumX" Universal Conditioner | 363 |

| | 19.3 | Analog-to-Digital Converters | 365 |
|----|------|---|-----|
| | | 19.3.1 Different Conversions to Frequency | |
| | | 19.3.2 Resistance-to-Time Converter | 365 |
| | | 19.3.3 Sigma-Delta Converter | 366 |
| | 19.4 | Bridge Oscillators | |
| | | 19.4.1 Wien Bridge Based Oscillator | |
| | | 19.4.2 Wheatstone Bridge Based Oscillator | |
| | 19.5 | AC Generators | |
| | | 19.5.1 Sine Wave Generator | |
| | | 19.5.2 Saw-Tooth Wave Generator | |
| | | 19.5.3 Rectangular Wave Generator | |
| | 19.6 | Strain Gauged Force Transducers Connected to PC | |
| | | 19.6.1 Direct Resistance Change Measurement | |
| | | 19.6.2 Strain Gauge Bridge Signal Processing | |
| | REF | ERENCES | 373 |
| 20 | OT A | COMPLETATION OF BY A COMPLETE DAMPAINE | 255 |
| 20 | | SSIFICATION OF ELASTIC ELEMENTS | |
| | | Elastic Elements Loading Modes | |
| | | Examples of Elastic Elements Classifications | |
| | | ERENCES | |
| | KEF. | ERENCES | 30/ |
| 21 | STR | ETCHED / COMPRESSED COLUMNS | 389 |
| | | Classical Columns | |
| | 21.2 | Optimized Columns | 394 |
| | | Increasing Sensitivity for Columnar Transducers | |
| | | Complex Structures Composed by Bars / Columns | |
| | | Dynamic Testing for Cylindrical Transducers | |
| | | ERENCES | |
| | | | *** |
| 22 | | ETCHED / COMPRESSED TUBES | |
| | 21.1 | Classical Tubes | |
| | 22.2 | | |
| | | Profiled Tubes | |
| | | Tubes with Holes or Slots | |
| | | Tubular Structures under Complex Loading | |
| | REF | ERENCES | 411 |
| 23 | BEN | T LAMELLA (CANTILEVER BEAMS) | 415 |
| | 23.1 | Various Applications with Cantilever Beams | |
| | 23.2 | Cantilever Beams for Lower Forces | |
| | 23.3 | (Bio)Chemical Cantilevers | 424 |
| | 23.4 | | |
| | | Cantilever Beams in Multicomponent FTs | |
| | | ERENCES | |

| 24 | BENT AND/OR TORSION SHAFTS | 437 |
|----|--|-----|
| | 24.1 Bending of Cantilever Tube or Cylinder | 437 |
| | 24.2 Rotating Shafts | 439 |
| | 24.3 Complex Loaded Shafts | 441 |
| | REFERENCES | 443 |
| 25 | MIDDLE BENT BARS WITH FIXED ENDS | 445 |
| | 25.1 Examples of Middle Bent Bars with Fixed Ends | |
| | 25.2 Slotted Structures for Middle Bent Bars with Fixed Ends | |
| | 25.3 Dynamic Applications of Double Ended Beams | |
| | 25.4 Various Models of Four-Spoke Wheels | |
| | REFERENCES | |
| 26 | SHEARING STRAINED ELASTIC ELEMENTS | 457 |
| 20 | 26.1 'I'-Profiles Subjected to Shearing | |
| | 26.2 Load Measuring Pins / Bolts | |
| | 26.3 Hollow Discs / Wheels | |
| | 26.4 S (Z) Shaped Elastic Elements | |
| | 26.5 Helix Load Cells | |
| | REFERENCES | |
| 77 | BENT YOKES AND FRAMES | 460 |
| 27 | | |
| | 27.1 Various Shapes of Bent Yokes and Frames27.2 Force–Measuring Clamps | |
| | | |
| | REFERENCES | 4/5 |
| 28 | BENT RINGS AND "GLASSES" | 477 |
| | 28.1 Various Shapes of Bent Rings | 477 |
| | 28.1.1 Circular Rings | 477 |
| | 28.1.2 "Square" Rings | |
| | 28.1.3 Hexagonal Rings | |
| | 28.1.4 Octagonal Rings | |
| | 28.1.5 Other Shapes of Bent Rings | |
| | 28.2 "Glasses"-Shaped Elastic Structures | |
| | 28.3 Multiple "Glasses"-Shaped Elastic Elements | 490 |
| | REFERENCES | |
| 29 | BENT MEMBRANES | 495 |
| | 29.1 Various Types of Bent Membranes | |
| | 29.2 Circular Membranes | 500 |
| | 29.3 Square Membranes | |
| | 29.4 Membranes with Various Shapes of Apertures | 509 |
| | 29.5 Other Shapes of Membranes | 511 |
| | REFERENCES | |

CONTENTS XXI

| 30 | COM | IPLEX LOADED TORUS | 517 |
|----|------|--|-----|
| | 30.1 | Torus as Elastic Element for Force Transducers | 517 |
| | 30.2 | Toroidal Elastic Elements in Special Applications | 520 |
| | REF | ERENCES | 522 |
| 31 | AXIS | SYMMETRIC ELASTIC ELEMENTS | 523 |
| - | 31.1 | Various Axisymmetric EEs for Force Transducers | |
| | 31.2 | Axisymmetrical EEs for Very Large Force Transducers | |
| | | N-Shaped Axisymmetric Elastic Elements | |
| | | ERENCES | |
| 32 | VOL | UMETRIC ELASTIC ELEMENTS | 539 |
| | 32.1 | Spheres | 539 |
| | 32.2 | • | |
| | | 32.2.1 Full Cubes | 542 |
| | | 32.2.2 Cubic Blocks with Slots | 543 |
| | 32.3 | Complex Bodies with Oblique Slots | |
| | REF | ERENCES | 548 |
| | | | |
| 33 | | IPLEX, COMPOSED AND COMBINED ELASTIC | |
| | | UCTURES | |
| | 33.1 | Complex Elastic Structures | |
| | | 33.1.1 Plane Complex Structures | |
| | | 33.1.2 Spatial Complex Structures | |
| | | Composed Elastic Structures | |
| | 33.3 | Combined Elastic Structures | |
| | | 33.3.1 Plane Combinations of Elastic Elements | |
| | | 33.3.2 Axisymmetric Combinations of Elastic Elements | |
| | | 33.3.3 Spatial Combinations of Elastic Elements | |
| | REF | ERENCES | 562 |
| 34 | ELA | STIC ELEMENTS SELECTION CRITERIA | |
| | 34.1 | Elastic Elements (EEs) Evaluation Criteria | |
| | | Elastic Elements Comparative Analysis | |
| | 34.3 | EE Selection for Specific Applications | |
| | | 34.3.1 From Single- to Multi-component Force Transducers | 569 |
| | | 34.3.2 Force Transducers in Mechatronics | |
| | | 34.3.3 EEs for Very Large Forces | |
| | | Elastic Elements Automatic Selection | |
| | REF | ERENCES | 574 |

| 35 | DIG | ITAL AND INTELLIGENT FORCE TRANSDUCERS | 577 |
|-----|-------|---|----------|
| | 35.1 | Evolution from Analog to Digital | 577 |
| | | Automatic Recognition of Force Transducers | |
| | | Force Transducers in Dynamic Regime | |
| | | Intelligent (Smart) Force Transducers | |
| | | Further Prospects: Materials, Technologies, Ideas | |
| | | 35.5.1 Smart Materials and Structures | |
| | | 35.5.2 Intelligent Design and Smart Technology | |
| | | 35.5.3 Neuro-Fuzzy Concepts | |
| | 35.6 | Updated Force Transducers + Data Communication | |
| | | 35.6.1 Dual Output Force Transducers | |
| | | 35.6.2 Data Display and Communication | |
| | REF | ERENCES | |
| ΑN | | 1. Rules for Strain Gauges Placement on the Elastic Elen Force Transducers | nents of |
| AN | NEX 2 | 2. The Newton's Apple Tree in Korea | 595 |
| INI |)FY | | 597 |