

Contents

Preface *xv*

1	Membrane Emulsification Process: Principle and Model	1
1.1	Introduction	1
1.2	Cross-Flow Membrane Emulsification	2
1.2.1	Mechanism of Droplet Formation	2
1.2.2	Force Balance Model	6
1.2.3	Torque Balance Model	8
1.2.3.1	Associating the Dispersed-Phase Parameters	9
1.2.3.2	Associating the Continuous Phase Parameters	10
1.2.3.3	Torque Balance Model Associating Operation Parameters	10
1.2.3.4	Evaluation of Controlling Factors on Droplets Uniformity by Torque Balance Model	11
1.2.4	Computational Fluid Dynamics	16
1.2.5	Models by Surface Evolver Tool	19
1.2.6	Models by Lattice Boltzmann Method	20
1.3	Premix Membrane Emulsification	21
1.4	Summary	23
	References	23
2	Preparation of Hydrophobic Microspheres From O/W Emulsion	27
2.1	Introduction	27
2.2	Preparation from Monomer System	28
2.2.1	PST-DVB Microspheres	28
2.2.2	PST-DMAEMA Microspheres	29
2.2.3	PGMA Microspheres	31
2.2.4	PST-HEMA Microspheres	32
2.2.5	PMMA Microspheres	34
2.3	Preparation from Performed Polymer System	37
2.3.1	PST-PMMA Microspheres	37
2.3.2	Polyurethane Urea Microspheres	39
2.3.3	Polyimide Prepolymer (PIP) Microspheres	40

2.3.4	Biodegradable Poly(Lactide) Microspheres	41
2.3.5	Microcapsules Containing Inorganic Materials	43
2.3.6	Pickering Emulsion	43
2.4	Morphology Control of Microspheres	45
2.4.1	Effect of Crosslinker on Morphology of Microspheres	45
2.4.2	Effect of Inert Diluents on Morphology of Microspheres	46
2.4.2.1	Nonsolvating Diluent Effects on Microsphere Morphology	47
2.4.2.2	Solvating Diluent Effects on Microsphere Morphology	49
2.4.3	Effect of Emulsifier/Stabilizer on Morphology of Microspheres	52
2.4.4	Effect of Cosurfactant on Morphology of Composite Microspheres	52
2.5	Summary	56
	References	57

3 Preparation of Hydrophilic Polymer Microspheres from W/O Emulsion 61

3.1	Introduction	61
3.2	Membrane Modification and Preparation	62
3.2.1	Hydrophobic Modification of the Membrane	62
3.2.2	Preparation of Hydrophobic Membrane	67
3.3	Preparation Microparticles from Monomer System	73
3.3.1	Preparation of Poly(<i>N</i> -isopropylacrylamide) (PNIPAM) Microspheres and Microcapsules	73
3.4	Preparation Microparticles from Preformed Polymer System	77
3.4.1	Chitosan Microspheres	77
3.4.2	Agarose Microspheres	83
3.4.3	Alginate Microspheres	89
3.4.4	Cellulose Microspheres	93
3.4.5	Glucomannan Microspheres	94
3.5	Other Hydrophilic Microspheres Prepared by Membrane Emulsification	95
3.5.1	PVA Microspheres	95
3.5.2	Protein Microspheres	98
3.6	Summary	99
	References	100

4 Preparation of Uniform Microcapsules and Microspheres from W/O/W Double Emulsion 105

4.1	Introduction	105
4.2	Preparation of Uniform Microcapsules	107
4.2.1	Oil-Soluble Emulsifier on the Size Distribution of Microcapsules	109
4.2.2	PVA Concentration in the Outer Aqueous Phase	110
4.2.3	Transmembrane Pressure on the Size Distribution of Microcapsules	110
4.2.4	The Membrane with Different Pore Size	112
4.2.5	Microcapsules for Drug Encapsulation	113

4.2.5.1	Composition of Polymers	113
4.2.5.2	The Inner Aqueous Phase Volume	114
4.2.5.3	NaCl Concentration in Outer Aqueous Phase	115
4.2.5.4	Drug-Loading Amount	116
4.2.5.5	pH Value in Outer Aqueous Phase	117
4.2.5.6	Microcapsules Size	117
4.2.6	Microcapsules with Controllable Structure	119
4.2.6.1	Polymer Concentrations in Oil Phase	119
4.2.6.2	Solidification Rate of the Droplets	119
4.2.6.3	Stabilizer Type	121
4.2.6.4	Volume Fraction of the Inner Aqueous Phase	121
4.3	Preparation of Composite Microspheres	121
4.3.1	Water-Soluble Inhibitor	123
4.3.2	Stabilizer in Outer Aqueous Phase	123
4.3.3	Cross-Linking Agent	124
4.4	Summary	126
	References	126
5	Rapid Membrane Emulsification Process for Preparation of Small Microspheres	129
5.1	Introduction	129
5.2	Preparation of Hydrophobic Microspheres from O/W Emulsion	130
5.2.1	Preparation of Polylactide-Based Particles from O/W Emulsion	130
5.2.2	Preparation of PST Particles from O/W Emulsion	132
5.2.3	Preparation of Drug-Loaded Particles from O/W Emulsion	132
5.2.3.1	Preparation of Drug-Loaded Particles via Adsorption	133
5.2.3.2	Preparation of Drug-Loaded Particles via Encapsulation	133
5.2.3.3	Preparation of Polydopamine Microcapsules	135
5.3	Preparation of Hydrophilic Microspheres from W/O Emulsion	136
5.3.1	Preparation of Chitosan Particles	136
5.3.1.1	Preparation of Chitosan Solid Particles	136
5.3.1.2	Preparation of Chitosan gel Particles	138
5.3.2	Preparation of Stimuli-Responsive PNIPAM Particles	139
5.3.3	Preparation of Agarose Particles	139
5.3.4	Preparation of Alginate Particles	141
5.3.5	Preparation of Konjac Glucomannan Particles	143
5.4	Preparation of Microcapsule from Double Emulsion	144
5.4.1	Preparation of Drug/Antigen-Loaded Microcapsules via W/O/W Emulsions	144
5.4.1.1	Preparation of Particles for Encapsulating Water-Soluble Antigen	144
5.4.1.2	Preparation of Particles for Encapsulating Water-Soluble Drugs	145
5.4.1.3	Preparation of Hollow Particles for Encapsulating Antigen/Drug	147
5.4.2	Preparation of Microspheres with Unique Structure via W/O/W Emulsion	147

5.4.2.1	Preparation of PLA/PLGA Microspheres with Single-Core Structure	147
5.4.2.2	Preparation of PMMA/PLGA Microspheres with Gigaporous Structures	149
5.4.2.3	Preparation of PLGA Microspheres with Nonspherical Structures	151
5.4.3	Preparation of Microspheres via O/W/O Emulsion	152
5.4.3.1	HTCC Chitosan Microspheres for Oral Administration via O/W/O	153
5.4.3.2	CMCC Chitosan Microspheres for Encapsulating Water-Insoluble Drugs	154
5.4.3.3	Chitosan Microspheres for Combined Drug Delivery and Specific Administration	155
5.4.3.4	Preparation of Biomimetic Chitosan Microsphere with Cell Membrane	157
5.5	Summary	158
	References	158

6 Applications of Uniform Particles in Sustained Release of Drugs 163

6.1	Introduction	163
6.2	Synthetic Polymer (PLA, PLGA, and PELA)	164
6.2.1	PLA	164
6.2.2	PLGA	166
6.2.3	PELA	167
6.2.4	Strategy to Improve Encapsulation Efficiency	168
6.2.4.1	Effect of Additives on Encapsulation Efficiency	168
6.2.4.2	Effect of pH in the External Phase	169
6.2.4.3	Effect of Polymer	170
6.2.4.4	Effect of Solidification Technique	171
6.2.4.5	Using Post-loading Mode Instead of Pre-loading Mode	174
6.2.5	Strategy to Maintain Bioactivity of Drugs	175
6.2.5.1	Adding Additives to Prevent Proteins from Denaturation	175
6.2.5.2	Designing Amphiphilic Block Polymer PELA Instead of PLA	178
6.2.5.3	Effect of Preparation and Solidification Method	180
6.3	Natural Polymer (Polysaccharide) Chitosan	181
6.3.1	Strategies to Improve Encapsulation Efficiency	182
6.3.1.1	Using Step-wise Crosslinking Method to Avoid Shrinkage Stage	183
6.3.1.2	Using Chitosan Derivatives as Polymer to Adjust Microsphere Structure to Avoid Drug Crosslinking and Leakage	184
6.3.1.3	Preparing Chitosan/Alginate Complex Microsphere by Two-step Solidification Method to Avoid Drug Leakage	185
6.3.1.4	Controlling Morphologies of Microspheres to Increase Drug Loading	187
6.3.2	Strategies to Maintain Bioactivity of Drugs	188
6.3.2.1	Step-wise Crosslinking Method	189

- 6.3.2.2 Using Chitosan Derivatives as Polymer to Protect Protein from the Crosslinking Process 189
- 6.3.2.3 Self-solidification System Instead of Using Chemical Crosslinker 192
- 6.3.2.4 Preparing Chitosan/Alginate Complex Microsphere Instead of Chemical Crosslinking of Chitosan 193
- 6.4 Summary 194
- References 195

7 Applications of Uniform Particles for Targeted Delivery of Anticancer Drugs 201

- 7.1 Introduction 201
- 7.2 Influence of Physical and Chemical Particle Properties on Antitumor Efficacy 202
 - 7.2.1 Size 203
 - 7.2.2 Surface Charge 203
 - 7.2.3 Surface Hydrophobicity 206
 - 7.2.4 Morphology 207
 - 7.2.5 Flexibility 210
- 7.3 Classical Strategies for Targeting Tumor Tissues 211
 - 7.3.1 Ligand/Receptor-Induced Targeting 211
 - 7.3.2 Tumor Microenvironment Sensitive Targeting 212
 - 7.3.2.1 pH- Sensitive Drug Delivery 213
 - 7.3.2.2 Enzyme Responsive Drug Delivery 215
 - 7.3.2.3 Hypoxia-Targeted Drug Delivery 215
 - 7.3.3 Externally Activated Targeting 217
 - 7.3.3.1 Magnetism-Based Tumor Targeting 217
 - 7.3.3.2 Photosensitive Tumor Targeting 219
 - 7.3.3.3 Thermal-Responsive Targeting 220
 - 7.3.3.4 Ultrasonic-Induced Targeting 221
- 7.4 Novel Biomimetic Delivery Strategies 222
- 7.5 Summary 224
- References 225

8 Applications of Uniform Particles in Vaccine Formulations 231

- 8.1 Introduction 231
- 8.2 Adjuvant and Delivery System: Assembling the Vaccine Components 232
 - 8.2.1 Particulate Vaccine Platforms 233
 - 8.2.1.1 Polymeric Particles 233
 - 8.2.1.2 Polysaccharide Particles 234
 - 8.2.1.3 Inorganic Particles 235
 - 8.2.1.4 Liposome 236
 - 8.2.1.5 Lipid Nanoparticle 236

8.2.2	Modularizing Strategies for Vaccine Delivery System	237
8.2.2.1	Encapsulation	237
8.2.2.2	Adsorption	238
8.2.2.3	Conjugation	239
8.3	Physicochemical Traits for the Enhanced Vaccination	240
8.3.1	Size	240
8.3.2	Charge	241
8.3.3	Shape	243
8.3.4	Hydrophobicity	245
8.3.5	Softness	246
8.4	Connecting the Dots: Strengthening on the Multi-Scale Delivery of Vaccines	248
8.4.1	Distribution	249
8.4.2	Internalization	252
8.4.3	Presentation	254
8.5	Summary	257
	References	257
9	Applications of Uniform Microspheres and Super-porous Microspheres in Biochemical Engineering	267
9.1	Introductions	267
9.2	Uniform Microspheres for Chromatographic Media	268
9.2.1	Significance of Particle Size Uniformity in Chromatography	268
9.2.2	Agarose Microspheres	270
9.2.3	Konjac Glucomannan Microspheres	276
9.2.4	PST Microspheres	280
9.2.5	PGMA Microspheres	290
9.2.6	PHEMA Microspheres	292
9.2.7	Silica Microspheres	293
9.3	Super-Porous Microspheres for Vaccine Separation	297
9.3.1	Significance of Super-Porous Microspheres for Vaccine Separation	297
9.3.2	Preparation Methods for Super-Porous Microspheres	297
9.3.2.1	Super-Porous P(ST-DVB) Microspheres	299
9.3.2.2	Super-Porous P(GMA-DVB) Microspheres	299
9.3.2.3	Super-Porous Agarose Microspheres	300
9.3.2.4	Application of Membrane Emulsification Technology in the Preparation of Super-Porous Polymeric Microspheres	301
9.3.3	Surface Hydrophilization and Chemical Derivatization of Polymeric Microspheres	304
9.3.3.1	Physical Adsorption of Modified Agarose on Super-Porous P(ST-DVB) Microspheres	304
9.3.3.2	Chemical Modification with Poly(Vinyl Alcohol) of Super-Porous P(ST-DVB) Microspheres	304
9.3.3.3	Surface Hydrophilization of Super-Porous PGMA Microspheres	305
9.3.4	Applications in Biomolecules Separation	306

9.3.4.1	Excellent Flow Hydrodynamics	306
9.3.4.2	Application in Virus-Like Particles (VLPs) Separation	308
9.4	Uniform Microspheres for Cell Culture	312
9.5	Summary	316
	References	317
10	Membrane Emulsification Equipment and Industrialization	323
10.1	Introduction	323
10.2	Cross-flow Membrane Emulsification Equipment	324
10.3	Premix Membrane Emulsification Equipment	326
10.4	Rotary Membrane Emulsification Equipment	329
10.5	Industrialization – Case Report	331
10.6	Summary	333
	References	333
	Index	335