

Contents

Preface — V

Chapter 1

Introduction — 1

- 1.1 History of polymers in packaging — 1
- 1.2 Plastic joining methods — 2
 - 1.2.1 Ultrasonic sealing — 2
 - 1.2.2 Induction sealing — 4
 - 1.2.3 Heat bar sealing — 4
 - 1.2.3.1 VFFS packaging machine — 5
 - 1.2.3.2 HFFS packaging machine — 7
 - 1.2.4 Impulse sealing — 9
- 1.3 Organization of the book — 10
- References — 10

Chapter 2

Molecular mechanism of heat sealing — 13

- 2.1 Heat sealing from microscopic viewpoint — 13
- 2.2 Melting of polymer materials — 15
- 2.3 Surface rearrangement — 17
- 2.4 Molecular interdiffusion across the interface — 18
 - 2.4.1 Polymer interdiffusion dynamics — 18
 - 2.4.2 Interdiffusion at polymer–polymer interfaces — 22
- 2.5 Cooling and crystallization — 23
- References — 27

Chapter 3

Seal quality and performance evaluation methods — 31

- 3.1 Seal quality tests — 31
 - 3.1.1 Visual inspection — 33
 - 3.1.2 Flat bar test — 33
 - 3.1.3 Gross leak or bubble test — 34
 - 3.1.4 Pressure decay leak test — 35
 - 3.1.5 Dye penetration test — 36
 - 3.1.6 Pressure-assisted dye penetration test — 37
 - 3.1.7 Airborne ultrasound — 37
- 3.2 Seal performance tests — 38
 - 3.2.1 Hot tack test — 39

- 3.2.2 Seal strength measurement — **42**
- 3.2.3 Internal pressurization failure resistance — **44**
- References — **46**

Chapter 4

Sealant layer materials — 49

- 4.1 Polyethylene — **49**
 - 4.1.1 High-density polyethylene (HDPE) — **50**
 - 4.1.2 Low-density polyethylene (LDPE) — **50**
 - 4.1.3 Linear low-density polyethylene (LLDPE) — **51**
 - 4.1.4 Metallocene polyethylene (mPE) — **53**
 - 4.1.5 Plastomers — **54**
- 4.2 Polypropylene (PP) — **54**
- 4.3 Ethylene vinyl acetate (EVA) — **56**
- 4.4 Acid copolymers — **58**
- 4.5 Ionomers — **59**
- 4.6 Polyethylene terephthalate (PET) — **61**
- References — **61**

Chapter 5

Effect of processing and material properties on seal performance — 63

- 5.1 Sealing temperature — **63**
- 5.2 Dwell time — **66**
- 5.3 Sealing pressure — **67**
- 5.4 Effect of material characteristics — **69**
 - 5.4.1 Effect of crystallinity — **69**
 - 5.4.2 Effect of molecular architecture — **72**
 - 5.4.3 Chain branching — **72**
 - 5.4.4 Monomer sequence — **74**
- References — **74**

Chapter 6

Modeling of heat sealing process — 77

- 6.1 Modeling of the interface temperature — **77**
 - 6.1.1 Heat transfer in contact areas — **79**
 - 6.1.2 Heat transfer within the film — **82**
- 6.2 Modeling of squeeze-out flow — **85**
- 6.3 Modeling seal strength development — **93**
- References — **96**

Chapter 7**Multicomponent sealant films — 101**

- 7.1 Thermodynamics of polymer blends — 101
- 7.2 Morphology of polymer blends — 105
- 7.3 Surface morphology of immiscible polymer blend films — 107
- 7.4 Sealants based on immiscible polymer blends — 109
- 7.5 Polymer nanocomposites — 112
- References — 115

Chapter 8**Bioplastic sealants — 119**

- 8.1 Bio-based polyethylene terephthalate (bio-PET) — 120
- 8.2 Bio-based Polyethylene (PE) and Ethylene Vinyl Acetate (EVA) — 120
- 8.3 Poly(lactide) — 121
- 8.4 Polycaprolactone — 122
- 8.5 Aliphatic polyesters and copolyesters — 122
- 8.6 Aromatic copolyesters — 124
- 8.7 Polyhydroxyalkanoates (PHA) — 125
- References — 126

Chapter 9**Case studies — 129**

- 9.1 Design of a peelable sealant for cereal packaging — 129
 - 9.1.1 Solution — 129
- 9.2 Sealant for liquid packaging — 131
 - 9.2.1 Solution — 131
- 9.3 Film for heavy-duty shipping sack (HDSS) — 131
 - 9.3.1 Solution — 132
- 9.4 Peelable film for over-the-mountain packaging — 132
 - 9.4.1 Solution — 133
- 9.5 Sealant film with caulability for spouted pouch application — 134
 - 9.5.1 Solution — 135
- 9.6 Peelable barrier film for dried seeds packaging — 136
 - 9.6.1 Solution — 136
- 9.7 Oxygen barrier sealant for cheese packaging — 138
 - 9.7.1 Solution — 138
- 9.8 Film for frozen vegetables — 139
 - 9.8.1 Solution — 139
- References — 140