

# LANDOLT-BÖRNSTEIN

Zahlenwerte und Funktionen  
aus Naturwissenschaften und Technik

*Neue Serie*  
Gesamtherausgabe: K.-H. Hellwege

Gruppe II: Atom- und Molekularphysik

Band 10  
Ergänzung zu Band 2

Magnetische Eigenschaften der Koordinations-  
und metallorganischen Verbindungen  
der Übergangselemente

Ergänzungsband 2 (1969, 1970)

E. König und G. König

Herausgeber: K.-H. Hellwege und A. M. Hellwege



Springer-Verlag Berlin · Heidelberg · New York 1979

## Table of contents

	page	
Part 1	Part 2	
<b>Part 1: Magnetic susceptibility of coordination and organometallic transition metal compounds . . . . .</b>	1	-
<b>Part 2: Electron paramagnetic resonance of coordination and organometallic transition metal compounds . . . . .</b>	-	747
<b>Introduction . . . . .</b>	1	747
List of symbols . . . . .	1	747
General remarks . . . . .	3	748
Theoretical basis . . . . .	3	-
Basis theory . . . . .	-	748
Definition and fundamental concepts . . . . .	-	748
The spin Hamiltonian . . . . .	-	749
Description of individual ions . . . . .	-	749
Molecular orbital theory of EPR parameters . . . . .	-	756
Arrangement of tables . . . . .	3	757
Compounds listed, their designation and order . . . . .	3	757
Presentation of experimental results . . . . .	6	757
Selection and accuracy of data . . . . .	7	-
Experimental methods . . . . .	7	-
References . . . . .	8	758
Literature coverage . . . . .	8	759
Abbreviations . . . . .	9	-
Selected diamagnetic ionic susceptibilities, Pascal constants, and one-electron spin-orbit coupling constants . . . . .	12	-
Theoretical nomograms: calculated average magnetic moments as function of temperature, spin-orbit coupling, axial field splitting and orbital reduction . . . . .	15	-
References to the introduction . . . . .	25	759
Standard reference texts on magnetochemistry . . . . .	25	-
Standard reference texts on electron paramagnetic resonance . . . . .	-	759
Tables of magnetic data on transition metal compounds . . . . .	25	-
Tables of electron paramagnetic resonance data on transition metal compounds . . . . .	-	759
Reviews on magnetochemistry of coordination compounds published in 1969 and 1970 . . . . .	25	-
Review on electron paramagnetic resonance of coordination compounds published in 1969 and 1970 . . . . .	-	760
Selected references on theory and experimental methods in the magnetism of transition metal compounds (1969 and 1970) . . . . .	26	-
Ligand field theory of magnetism . . . . .	26	-
Theory of intramolecular exchange interaction . . . . .	26	-
Theory of magnetism at high-spin $\rightleftharpoons$ low spin transitions . . . . .	26	-
Experimental methods in magnetism . . . . .	26	-
Important references on the theory of magnetism from Supplement 1 (1964 to 1968) . . . . .	26	-
Additional references from Supplement 1 (1964 to 1968) . . . . .	-	760
Selected references on theory of electron paramagnetic resonance in transition metal compounds (1969 and 1970) . . . . .	-	760
General theory . . . . .	-	760
Theory with respect to a particular ion . . . . .	-	760
Additional references to introduction . . . . .	27	761
References to crystal structure . . . . .	28	761

	page	
	Part 1	Part 2
<b>Magnetic susceptibility data . . . . .</b>	29	-
<b>Electron paramagnetic resonance data . . . . .</b>	-	763
<b>Titanium Ti . . . . .</b>	29	763
Ti(III) . . . . .	29	763
<i>Simple compounds</i> . . . . .	29	763
With chloride . . . . .	29	-
With sulfate . . . . .	30	-
With carboxylates . . . . .	30	-
With thiocyanate . . . . .	31	-
With other anions . . . . .	31	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	31	763
With monamines . . . . .	-	763
With amines . . . . .	31	-
With aliphatic monamines . . . . .	31	-
With aliphatic diamines . . . . .	32	-
With alcohols . . . . .	33	764
With ethers . . . . .	34	-
With acid amides and acid hydrazides . . . . .	34	-
With cyanides and isocyanides . . . . .	35	-
With ligands containing phosphorus . . . . .	35	-
<i>Organometallic compounds</i> . . . . .	36	764
Ti(IV) . . . . .	38	-
<b>Zirkonium Zr . . . . .</b>	39	-
Zr(IV) . . . . .	39	-
<b>Hafnium Hf . . . . .</b>	39	-
Hf(I) . . . . .	39	-
Hf(III) . . . . .	39	-
<b>Vanadium V . . . . .</b>	39	767
V(0) . . . . .	39	767
V(II) . . . . .	40	768
<i>Simple compounds</i> . . . . .	40	-
With iodide . . . . .	40	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	40	-
With water . . . . .	40	-
With ligands containing sulfur . . . . .	41	-
V(III) . . . . .	41	769
<i>Simple compounds</i> . . . . .	41	-
With oxygen . . . . .	41	-
With chloride . . . . .	42	-
With bromide . . . . .	43	-
With iodide . . . . .	43	-
With thiocyanate and selenocyanate . . . . .	43	-
With other anions . . . . .	43	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	44	-
With water . . . . .	44	-
With amines . . . . .	44	-
With heterocyclic ligands . . . . .	45	-
With alcohols . . . . .	45	-
With ketones . . . . .	51	-
With amine-N-polycarboxylic acids . . . . .	51	-
With cyanides and isocyanides . . . . .	51	-
With ligands containing sulfur . . . . .	52	-

## V (III) continued

	page	
	Part 1	Part 2
With ligands containing phosphorus . . . . .	52	-
With phosphoric acids . . . . .	52	-
With phosphonic acids . . . . .	53	-
With thiophosphoric acids . . . . .	53	-
V (IV) . . . . .	53	769
<i>Simple compounds</i> . . . . .	53	769
With oxygen . . . . .	53	-
With fluoride . . . . .	54	769
With chloride . . . . .	54	769
With sulfate . . . . .	54	770
With carboxylates . . . . .	55	771
With dicarboxylates . . . . .	57	-
With phosphates . . . . .	58	772
With other anions . . . . .	58	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	58	772
With amines . . . . .	58	772
With heterocyclic ligands . . . . .	58	-
With pyridine . . . . .	58	-
With phenanthroline . . . . .	58	-
With heterocyclic N-oxides . . . . .	58	-
With alcohols . . . . .	59	772
With 1,3-diketones . . . . .		774
With aromatic hydroxy compounds . . . . .	60	-
With ethers, carboxylic acids, esters . . . . .	60	-
With ethers . . . . .	60	-
With carboxylic acids . . . . .	60	776
With aldehydes . . . . .	61	-
With ketones . . . . .	61	-
With Schiff bases and related ligands . . . . .	61	778
From hydroxy arylaldehydes and aromatic monamines . . . . .	61	-
From hydroxy arylaldehydes and aliphatic monamines . . . . .		778
From hydroxy arylaldehydes and aliphatic diamines . . . . .		778
From hydroxy arylaldehydes and aliphatic hydroxyamines . . . . .	62	-
From hydroxy arylaldehydes and aromatic hydroxyamines . . . . .	62	-
From hydroxy arylaldehydes and diamines . . . . .	63	-
Binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	63	779
From hydroxy arylaldehydes and amino acids . . . . .	63	-
With azo compounds . . . . .	64	-
With acid amides . . . . .	65	-
With cyanides and isocyanides . . . . .	65	-
With ligands containing sulfur . . . . .	65	780
With sulfoxides . . . . .	65	-
With monothio 1,3-diketones . . . . .	65	780
With dithiocarbamates . . . . .	66	781
With dithiolates . . . . .	66	780
With thiosemicarbazones . . . . .	66	-
With ligands containing selenium . . . . .	66	784
With ligands containing phosphorus . . . . .	66	782
With ligands containing arsenic . . . . .	66	-
<i>Organometallic compounds</i> . . . . .		784
V (V) . . . . .	67	-
 <b>Niobium Nb</b> . . . . .	67	784
Nb(II) . . . . .		784
Nb(IV) . . . . .	67	785
<i>Simple compounds</i> . . . . .	67	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	68	-
With heterocyclic ligands . . . . .	68	-
With pyridine . . . . .	68	-
With pyridine derivatives . . . . .	68	-
With quinoline and derivatives . . . . .	68	-

## Nb(IV) continued

	page	
	Part 1	Part 2
With bipyridyl . . . . .	69	-
With phenanthroline . . . . .	69	-
With alcohols. . . . .	70	-
With ethers, carboxylic acid, esters . . . . .	70	-
With ethers. . . . .	70	-
With ketones . . . . .	71	-
With diketones . . . . .	71	-
With Schiff bases and related compounds . . . . .	72	-
With cyanides and isocyanides . . . . .	72	-
With ligands containing sulfur . . . . .	72	-
With thioethers . . . . .	72	-
With thiourea and derivatives . . . . .	74	-
With dithiocarbamates . . . . .	74	-
With ligands containing boron . . . . .	74	-
With ligands containing arsenic . . . . .	75	-
Nb(V) . . . . .	75	-
Nb (uncertain oxydation state) . . . . .	75	785
<i>Simple compounds</i> . . . . .	75	-
Clusters with fluoride . . . . .	75	-
Clusters with chloride . . . . .	76	-
Clusters with bromide . . . . .	77	-
<b>Tantalum Ta</b> . . . . .	77	785
Ta(II) . . . . .	-	785
Ta(IV) . . . . .	77	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	77	-
With heterocyclic ligands . . . . .	77	-
With ketones . . . . .	77	-
With cyanides and isocyanides . . . . .	78	-
With ligands containing sulfur . . . . .	78	-
With ligands containing arsenic . . . . .	78	-
Ta(V) . . . . .	79	-
<i>Simple compounds</i> . . . . .	79	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	79	-
Ta (uncertain oxydation state) . . . . .	79	786
<i>Simple compounds</i> . . . . .	79	-
Clusters with chloride . . . . .	79	-
Clusters with bromide . . . . .	80	-
<b>Chromium Cr</b> . . . . .	81	786
Cr(- III). . . . .	-	786
Cr(- I) . . . . .	-	786
Cr(I) . . . . .	81	787
<i>Simple compounds</i> . . . . .	-	787
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	81	787
With water . . . . .	-	787
With ammonia . . . . .	-	788
With heterocyclic ligands . . . . .	-	788
With ligands containing sulfur . . . . .	-	789
With ligands containing arsenic . . . . .	-	790
<i>Organometallic compounds</i> . . . . .	81	791
Cr(II) . . . . .	81	-
<i>Simple compounds</i> . . . . .	81	-
With oxygen . . . . .	81	-
With chloride. . . . .	82	-
With carbonate . . . . .	82	-
With sulfide and sulfate . . . . .	83	-

## Cr(II) continued

	page	
	Part 1	Part 2
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	84	-
With water . . . . .	84	-
With amines . . . . .	84	-
With diamines . . . . .	84	-
With aliphatic triamines . . . . .	85	-
With heterocyclic ligands . . . . .	86	-
With porphyrines and related ligands . . . . .	86	-
With pyridine and pyridine derivatives . . . . .	86	-
With quinoline and quinoline derivatives . . . . .	87	-
With bipyridyl . . . . .	88	-
With terpyridine . . . . .	88	-
With phenanthroline . . . . .	88	-
With ketones . . . . .	88	-
With amino ketones . . . . .	88	-
With ligands containing sulfur . . . . .	89	-
With ligands containing phosphorus . . . . .	89	-
Cr(III) . . . . .	89	793
<i>Simple compounds</i> . . . . .	89	793
With fluoride . . . . .	89	-
With chloride . . . . .	90	793
With bromide . . . . .	90	-
With sulfide . . . . .	90	-
With selenide . . . . .	90	-
With cyanide and thiocyanate . . . . .	-	793
With sulfate . . . . .	-	793
With carboxylate . . . . .	-	794
With other simple anions . . . . .	91	795
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	91	795
With water . . . . .	-	795
With ammonia and aliphatic amines . . . . .	-	795
With amines . . . . .	91	-
With aliphatic monamines . . . . .	91	-
With aliphatic diamines . . . . .	92	-
With heterocyclic ligands . . . . .	93	-
With bipyridyl . . . . .	93	-
With phenanthroline . . . . .	93	-
With pyridine N-oxide and derivatives . . . . .	93	-
With quinoline N-oxide and derivatives . . . . .	93	-
With ketones . . . . .	94	-
With amine-N-polycarboxylic acids . . . . .	94	-
With Schiff bases and related compounds . . . . .	95	-
With acid amides . . . . .	97	-
With cyanides and isocyanides . . . . .	97	-
With ligands containing sulfur . . . . .	98	796
With thiols . . . . .	98	-
With thiourea and derivatives . . . . .	98	-
With other ligands containing sulfur . . . . .	99	-
With ligands containing selenium . . . . .	99	-
With ligands containing phosphorus . . . . .	99	796
With phosphine oxides . . . . .	99	-
With phosphoric acids . . . . .	100	-
With phosphonic acids . . . . .	100	-
With dithio phosphoric acids . . . . .	101	-
With ligands containing arsenic . . . . .	101	-
Cr(IV) . . . . .	101	797
Cr(V) . . . . .	101	797
<i>Simple compounds</i> . . . . .	101	797
With oxygen . . . . .	101	797
With fluoride . . . . .	102	797
With chloride . . . . .	102	798
With phosphates . . . . .	-	799
With thiocyanate . . . . .	-	799

## Cr (V) continued

	page	
	Part 1	Part 2
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	102	799
With monamines . . . . .	102	-
With heterocyclic ligands . . . . .	103	799
With alcohols . . . . .	-	800
With carboxylic acids . . . . .	103	800
With ligands containing sulfur . . . . .	-	800
With ligands containing phosphorus . . . . .	-	801
Cr (VI) . . . . .	103	-
Cr (uncertain oxydation state) . . . . .	103	-
 <b>Molybdenum Mo</b> . . . . .	 104	 803
Mo (-I) . . . . .	-	803
Mo (0) . . . . .	104	-
Mo (I) . . . . .	-	803
Mo (II) . . . . .	104	-
<i>Simple compounds</i> . . . . .	104	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	104	-
Mo (III) . . . . .	105	803
<i>Simple compounds</i> . . . . .	105	-
With chloride . . . . .	105	-
With bromide . . . . .	107	-
With cyanide and selenocyanate . . . . .	108	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	108	-
Mo (IV) . . . . .	108	-
<i>Simple compounds</i> . . . . .	108	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	108	-
With ligands containing sulfur . . . . .	108	-
With ligands containing phosphorus . . . . .	108	-
With ligands containing arsenic . . . . .	109	-
Mo (V) . . . . .	109	804
<i>Simple compounds</i> . . . . .	109	804
With fluoride . . . . .	109	804
With chloride . . . . .	110	804
With bromide . . . . .	112	805
With iodide . . . . .	-	805
With sulfide . . . . .	114	-
With cyanides . . . . .	114	-
With cyanide and thiocyanate . . . . .	-	805
With sulfates . . . . .	-	806
With phosphates . . . . .	-	806
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	114	807
With heterocyclic ligands . . . . .	114	807
With alcohols . . . . .	115	-
With aliphatic alcohols . . . . .	-	808
With ketones . . . . .	115	808
With 1,3-diketones . . . . .	-	808
With amino acids . . . . .	-	809
With amine-N-polycarboxylic acids . . . . .	116	-
With oximes and nitroso compounds . . . . .	-	809
With ligands containing sulfur . . . . .	-	810
With thiols . . . . .	-	810
With aliphatic thiol compounds . . . . .	-	810
With aromatic thiol compounds . . . . .	-	810
With thiourea . . . . .	-	812
With ligands containing phosphorus . . . . .	-	813
With phosphonic acids . . . . .	-	813
With dithio phosphoric and phosphonic acids . . . . .	-	814
With dithio phosphinic acids . . . . .	-	815
With cyanides and isocyanides . . . . .	116	-
<i>Organometallic compounds</i> . . . . .	117	816
Mo (uncertain oxydation state) . . . . .	117	817

	page	
	Part 1	Part 2
<b>Tungsten W</b> . . . . .	118	817
W(0) . . . . .	118	-
W(II) . . . . .	118	-
With ligands containing sulfur . . . . .	118	-
With ligands containing phosphorus . . . . .	118	-
W(III) . . . . .	119	817
W(IV) . . . . .	119	-
W(V) . . . . .	120	817
Simple compounds . . . . .	120	817
Coordination compounds with neutral and chelating ligands . . . . .	120	818
With alcohols . . . . .	120	818
With ligands containing sulfur . . . . .	-	819
With ligands containing phosphorus . . . . .	-	819
With dithio phosphoric and phosphonic acids . . . . .	-	819
With dithio phosphinic acids . . . . .	-	820
Organometallic compounds . . . . .	-	822
W (mixed oxydation state) . . . . .	-	822
W (uncertain oxydation state) . . . . .	121	-
 <b>Manganese Mn</b> . . . . .	122	823
Mn(0) . . . . .	122	-
Mn(I) . . . . .	122	-
Mn(II) . . . . .	122	823
Simple compounds . . . . .	122	823
With nitrate . . . . .	122	-
With fluoride . . . . .	-	823
With chloride . . . . .	122	823
With bromide . . . . .	123	-
With sulfate . . . . .	-	824
With carboxylates . . . . .	123	-
With cyanide, thiocyanate and selenocyanate . . . . .	124	-
With other simple anions . . . . .	125	825
Coordination compounds with neutral and chelating ligands . . . . .	125	825
With alicyclic amines . . . . .	-	825
With aliphatic amines . . . . .	125	-
With alicyclic heteroring compounds . . . . .	126	-
With diazabicyclo[2.2.2]octanium and derivatives . . . . .	126	-
With heterocyclic ligands . . . . .	127	826
With phthalocyanine and derivatives . . . . .	127	-
With pyridine . . . . .	128	-
With pyridine derivatives . . . . .	128	826
With halogeno pyridines . . . . .	-	826
With 3-chloro pyridine . . . . .	128	-
With 3-bromo pyridine . . . . .	128	-
With alkyl pyridines . . . . .	-	826
With amino pyridines . . . . .	-	828
With di(2-pyridyl)amine . . . . .	-	828
With cyano pyridines . . . . .	129	-
With 4-methyl pyridine . . . . .	130	-
With 3,5-dimethyl pyridine . . . . .	130	-
With ethyl pyridine . . . . .	131	-
With benzoyl pyridine . . . . .	131	-
With quinoline and derivatives . . . . .	131	829
With isoquinoline . . . . .	131	829
With phenanthroline . . . . .	-	830
With 4,4'-bipyridyl and derivatives . . . . .	132	-
With heterocyclic N-oxides . . . . .	132	-
With pyridine N-oxide and derivatives . . . . .	132	-
With pyridine N-oxide . . . . .	132	-
With pyridine N-oxide derivatives . . . . .	132	-

## Mn (II) continued

	page	
	Part 1	Part 2
With other heterocyclic ligands . . . . .	133	831
With pyrazole and derivatives . . . . .	133	831
With imidazole and derivatives . . . . .	133	831
With pyridazine (1,2-diazine) . . . . .	133	-
With pyrimidine (1,3-diazine) . . . . .	133	-
With pyrazine (1,4-diazine) and derivatives . . . . .	134	-
With alcohols . . . . .	135	-
With carboxylic acids . . . . .	-	831
With ethers, carboxylic acids and esters . . . . .	135	-
With ethers . . . . .	135	-
With esters . . . . .	135	-
With ketones . . . . .	135	-
With amino acids . . . . .	136	-
With Schiff bases . . . . .	-	832
With Schiff bases and related compounds . . . . .	137	-
From hydroxy arylaldehydes and aliphatic monamines . . . . .	137	-
From heterocyclic aldehydes and amines . . . . .	137	-
Cyclic Schiff bases from heterocyclic aldehydes and di- or polyamines . . . . .	138	-
With azo compounds . . . . .	138	-
With acid amines . . . . .	-	832
With acid amides and acid hydrazides . . . . .	138	-
With cyanides . . . . .	139	-
With cyanides and isocyanides . . . . .	-	833
With ligands containing sulfur . . . . .	139	833
With sulfoxides . . . . .	139	-
With thiourea and derivatives . . . . .	139	-
With other ligands containing sulfur . . . . .	140	-
With ligands containing selenium . . . . .	141	-
With ligands containing phosphorus . . . . .	141	833
With phosphine oxides . . . . .	141	833
With phosphoric acids . . . . .	141	-
With phosphonic acids . . . . .	141	-
With dithiophosphoric acids . . . . .	142	-
With other ligands containing phosphorus . . . . .	-	834
With ligands containing arsenic . . . . .	142	834
With arsine oxides . . . . .	-	834
Organometallic compounds . . . . .	142	835
Mn (III) . . . . .	142	836
Simple compounds . . . . .	142	-
With fluoride . . . . .	142	-
With other simple anions . . . . .	143	-
Coordination compounds with neutral and chelating ligands . . . . .	144	-
With heterocyclic ligands . . . . .	144	-
With carboxylic acids . . . . .	144	-
With aldehydes . . . . .	145	-
With ketones . . . . .	146	-
With amine-N-polycarboxylic acids . . . . .	146	-
With Schiff bases . . . . .	146	-
From hydroxy arylaldehydes and aliphatic monamines . . . . .	146	-
From hydroxy arylaldehydes and aliphatic diamines . . . . .	147	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	147	-
With ligands containing sulfur . . . . .	148	-
With thiols . . . . .	148	-
With dithiocarbamates . . . . .	148	-
With ligands containing selenium . . . . .	149	-
Mn (IV) . . . . .	149	837
Simple compounds . . . . .	149	-
Coordination compounds with neutral and chelating ligands . . . . .	149	-
With Schiff bases . . . . .	149	-
With ligands containing sulfur . . . . .	150	-
Mn (V) . . . . .	150	-
Mn (mixed oxydation state) . . . . .	150	-

	page	
	Part 1	Part 2
<b>Technetium Tc</b> . . . . .	150	837
Tc(II) . . . . .	150	-
Tc(III) . . . . .	151	-
Tc(IV) . . . . .	151	837
Tc (mixed oxydation state) . . . . .	151	-
 <b>Rhenium Re</b> . . . . .	 151	 -
Re(I) . . . . .	151	-
Re(II) . . . . .	151	-
Re(III) . . . . .	152	-
Re(IV) . . . . .	152	-
<i>Simple compounds</i> . . . . .	152	-
With chloride . . . . .	152	-
With bromide . . . . .	156	-
With iodide . . . . .	157	-
With cyanate . . . . .	157	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	158	-
With amines . . . . .	158	-
With heterocyclic ligands . . . . .	158	-
With bipyridyl and phenanthroline . . . . .	158	-
With ethers . . . . .	158	-
With ligands containing sulfur . . . . .	158	-
With ligands containing phosphorus . . . . .	159	-
Re(V) . . . . .	159	-
<i>Simple compounds</i> . . . . .	159	-
With chloride . . . . .	159	-
With cyanide and cyanate . . . . .	159	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	159	-
 <b>Iron Fe</b> . . . . .	 160	 838
Fe(-I) . . . . .	-	838
Fe(I) . . . . .	160	838
<i>Simple compounds</i> . . . . .	-	838
With fluoride . . . . .	-	838
With chloride . . . . .	-	838
With bromide . . . . .	-	839
With iodide . . . . .	-	839
With cyanide and thiocyanate . . . . .	-	839
With other simple anions . . . . .	-	840
<i>Coordination compounds with neutral chelating ligands</i> . . . . .	-	841
With heterocyclic ligands . . . . .	-	841
With ligands containing sulfur . . . . .	-	841
With xanthates . . . . .	-	841
With dithiocarbamates . . . . .	-	842
With dithiooxalate . . . . .	-	846
With thiourea and derivatives . . . . .	-	846
With other ligands containing sulfur . . . . .	-	847
With ligands containing phosphorus . . . . .	-	848
With monophosphines . . . . .	-	848
With dithio phosphoric and phosphinic acid . . . . .	-	849
With ligands containing arsenic . . . . .	-	849
<i>Organometallic compounds</i> . . . . .	-	849
Fe(II) . . . . .	160	850
<i>Simple compounds</i> . . . . .	160	850
With fluoride . . . . .	160	-
With chloride . . . . .	160	-
With silico fluoride . . . . .	161	-
With cyanide . . . . .	161	-
With sulfide and sulfate . . . . .	162	-
With selenide . . . . .	162	-

## Fe (II) continued

	page	
	Part 1	Part 2
With carboxylates . . . . .	162	-
With other simple anions . . . . .	162	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	163	850
With aliphatic amines . . . . .	163	-
With alicyclic heteroring compounds . . . . .	163	-
With 1,4-diaza bicyclo octanium and derivatives . . . . .	163	-
With heterocyclic ligands . . . . .	164	850
With phthalocyanine and derivatives . . . . .	164	-
With porphyrines . . . . .	165	-
With porphyrines and related ligands . . . . .	-	850
With pyridine and derivatives . . . . .	165	-
With quinoline and derivatives . . . . .	166	-
With isoquinoline . . . . .	168	-
With naphthyridine and derivatives . . . . .	168	-
With 2,2'-bipyridyl and derivatives . . . . .	168	-
With 4,4'-bipyridyl . . . . .	169	-
With terpyridine . . . . .	169	-
With phenanthroline and derivatives . . . . .	169	-
With heterocyclic N-oxides . . . . .	171	-
With other heterocyclic ligands . . . . .	172	-
With pyrazole and derivatives . . . . .	172	-
With pyridazine . . . . .	172	-
With pyrimidine . . . . .	172	-
With pyrazine and derivatives . . . . .	172	-
With imidazoline and derivatives . . . . .	174	-
With imidazole and derivatives . . . . .	174	-
With tetraaza bicyclo heptadecatriene and derivatives . . . . .	177	-
With alcohols . . . . .	177	-
With ethers, carboxylic acids and esters . . . . .	177	-
With ethers . . . . .	177	-
With esters . . . . .	177	-
With ketones . . . . .	178	-
With amino ketones . . . . .	179	-
With Schiff bases and related compounds . . . . .	180	-
From hydroxy arylaldehydes and aliphatic diamines . . . . .	180	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	180	-
From hydroxy arylaldehydes and amino acids . . . . .	180	-
From hydroxy arylaldehydes and hydrazines . . . . .	180	-
From aromatic aldehydes and amines . . . . .	181	-
From heteroaromatic aldehydes and amines . . . . .	181	-
From heteroaromatic aldehydes and hydrazines . . . . .	182	-
Cyclic Schiff bases from dialdehydes and di- or polyamines . . . . .	183	-
Cyclic Schiff bases derived from aminoaldehydes . . . . .	185	-
From dialdehydes and aliphatic amines . . . . .	185	-
From diketones and aliphatic amines . . . . .	186	-
With oximes and nitroso compounds . . . . .	186	-
With acids amides and acid hydrazides . . . . .	186	-
With cyanides and isocyanides . . . . .	187	-
With ligands containing sulfur . . . . .	187	850
With sulfoxides . . . . .	187	-
With thiols . . . . .	188	-
With thio diketones . . . . .	188	-
Cyclic cations derived from dithio diketones . . . . .	188	-
With thioethers . . . . .	189	-
With dithiocarbamates . . . . .	189	-
With other ligands containing sulfur . . . . .	190	-
With ligands containing phosphorus . . . . .	190	-
With ligands containing arsenic . . . . .	191	-
Fe (III) (Part 2: $S=\frac{5}{2}$ , $S=\frac{1}{2}$ ) . . . . .	191	{ 851 1854
<i>Simple compounds</i> . . . . .	191	851
With oxygen . . . . .	191	-

## Fe(III) continued

	page	
	Part 1	Part 2
With fluoride . . . . .	191	-
With chloride . . . . .	193	-
With bromide . . . . .	193	-
With cyanide . . . . .	193	-
With other simple anions . . . . .	194	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	194	{851 854
With aliphatic amines . . . . .	-	851
With aliphatic monamines . . . . .	194	-
With other aliphatic amines . . . . .	195	-
With aromatic monamines . . . . .	195	-
With heterocyclic ligands . . . . .	195	{852 854
With phthalocyanine . . . . .	195	-
With porphyrins . . . . .	196	-
With porphyrines and related ligands . . . . .	-	852
With pyridine carboxylic acids . . . . .	197	-
With bipyridyl . . . . .	197	-
With bipyridyl and derivatives . . . . .	-	854
With phenanthroline . . . . .	197	854
With heterocyclic N-oxides . . . . .	197	853
With pyridine N-oxide . . . . .	-	853
With other heterocyclic ligands . . . . .	198	-
With quinoline and derivatives . . . . .	198	-
With benzimidazole and derivatives . . . . .	198	-
With alcohols . . . . .	199	-
With ethers, carboxylic acids and esters . . . . .	200	-
With ethers . . . . .	200	-
With carboxylic acids . . . . .	200	-
With amine-N-polycarboxylic acids . . . . .	205	853
With ketones . . . . .	205	-
With monoketones . . . . .	205	-
With diketones . . . . .	205	-
With aliphatic diketones . . . . .	205	-
With aromatic and heterocyclic diketones . . . . .	207	-
With Schiff bases and related compounds . . . . .	208	-
From hydroxy arylaldehydes and aliphatic hydroxy amines . . . . .	208	-
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic hydroxy amines . . . . .	209	-
From hydroxy arylaldehydes and hydroxy arylamines . . . . .	209	-
From hydroxy arylaldehydes and aliphatic diamines . . . . .	212	-
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic diamines . . . . .	216	-
From hydroxy arylaldehydes and aromatic diamines . . . . .	217	-
Binuclear Schiff bases from diketones and diamines . . . . .	220	-
Cyclic Schiff bases from dialdehydes and di- or polyamines . . . . .	220	-
With oximes and nitroso compounds . . . . .	221	853
With acid amides and acid hydrazides . . . . .	221	-
With ligands containing sulfur . . . . .	221	{853 855
With sulfoxides . . . . .	221	-
With thiols . . . . .	222	855
With aromatic thiol compounds . . . . .	222	-
With dithiolates . . . . .	222	855
With thioketones . . . . .	223	855
With xanthates and thioxanthates . . . . .	224	-
With xanthates . . . . .	224	-
With thioxanthates . . . . .	226	-
With dithiocarbamates . . . . .	226	855
With aliphatic dithiocarbamates . . . . .	226	-
With alicyclic dithiocarbamates . . . . .	233	-
With aromatic dithiocarbamates . . . . .	233	-
With thiocarboxylic acids . . . . .	237	-

## Fe (III) continued

	page	
	Part 1	Part 2
With thiosemicarbazones . . . . .	240	-
With sulfinates . . . . .	240	-
With ligands containing selenium . . . . .	240	-
With ligands containing boron . . . . .	241	-
With ligands containing phosphorus . . . . .	241	856
With phosphine oxides . . . . .	241	-
With phosphoric and phosphonic acids . . . . .	242	-
With phosphinic acids . . . . .	242	-
With dithiophosphoric acids . . . . .	242	-
With dithiophosphinic acids . . . . .	244	-
With ligands containing arsenic . . . . .	244	857
<i>Organometallic compounds</i> . . . . .	245	857
Biological compounds . . . . .	-	853
Fe (IV) . . . . .	245	859
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	-	859
With ligands containing sulfur . . . . .	-	859
Fe (V) . . . . .	-	860
Fe (VI) . . . . .	245	-
Fe (uncertain oxydation state) . . . . .	246	861
Fe (III, IV) (mixed oxydation state) . . . . .	-	861
 <b>Ruthenium Ru</b> . . . . .	 246	 861
Ru (II) . . . . .	246	861
Ru (III) . . . . .	247	861
<i>Simple compounds</i> . . . . .	247	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	247	861
With water . . . . .	-	861
With heterocyclic ligands . . . . .	-	862
With aliphatic amines . . . . .	247	-
With ketones . . . . .	247	862
With diketones . . . . .	247	-
With azo compounds . . . . .	248	-
With ligands containing sulfur . . . . .	248	862
With ligands containing selenium . . . . .	249	-
With ligands containing phosphorus . . . . .	249	863
With ligands containing arsenic . . . . .	250	864
Ru (IV) . . . . .	250	-
 <b>Osmium Os</b> . . . . .	 250	 864
Os (III) . . . . .	250	864
<i>Coordination compound with neutral and chelating ligands</i> . . . . .	-	864
With heterocyclic ligands . . . . .	-	864
With ligands containing phosphorus . . . . .	-	865
With ligands containing arsenic . . . . .	-	865
Os (IV) . . . . .	251	-
 <b>Cobalt Co</b> . . . . .	 252	 866
Co (0) . . . . .	252	-
Co (I) . . . . .	252	-
Co (II) (Part 2: $S = \frac{1}{2}$ , $S = \frac{3}{2}$ ) . . . . .	252	866
<i>Simple compounds</i> . . . . .	252	866
With fluoride . . . . .	252	-
With chloride . . . . .	253	-
With sulfide and sulfate . . . . .	254	-
With selenide . . . . .	254	-
With cyanide and thiocyanate . . . . .	255	-
With phosphates and phosphonates . . . . .	255	-
With other simple anions . . . . .	256	-

## Co(II) continued

	page	
	Part 1	Part 2
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	257	866
With ammonia . . . . .	257	-
With aliphatic monamines . . . . .	257	-
With aliphatic diamines . . . . .	257	-
With ethylene diamine derivatives . . . . .	257	-
With trimethylene diamine derivatives . . . . .	258	-
With other aliphatic diamines . . . . .	258	-
With triamines . . . . .	259	-
With tetramines . . . . .	259	-
With aromatic amines . . . . .	260	-
With aromatic monamines . . . . .	260	-
With diamines . . . . .	261	-
With 1,2-diamines . . . . .	261	-
With 2,2'-diaminobiphenyl . . . . .	261	-
With 1,8-diaminonaphthalene . . . . .	262	-
With alicyclic heteroring compounds . . . . .	262	-
With lactams and derivatives . . . . .	262	-
With quinuclidine . . . . .	262	-
With diazabicyclo[2.2.2]octanium and derivatives . . . . .	263	-
With morpholine and morpholine derivatives . . . . .	263	-
With heterocyclic ligands . . . . .	264	866
With phthalocyanine . . . . .	264	866
With porphine derivatives and related ligands . . . . .	-	866
With pyridine . . . . .	264	-
With pyridine derivatives . . . . .	265	-
With cyano pyridines . . . . .	265	-
With monoalkyl pyridines . . . . .	266	-
With 3-methyl pyridine . . . . .	266	-
With 4-methyl pyridine . . . . .	266	-
With amino pyridines and derivatives . . . . .	266	-
With amino pyridines . . . . .	266	-
With aminomethyl pyridines . . . . .	267	-
With other aminoalkyl pyridines . . . . .	268	-
With aminoaryl pyridines . . . . .	268	-
With tris(2-pyridyl)amine . . . . .	268	-
With pyridine carboxylic acids . . . . .	268	-
With benzoyl pyridine . . . . .	268	-
With quinoline and derivatives . . . . .	269	-
With iso-quinoline . . . . .	269	-
With quinoxaline and derivatives . . . . .	269	-
With bipyridyl . . . . .	-	874
With 2,2'-bipyridyl . . . . .	270	-
With 4,4'-bipyridyl . . . . .	271	-
With terpyridine . . . . .	271	-
With phenanthroline . . . . .	274	-
With heterocyclic N-oxides . . . . .	274	-
With pyridine N-oxide and derivatives . . . . .	274	-
With acridine N-oxide and terpyridine trioxide . . . . .	276	-
With other N heterocyclic ligands . . . . .	276	-
With pyrazole and derivatives . . . . .	276	-
With pyrazole . . . . .	276	-
With methyl pyrazoles . . . . .	277	-
With other pyrazole derivatives . . . . .	279	-
With imidazoline derivatives . . . . .	280	-
With imidazole and derivatives . . . . .	281	-
With imidazole . . . . .	281	-
With imidazole derivatives . . . . .	281	-
With benzimidazole and derivatives . . . . .	282	-
With benzoxazole and derivatives . . . . .	283	-
With benzoxazole . . . . .	283	-
With benzoxazole derivatives . . . . .	283	-
With purine and derivatives . . . . .	284	-

## Co (II) continued

	page	
	Part 1	Part 2
With pyridazine . . . . .	284	-
With pyrimidine . . . . .	285	-
With pyrazine and pyrazine derivatives . . . . .	285	-
With pyrazine . . . . .	285	-
With pyrazine derivatives . . . . .	285	-
With diazanaphthalene . . . . .	288	-
With napthyridine derivatives . . . . .	288	-
With 1,3,5-triazine derivatives . . . . .	288	-
With S heterocyclic ligands . . . . .	291	-
With thiazole and derivatives . . . . .	291	-
With thiazole . . . . .	291	-
With alkyl thiazols . . . . .	291	-
With benzthiazole and alkyl benzthiazoles . . . . .	291	-
With amino benzthiazoles . . . . .	292	-
With O heterocyclic ligands . . . . .	293	-
With furan carboxylic acids . . . . .	293	-
With alcohols and amino alcohols . . . . .	293	-
With aromatic hydroxy compounds . . . . .	293	-
With esters . . . . .	294	-
With carboxylic acids . . . . .	295	-
With ethers . . . . .	296	-
With aldehydes and derivatives . . . . .	298	-
With ketones . . . . .	298	-
With monoketones . . . . .	298	-
With alicyclic ketones . . . . .	298	-
With aromatic and heterocyclic ketones . . . . .	298	-
With diketones . . . . .	299	-
With acetylacetone and derivatives . . . . .	299	-
With other diketones . . . . .	300	-
With triketones . . . . .	300	-
With aminoketones . . . . .	300	874
With alicyclic aminoketones . . . . .	300	-
With arylamino aromatic ketones . . . . .	301	-
With Schiff bases and related compounds . . . . .	302	875
From hydroxy arylaldehydes and aliphatic monamines . . . . .	302	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	302	-
From hydroxy arylaldehydes and heterocyclic amines . . . . .	303	-
From hydroxy arylaldehydes and aliphatic diamines . . . . .	304	-
From hydroxy arylaldehydes and aromatic diamines . . . . .	305	-
Binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	305	-
From hydroxy arylaldehydes and aminoacids . . . . .	306	-
From arylaldehydes and aromatic amines . . . . .	306	-
From arylaldehydes and diamines . . . . .	306	-
From arylaldehydes and aminothiols . . . . .	307	-
From thioarylaldehydes and monamines . . . . .	307	-
From heteroaromatic aldehydes and monamines . . . . .	307	-
From heteroaromatic aldehydes and di- or polyamines . . . . .	308	-
From heteroaromatic aldehydes and alkylthiophenylketones . . . . .	308	-
From heteroaromatic aldehydes and aminothiols . . . . .	311	-
From ketones and diamines . . . . .	311	-
From diketones and arylamines . . . . .	311	-
From diketones and diamines . . . . .	313	-
Cyclic Schiff bases from dialdehydes and di- or polyamines . . . . .	313	-
Cyclic Schiff bases from dithio dialdehydes and di- or polyamines . . . . .	315	-
Oxo-bridged binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	315	-
From arylaldehydes and hydrazine . . . . .	316	-
From aldehydes and heteroaromatic hydrazines . . . . .	317	-
From ketones and heteroaromatic hydrazines . . . . .	318	-
With azo compounds . . . . .	319	-
With aminoaromatic azo compounds . . . . .	319	-
With azo pyridines . . . . .	319	-
With triazenes . . . . .	320	-

Co(II) continued

	page	
	Part 1	Part 2
With formazanes . . . . .	321	-
With oximes and nitroso compounds . . . . .	323	-
With aldoximes . . . . .	323	-
With ketoximes . . . . .	323	-
With nitroso compounds . . . . .	324	-
With acid amides and acid hydrazides . . . . .	324	-
With urea and related compounds . . . . .	324	-
With aliphatic acid amides . . . . .	325	-
With aromatic and heteroaromatic acid amides . . . . .	325	-
With dicarboxylic acid dihydrazides . . . . .	327	-
With cyanides and isocyanides . . . . .	327	875
With methylcyanide . . . . .	327	-
With other cyanides and isocyanides . . . . .	328	-
With cyanamide derivatives . . . . .	328	-
With ligands containing sulfur . . . . .	328	876
With sulfoxides . . . . .	328	-
With thiols . . . . .	328	-
With aliphatic thiol compounds . . . . .	328	-
With alicyclic thiol compounds . . . . .	329	-
With aromatic and heteroaromatic thiol compounds . . . . .	329	-
With thioamines . . . . .	329	-
With aliphatic thioamines . . . . .	329	-
With alicyclic thioamines . . . . .	330	-
With aromatic thioamines . . . . .	330	-
With heteroaromatic thioamines derived from pyridine . . . . .	331	-
With sulfides . . . . .	331	-
With monothio 1,3-diketones . . . . .	331	-
With dithio 1,3-diketones . . . . .	332	-
With cyclic cations derived from dithio 1,3-diketones . . . . .	333	-
With heterocyclic thiones . . . . .	334	-
With thio carboxylic acids . . . . .	335	-
With monothio carboxylic acids . . . . .	335	-
With monothio dicarboxylic acids . . . . .	335	-
With dithio dicarboxylic acids . . . . .	335	-
With tetrathio tetracarboxylic acids . . . . .	335	-
With thioesters . . . . .	336	-
With thioethers . . . . .	336	-
With thiourea and derivatives . . . . .	336	-
With thiosemicarbazones . . . . .	337	-
With sulfonates . . . . .	338	-
With thioacid amides . . . . .	338	-
With ligands containing selenium . . . . .	338	-
With ligands containing boron . . . . .	338	-
With ligands containing phosphorus . . . . .	339	876
With phenyl phosphines . . . . .	339	-
With alkyl phenyl phosphines . . . . .	339	-
With tertiary heterocyclic phosphines . . . . .	341	-
With ditertiary phosphines . . . . .	341	-
With tritertiary phosphines . . . . .	341	-
With tetratertiary phosphines . . . . .	342	-
With ditertiary phosphine cations . . . . .	342	-
With phosphine oxides . . . . .	342	-
With tertiary alkyl phosphine oxides . . . . .	342	-
With tertiary aryl phosphine oxides . . . . .	343	-
With tertiary heterocyclic phosphine oxides . . . . .	343	-
With bisdiphenyl phosphine oxides . . . . .	343	-
With phosphine sulfides . . . . .	344	-
With alkyl phosphine sulfides . . . . .	344	-
With alkylamino phosphine sulfides . . . . .	344	-
With phosphine selenides . . . . .	345	-
With diphenylphosphino amines . . . . .	345	-
With diphenylphosphino aliphatic amines . . . . .	345	-

## Co (II) continued

	page	
	Part 1	Part 2
With diphenylphosphino heterocyclic amines . . . . .	346	-
With diphenylphosphino amine cations . . . . .	347	-
With bis(diphenylphosphino)ethers . . . . .	348	-
With mono- and bis(diphenylphosphino) thioethers . . . . .	349	-
With phosphoric acids . . . . .	350	-
With phosphonic acids . . . . .	350	-
With thiophosphoric acids . . . . .	350	-
With dithiophosphinic acids . . . . .	351	-
With phosphorous containing heterocycles . . . . .	351	-
With phosphorous containing Schiff bases . . . . .	351	-
With ligands containing arsenic . . . . .	351	877
With monoarsines . . . . .	351	-
With arsine oxides . . . . .	352	-
With tertiary alkyl arsine oxides . . . . .	352	-
With tertiary aryl arsine oxides . . . . .	352	-
With alkyl phenyl arsine oxides . . . . .	352	-
With bis(diphenyl)arsine oxides . . . . .	353	-
With arsine sulfides . . . . .	354	-
With diphenylarsino amines . . . . .	354	-
With diphenylarsino aliphatic amines . . . . .	354	-
With dialkyl or diaryl arsino carboxylic acids . . . . .	354	-
With arsenic containing heterocycles . . . . .	355	-
With arsenic containing Schiff bases . . . . .	355	-
Organometallic compounds . . . . .	355	-
Co (III) . . . . .	356	878
Simple compounds . . . . .	356	878
Coordination compounds with neutral and chelating ligands . . . . .	356	878
With aliphatic amines . . . . .	356	-
With heterocyclic ligands . . . . .	356	878
With porphine derivatives and related ligands . . . . .	- 878	-
With amino ketones . . . . .	- 879	879
With Schiff bases . . . . .	- 880	880
With Schiff bases and related compounds . . . . .	356	-
From aromatic diketones and monamines . . . . .	356	-
Monomeric dioxygen adducts of Schiff bases from diketones and aliphatic diamines	357	-
With oximes . . . . .	- 882	882
With oximes and nitroso compounds . . . . .	357	-
With cyanides and isocyanides . . . . .	- 883	883
With amine-N-polycarboxylic acids . . . . .	358	-
With acid amides . . . . .	358	-
With ligands containing sulfur . . . . .	359	-
With ligands containing selenium . . . . .	359	-
With ligands containing phosphorus . . . . .	- 883	883
Co (IV) . . . . .	359	883
Coordination compounds with neutral and chelating ligands . . . . .	- 883	883
With carboxylic acid . . . . .	- 883	883
With ligands containing sulfur . . . . .	- 884	884
Co (V) . . . . .	360	-
Co (III, IV) (mixed oxidation state) . . . . .	361	886
Co (uncertain oxydation state) . . . . .	361	887
 <b>Rhodium Rh</b> . . . . .	361	887
Rh (II) . . . . .	361	-
Rh (III) . . . . .	362	887
Rh (IV) . . . . .	363	-
 <b>Iridium Ir</b> . . . . .	363	888
Ir (0) . . . . .	363	-
Ir (IV) . . . . .	363	888
Ir (mixed oxydation state) . . . . .	364	-

	page	
	Part 1	Part 2
<b>Nickel Ni</b> . . . . .	364	889
Ni(-I) . . . . .	-	889
Ni(0) . . . . .	364	-
Ni(I) . . . . .	365	889
Ni(II) . . . . .	365	889
<i>Simple compounds</i> . . . . .	365	889
With oxygen . . . . .	365	-
With chloride . . . . .	366	-
With sulfides and sulfates . . . . .	367	-
With selenide and thioselenate . . . . .	369	-
With cyanide and thiocyanate . . . . .	370	-
With nitrate . . . . .	370	-
With phosphates and phosphonates . . . . .	371	-
With carboxylates . . . . .	371	-
With other simple anions . . . . .	371	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	372	890
With ammonia . . . . .	372	-
With hydrazines . . . . .	373	-
With aliphatic monamines . . . . .	373	-
With simple aliphatic monamines . . . . .	373	-
With aliphatic hydroxyamines . . . . .	374	-
With aliphatic diamines . . . . .	375	-
With ethylene diamine . . . . .	375	-
With ethylene diamine derivatives . . . . .	375	-
With alkyl ethylene diamines . . . . .	375	-
With hydroxyalkyl ethylene diamines . . . . .	377	-
With D,L-2-phenyl-1,2-diamino butane . . . . .	379	-
With N,N,N',N'-trimethyltrimethylene diamine . . . . .	380	-
With aliphatic triamines . . . . .	381	-
With simple aliphatic triamines . . . . .	381	-
With aliphatic hydroxy triamines . . . . .	381	-
With aliphatic tetramines . . . . .	382	-
With aromatic amines . . . . .	382	-
With monamines . . . . .	382	-
With diamines . . . . .	383	-
With stilbendiamine . . . . .	383	-
With alicyclic heteroring compounds . . . . .	385	-
With lactams . . . . .	385	-
With aziridine (ethylenimine) . . . . .	385	-
With diazacycloheptane (homopiperazine) . . . . .	385	-
With diazabicyclo[2.2.2]octanium and derivatives . . . . .	385	-
With morpholine and morpholine derivatives . . . . .	386	-
With heterocyclic ligands . . . . .	386	890
With pyridine . . . . .	386	-
With pyridine derivatives . . . . .	387	-
With cyano pyridines . . . . .	387	-
With 4-methyl pyridine ( $\gamma$ -picoline) . . . . .	387	-
With amino pyridines . . . . .	388	-
With aminomethyl pyridine and derivatives . . . . .	388	-
With 2-aminoethyl pyridine and derivatives . . . . .	390	-
With di(2-pyridyl) amine derivatives . . . . .	390	-
With di(2-pyridylmethyl) amine and derivatives . . . . .	391	-
With tri(2-pyridylmethyl) amine and derivatives . . . . .	393	-
With other amino pyridines . . . . .	394	-
With benzoyl pyridine . . . . .	394	-
With pyridine carboxylic acids . . . . .	394	-
With quinoline and derivatives . . . . .	395	-
With quinoline . . . . .	395	-
With quinoline derivatives . . . . .	395	-
With quinoxaline and derivatives . . . . .	397	-
With 2,2'-bipyridyl . . . . .	398	-
With 4,4'-bipyridyl . . . . .	398	-

## Ni(II) continued

	page	
	Part 1	Part 2
With terpyridine . . . . .	398	-
With phenanthroline and derivatives . . . . .	399	-
With phenanthroline derivatives . . . . .	399	-
With heterocyclic N-oxides . . . . .	399	-
With pyridine N-oxide and derivatives . . . . .	399	-
With acridine N-oxide and terpyridine trioxide . . . . .	400	-
With other N heterocyclic ligands . . . . .	400	-
With pyrazole and derivatives . . . . .	400	-
With pyrazole . . . . .	400	-
With methyl pyrazoles . . . . .	401	-
With other pyrazole derivatives . . . . .	403	-
With imidazoline derivatives . . . . .	404	-
With imidazole and derivatives . . . . .	405	-
With imidazole . . . . .	405	-
With imidazole derivatives . . . . .	405	-
With benzimidazole and derivatives . . . . .	407	-
With benzoxazole and derivatives . . . . .	407	-
With benzoxazole . . . . .	407	-
With benzoxazole derivatives . . . . .	408	-
With pyridazine and derivatives . . . . .	409	-
With pyridazine . . . . .	409	-
With pyridazine derivatives . . . . .	409	-
With pyrimidine . . . . .	411	-
With pyrazine and derivatives . . . . .	412	-
With pyrazine . . . . .	412	-
With pyrazine derivatives . . . . .	412	-
With diaza naphthalene . . . . .	413	-
With naphthyridine derivatives . . . . .	413	-
With phthalazine derivatives . . . . .	413	-
With 1,3,5-triazene derivatives . . . . .	416	-
With S heterocyclic ligands . . . . .	416	-
With thiazole and derivatives . . . . .	416	-
With thiazole . . . . .	416	-
With alkyl thiazols . . . . .	417	-
With benzthiazole and benzthiazole derivatives . . . . .	417	-
With alcohols . . . . .	-	891
With alcohols and amino alcohols . . . . .	418	-
With simple alcohols . . . . .	418	-
With oxylcohols . . . . .	423	-
With aromatic hydroxy compounds . . . . .	423	-
With phenol and phenol derivatives . . . . .	423	-
With naphthol and naphthol derivatives . . . . .	424	-
With camphor derivatives . . . . .	426	-
With esters . . . . .	426	-
With aliphatic esters . . . . .	426	-
With carboxylic acids . . . . .	427	-
With ethers . . . . .	428	-
With aldehydes . . . . .	429	-
With amino aldehydes . . . . .	430	-
With ketones . . . . .	430	-
With monoketones . . . . .	430	-
With alicyclic ketones . . . . .	430	-
With aromatic and heterocyclic ketones . . . . .	430	-
With diketones . . . . .	432	-
With acetylacetone and derivatives . . . . .	432	-
With triketones . . . . .	433	-
With aminoketones . . . . .	433	-
With alicyclic aminoketones . . . . .	433	-
With alkylamino aromatic ketones . . . . .	434	-
With heterocyclic amino aliphatic ketones . . . . .	434	-
With amino acids . . . . .	434	-
With amine-N-polycarboxylic acids . . . . .	435	-

## Ni(II) continued

	page	
	Part 1	Part 2
With Schiff bases and related compounds . . . . .	436	-
From hydroxy arylaldehydes and aliphatic monamines . . . . .	436	-
From hydroxy arylaldehydes and heterocyclic amines . . . . .	438	-
From hydroxy arylaldehydes and aliphatic diamines . . . . .	439	-
From hydroxy arylaldehydes and aromatic diamines . . . . .	440	-
Binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	441	-
From hydroxy arylaldehydes and amino acids . . . . .	441	-
From arylaldehydes and aromatic amines . . . . .	442	-
From arylaldehydes and aliphatic diamines . . . . .	443	-
From arylaldehydes and aromatic diamines . . . . .	445	-
From arylaldehydes and aliphatic triamines . . . . .	445	-
From thio arylaldehydes and monamines . . . . .	446	-
From heteroaromatic aldehydes and aliphatic amines . . . . .	446	-
From heteroaromatic aldehydes and aromatic amines . . . . .	447	-
From heteroaromatic aldehydes and alkylthiophenyl ketones . . . . .	448	-
From heteroaromatic aldehydes and aminothiols . . . . .	448	-
From alicyclic aldehydes and aliphatic amines . . . . .	449	-
From alicyclic aldehydes and aromatic amines . . . . .	449	-
From ketones and monamines . . . . .	450	-
From ketones and diamines . . . . .	454	-
From diketones and monamines . . . . .	455	-
Cyclic Schiff bases from dialdehydes and di- or polyamines . . . . .	455	-
Cyclic Schiff bases from dithio dialdehydes and di- or polyamines . . . . .	458	-
Cyclic Schiff bases derived from aminobenzaldehyde . . . . .	459	-
Cyclic Schiff bases from diketones and di- or polyamines . . . . .	459	-
Binuclear Schiff bases from aldehydes or ketones and aminothiols . . . . .	460	-
From arylaldehydes and hydrazine . . . . .	461	-
From heteroaromatic aldehydes and hydrazine . . . . .	462	-
From aldehydes and heteroaromatic hydrazines . . . . .	463	-
From ketones and hydrazine . . . . .	464	-
From ketones and heteroaromatic hydrazines . . . . .	464	-
With azo compounds . . . . .	465	-
With aminoaromatic azo compounds . . . . .	465	-
With azo pyridines . . . . .	465	-
With triazenes . . . . .	466	-
With formazanes . . . . .	467	-
With oximes and nitroso compounds . . . . .	469	-
With aldoximes . . . . .	469	-
With ketoximes . . . . .	469	-
With hydroxylamines . . . . .	471	-
With nitroso compounds . . . . .	471	-
With acid amides and acid hydrazides . . . . .	474	-
With aromatic and heteroaromatic acid amides . . . . .	474	-
With dicarboxylic acid dihydrazides . . . . .	476	-
With cyanides and iso cyanides . . . . .	477	892
With alkyl cyanides . . . . .	477	-
With cyanamide derivatives . . . . .	477	-
With ligands containing sulfur . . . . .	477	892
With sulfoxides . . . . .	477	-
With thiols . . . . .	479	-
With aliphatic thiol compounds . . . . .	479	-
With alicyclic thiol compounds . . . . .	479	-
With aromatic and heteroaromatic thiol compounds . . . . .	479	-
With thioamines . . . . .	479	-
With aliphatic thioamines . . . . .	479	-
With alicyclic thioamines . . . . .	480	-
With aromatic thioamines . . . . .	481	-
With heteroaromatic thioamines derived from pyridine . . . . .	481	-
With cyclic cations derived from dithio 1,3-diketones . . . . .	482	-
With heterocyclic thiones . . . . .	482	-
With amino thioketones . . . . .	483	-
With thioesters . . . . .	484	-

## Ni(II) continued

	page	
	Part 1	Part 2
With thio carboxylic acids . . . . .	485	-
With monothio carboxylic acids . . . . .	485	-
With monothio dicarboxylic acids . . . . .	486	-
With dithio dicarboxylic acids . . . . .	486	-
With tetrathio tetracarboxylic acids . . . . .	486	-
With carbothioic acids . . . . .	487	-
With thioethers . . . . .	488	-
With aliphatic and alicyclic thioethers . . . . .	488	-
With macrocyclic thioethers . . . . .	488	-
With thiourea and derivatives . . . . .	489	-
With thiosemicarbazides . . . . .	492	-
With thiosemicarbazones . . . . .	493	-
With thioacid amides . . . . .	494	-
With ligands containing selenium . . . . .	496	-
With ligands containing boron . . . . .	496	-
With ligands containing phosphorus . . . . .	497	-
With alkyl phosphines . . . . .	497	-
With phenyl phosphines . . . . .	497	-
With alkyl phenyl phosphines . . . . .	497	-
With tertiary heterocyclic phosphines . . . . .	502	-
With dissecondary phosphines . . . . .	502	-
With ditertiary phosphines . . . . .	503	-
With tritertiary phosphines . . . . .	504	-
With ditertiary phosphine cations . . . . .	504	-
With phosphine oxides . . . . .	504	-
With tertiary alkyl phosphine oxides . . . . .	504	-
With tertiary aryl phosphine oxides . . . . .	505	-
With tertiary heterocyclic phosphine oxides . . . . .	505	-
With phosphine sulfides . . . . .	505	-
With alkyl amino phosphine sulfides . . . . .	505	-
With phosphine selenides . . . . .	505	-
With diphenylphosphino amines . . . . .	505	-
With diphenylphosphino aliphatic amines . . . . .	505	-
With diphenylphosphino heterocyclic amines . . . . .	506	-
With diphenylphosphino amine cations . . . . .	506	-
With bis(diphenylphosphino)ethers . . . . .	507	-
With phosphoric acids . . . . .	508	-
With phosphonic acids . . . . .	508	-
With thiophosphoric acids . . . . .	509	-
With dithio phosphinic acids . . . . .	510	-
With phosphorus containing heterocycles . . . . .	511	-
With phosphorus containing Schiff bases . . . . .	511	-
With ligands containing arsenic . . . . .	512	-
With arsine oxides . . . . .	512	-
With tertiary alkyl arsine oxides . . . . .	512	-
With tertiary aryl arsine oxides . . . . .	512	-
With alkyl phenyl arsine oxides . . . . .	512	-
With arsine sulfides . . . . .	513	-
With alkyl or aryl arsino amines . . . . .	514	-
With dialkyl or diaryl arsino carboxylic acids . . . . .	514	-
With arsenic containing heterocycles . . . . .	514	-
With arsenic containing Schiff bases . . . . .	515	-
<i>Organometallic compounds</i> . . . . .	515	-
Ni(III) . . . . .	516	892
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	-	892
With aliphatic diamines . . . . .	-	892
With heterocyclic ligands . . . . .	-	894
With ligands containing sulfur . . . . .	-	894
With ligands containing selenium . . . . .	-	896
With ligands containing arsenic . . . . .	-	896
Ni(IV) . . . . .	517	-

	page	
	Part 1	Part 2
<b>Palladium Pd</b> . . . . .	518	897
Pd(II) . . . . .	518	-
<i>Simple compounds</i> . . . . .	518	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	518	-
Pd(III) . . . . .	-	897
<b>Platinum Pt</b> . . . . .	519	898
Pt(III) . . . . .	-	898
Pt(IV) . . . . .	519	-
<b>Copper Cu</b> . . . . .	519	898
Cu(0) . . . . .	-	898
Cu(I) . . . . .	519	-
Cu(II) . . . . .	520	899
<i>Simple compounds</i> . . . . .	520	899
With nitrite . . . . .	-	899
With nitrite and nitrate . . . . .	520	-
With chloride . . . . .	520	899
With bromide . . . . .	524	901
With fluoride . . . . .	-	899
With sulfates . . . . .	-	901
With sulfide and sulfate . . . . .	525	-
With carboxylates . . . . .	-	901
With aliphatic monocarboxylates . . . . .	526	-
With aliphatic dicarboxylates . . . . .	536	-
With aromatic acid anions . . . . .	537	905
With benzoate and derivatives . . . . .	537	-
With 1- and 2-naphthoate . . . . .	543	-
With hydroxy aryl acid anions . . . . .	544	-
With other aromatic mono carboxylates . . . . .	547	-
With aromatic di- and tricarboxylates . . . . .	548	-
With cyanate . . . . .	548	-
With tungstates . . . . .	549	-
With other simple anions . . . . .	549	906
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	549	907
With ammonia . . . . .	549	907
With aliphatic monamines . . . . .	550	-
With simple aliphatic monamines . . . . .	550	-
With aliphatic hydroxy amines . . . . .	550	-
With aliphatic diamines . . . . .	551	908
With simple aliphatic diamines . . . . .	551	-
With ethylene diamine . . . . .	551	908
With propylene diamine . . . . .	553	-
With trimethylene diamine . . . . .	555	-
With other aliphatic diamines . . . . .	-	911
With triamines . . . . .	-	913
With tetramines . . . . .	-	914
With other simple aliphatic diamines . . . . .	557	-
With aliphatic hydroxy diamines . . . . .	559	-
With aromatic monamines . . . . .	559	-
With aromatic diamines . . . . .	559	-
With alicyclic heteroring compounds . . . . .	560	-
With lactams . . . . .	560	-
With diaza cycloheptane (homopiperazine) and derivatives . . . . .	560	-
With quinuclidine . . . . .	561	-
With diaza bicyclo[2.2.2]octanium and derivatives . . . . .	561	-
With morpholine and morpholine derivatives . . . . .	562	-
With heterocyclic ligands . . . . .	563	915
With porphine derivatives and related ligands . . . . .	-	915
With phthalocyanine . . . . .	563	-

## Cu (II) continued

	page	
	Part 1	Part 2
With pyrrole and derivatives . . . . .	563	-
With pyridine . . . . .	563	-
With pyridine and derivatives . . . . .	564	916
With halogeno pyridines . . . . .	564	-
With mono methyl pyridines . . . . .	564	-
With dimethyl pyridines . . . . .	565	-
With bis(2-pyridyl)ethane . . . . .	565	-
With other pyridine derivatives . . . . .	566	-
With amino pyridines . . . . .	566	-
With aminomethyl pyridines and derivatives . . . . .	566	-
With 2-aminoethyl pyridine and derivatives . . . . .	567	-
With pyridine carboxylic acids . . . . .	568	-
With quinoline and derivatives . . . . .	569	-
With quinoline . . . . .	569	-
With quinoline derivatives . . . . .	569	-
With isoquinoline and isoquinoline derivatives . . . . .	572	-
With quinoxaline . . . . .	-	917
With quinoxaline and derivatives . . . . .	573	-
With bipyridyl . . . . .	-	917
With 2,2'-bipyridyl . . . . .	574	-
With 4,4'-bipyridyl . . . . .	575	-
With terpyridine . . . . .	575	-
With phenanthroline . . . . .	-	919
With phenanthroline and derivatives . . . . .	576	-
With heterocyclic N-oxides . . . . .	577	919
With pyridine N-oxides and derivatives . . . . .	577	-
With pyridine N-oxide . . . . .	577	919
With halogeno pyridine N-oxides . . . . .	579	-
With nitro and cyano pyridine N-oxides . . . . .	580	-
With hydroxy and hydroxymethyl pyridine N-oxides . . . . .	582	-
With methyl pyridine N-oxides . . . . .	583	-
With di- and trimethyl pyridine N-oxides . . . . .	585	-
With ethyl pyridine N-oxides . . . . .	585	-
With methoxy and ethoxy pyridine N-oxides . . . . .	586	-
With other pyridine N-oxide derivatives . . . . .	587	-
With quinoline N-oxide and derivatives . . . . .	590	-
With isoquinoline N-oxide . . . . .	591	-
With other heterocyclic N-oxides . . . . .	591	-
With other N heterocyclic ligands . . . . .	591	-
With other heterocyclic ligands . . . . .	-	920
With pyrazole and pyrazole derivatives . . . . .	591	920
With imidazole and imidazole derivatives . . . . .	592	920
With imidazole . . . . .	592	-
With methyl imidazoles . . . . .	593	-
With other imidazole derivatives . . . . .	594	-
With benzimidazole and derivatives . . . . .	594	-
With purine and derivatives . . . . .	596	921
With pyrazine and derivatives . . . . .	596	921
With pyrimidine . . . . .	597	921
With pyridazine . . . . .	598	921
With diaza naphthalene . . . . .	598	-
With phthalazine . . . . .	-	922
With phthalazine and derivatives . . . . .	598	-
With triazole . . . . .	601	922
With benzoxazole and derivatives . . . . .	601	-
With tetraazacyclotetradecane and derivatives . . . . .	-	922
With S-heterocyclics . . . . .	-	923
With thiazolidine and derivatives . . . . .	-	923
With S heterocyclic ligands . . . . .	602	-
With thiazole and derivatives . . . . .	602	-
With thiazole and alkyl thiazols . . . . .	602	-
With benzthiazole and benzthiazole derivatives . . . . .	602	-

## Cu (II) continued

	page	
	Part 1	Part 2
With O heterocyclic ligands . . . . .	603	-
With furan carboxylic acids . . . . .	603	-
With alcohols . . . . .	-	923
With alcohols and amino alcohols . . . . .	605	-
With aromatic hydroxy compounds . . . . .	-	924
With esters . . . . .	605	925
With carboxylic acids . . . . .	607	924
With ethers . . . . .	607	-
With aldehydes . . . . .	607	927
With ketones . . . . .	608	928
With monoketones . . . . .	608	928
With alicyclic ketones . . . . .	608	928
With aromatic and heterocyclic ketones . . . . .	608	929
With diketones . . . . .	609	929
With acetylacetone and derivatives . . . . .	609	929
With other aliphatic diketones . . . . .	-	932
With aromatic diketones . . . . .	-	933
With heteroaromatic diketones . . . . .	-	933
With thenoyl trifluoroacetone . . . . .	610	-
With triketones . . . . .	610	934
With amino ketones . . . . .	613	-
With alkyl amino aromatic ketones . . . . .	613	-
With heterocyclic amino aliphatic ketones . . . . .	614	-
With amino di- or polyketones . . . . .	614	-
With amino acids . . . . .	614	934
With amine-N-polycarboxylic acids . . . . .	-	938
With Schiff bases and related compounds . . . . .	615	938
From hydroxy arylaldehydes and aliphatic monamines . . . . .	615	938
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic monamines . . . . .	617	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	621	938
Binuclear Schiff bases from hydroxy arylaldehydes and aromatic monamines . . . . .	625	-
From hydroxy arylaldehydes and heterocyclic amines . . . . .	-	939
From hydroxy arylaldehydes and aliphatic diamines . . . . .	629	939
Binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	629	-
From hydroxy arylaldehydes and aromatic diamines . . . . .	631	941
From hydroxy arylaldehydes and amino acids . . . . .	631	-
From hydroxy arylaldehydes and aromatic amines . . . . .	634	-
From aromatic aldehydes and hydrazine . . . . .	-	941
Binuclear Schiff bases from hydroxy arylaldehydes and aromatic amines . . . . .	635	-
From arylaldehydes and amines . . . . .	636	-
From thio arylaldehydes and monamines . . . . .	637	-
From heteroaromatic aldehydes and aliphatic monamines . . . . .	637	-
From heteroaromatic aldehydes and aromatic amines . . . . .	638	-
From heteroaromatic aldehydes and aliphatic diamines . . . . .	639	-
From heteroaromatic aldehydes and alkylthiophenyl ketones . . . . .	640	-
From aliphatic ketones and amines . . . . .	641	-
From aromatic ketones and amines . . . . .	641	-
From aliphatic diketones and amines . . . . .	641	-
Cyclic Schiff bases from dialdehydes and di- or polyamines . . . . .	642	-
Cyclic Schiff bases derived from aminobenzaldehyde . . . . .	643	-
From arylaldehydes and hydrazine . . . . .	644	-
From aldehydes and heteroaromatic hydrazines . . . . .	644	-
From ketones and heteroaromatic hydrazines . . . . .	645	-
Cyclic Schiff bases from ketones and di- or polyamines . . . . .	-	942
With azo compounds . . . . .	645	942
With azo pyridines . . . . .	645	-
With triazenes . . . . .	647	-
With formazanes . . . . .	648	-
With oximes and nitroso compounds . . . . .	650	942
With aldoximes . . . . .	650	-
With ketoximes . . . . .	651	-

## Cu (II) continued

	page	
	Part 1	Part 2
With hydroxylamines . . . . .	652	-
With nitroso compounds . . . . .	652	-
With acid amides and acid hydrazides . . . . .	653	944
With urea and derivatives . . . . .	-	944
With urea and related compounds . . . . .	653	-
With aliphatic acid amides . . . . .	654	945
With monocarboxylic acid amides . . . . .	654	-
With dicarboxylic acid amides . . . . .	654	-
With aromatic and heterocyclic acid amides . . . . .	656	-
With semicarbazide . . . . .	658	946
With semicarbazones . . . . .	658	946
With biuret . . . . .	-	946
With biguanide and derivatives . . . . .	659	947
With amidines . . . . .	-	951
With dicarboxylic acid dihydrazides . . . . .	660	-
With cyanides and isocyanides . . . . .	660	952
With ligands containing sulfur . . . . .	660	952
With sulfoxides . . . . .	660	952
With thiols . . . . .	661	953
With alicyclic thiol compounds . . . . .	-	953
With aromatic and heteroaromatic thiol compounds . . . . .	-	953
With dithiolates . . . . .	-	954
With thioketones . . . . .	-	955
With thiocarboxylic acids . . . . .	-	956
With dithiocarbamates . . . . .	-	956
With thio amines . . . . .	661	-
With aliphatic thio amines . . . . .	661	-
With aromatic thio amines . . . . .	662	-
With sulfides . . . . .	662	-
With cyclic cations derived from thio 1,3-diketones . . . . .	662	-
With thio carboxylic acids . . . . .	663	-
With monothio carboxylic acids . . . . .	663	-
With monothio dicarboxylic acids . . . . .	663	-
With dithio dicarboxylic acids . . . . .	664	-
With tetrathio tetracarboxylic acids . . . . .	664	-
With dithiocarbamates . . . . .	664	-
With thioacid amides . . . . .	665	-
With thiosemicarbazide . . . . .	665	957
With thiosemicarbazones . . . . .	665	957
With ligands containing selenium . . . . .	666	964
With diselenocarbamates . . . . .	-	964
With diselenetenes . . . . .	-	967
With selenosemicarbacide . . . . .	-	967
With ligands containing phosphorus . . . . .	667	958
With phosphines . . . . .	-	958
With phosphine oxides . . . . .	-	958
With dithiophosphoric acids . . . . .	-	958
With dithiophosphonic acids . . . . .	-	963
With dithiophosphinic acids . . . . .	-	963
With ligands containing arsenic . . . . .	667	964
Biological compounds . . . . .	-	967
Cu (II) (Exchange coupled bimolecular units) . . . . .	-	967
Binuclear complexes with chloride . . . . .	-	967
Binuclear complexes with aliphatic carboxylate anions . . . . .	-	968
Binuclear complexes with aromatic acid anions . . . . .	-	970
Binuclear complexes with heterocyclic N-oxides . . . . .	-	972
Binuclear complexes with Schiff bases . . . . .	-	972
Binuclear complexes with oximes . . . . .	-	972
Cu (IV) . . . . .	668	-

	page	
	Part 1	Part 2
<b>Silver Ag</b>		
Ag(II)	668	973
Ag(III)	668	973
Ag (mixed oxydation state)	668	—
	668	974
<b>Gold Au</b>		
Au(II)	—	974
	—	974
<b>Diagrams</b>	669	975
<b>References</b>	731	976