

Index

a

Acepromazine 225–226
 Adrenaline 19
 Aggression 5–7, 22, 28, 30, 33, 51, 106, 197
 conflict 224
 defensive 2, 6, 7, 30–31, 38–40, 61, 65, 177, 185, 187, 201, 205, 232, 237
 fear-related 224
 intercat 103
 Alpha roll 6
 Amygdala 19
 Analgesia 40, 116, 118, 224
 Anal glands 31, 114, 147, 178–180, 212, 218
 Anesthesia 4, 118–119, 131
 topical 131, 178
 Antecedent 63–66, 74, 176
 antecedent arrangement 44–46, 64
 distant antecedent 63–64, 66
 immediate antecedent 63–64, 66
 intentional 63
 salient antecedent 64
 Anxiety 2, 83, 99–100, 133, 137, 160, 162, 170, 173, 199, 234
 anxiety-reducing medications. *See* anxiolytic
 decreasing 99–100, 116–119, 121, 130, 143, 145, 150, 219
 disorders 223–225
 human 229, 234
 medical management 149–150, 154, 160, 162, 170–173
 reason for 90–92, 140, 212

 separation 224–225
 signs of 24–25
 social 224
 Anxiolytic 40, 91, 93, 116, 164, 170, 178, 205, 223–225, 234
 painful animals 40
 pediatric model 4
 pre-medications 118, 141, 199, 219
 pre-visit 119, 188, 191, 236–237
 Appeasement 22, 25, 29
 Applied animal behaviorist 226–227, 235
 Approximation
 desensitization 158, 160–161, 163–166, 173, 175, 177, 180, 208–209, 212–213, 217–218
 shaping 57, 81, 126, 191, 194, 208–209, 212–213, 217–218
 Auscultation 42, 75, 99, 130, 134, 159, 203–204
 Aversive
 19, 46, 51–53, 66
 Avoidance 2, 6, 22, 28, 30, 33, 40, 51, 65, 90, 93, 126, 180, 185–187, 197, 200

b

Behavior 45–46, 49, 63–64, 67, 71–72, 80, 86, 108, 183, 189
 cooperative 47, 49. *See also* Cooperative veterinary care
 foundation 72–86, 109, 126, 156–157, 174, 179, 191–192, 195, 200, 207–208, 210, 213
 goal (completed) 57–58, 74, 82, 126, 190–195, 200, 202, 213

Behavior (*cont'd*)

- normal 2–3, 24, 51, 105–106
- prevention of problems 89
- unwanted (problem) 20, 105, 108
- Behavioral assessments 2–3, 90–93, 101, 113, 121–127, 145, 149–153, 183–188, level 1, level 2, level 3
- Behavioral disorder 105, 225–226
- Behavioral momentum 195–196, 198, 203
- Behavioral standard of care 234, 236, 238
- Behavior modification 63, 72, 224, 226
- Benzodiazepines 224–225
- Bichromatic color 12
- Binocular vision 12
 - binocular overlap 11–13
- Blood draw. *See* Venipuncture
- Blood pressure 1, 2, 19, 140–141, 170–171
- Body language 5–6, 21
 - mild stress canine 21–23, 25–28
 - mild stress feline 33–34, 36
 - moderate stress canine 21–23, 28–30
 - moderate stress feline 33–34, 36–38
 - relaxed or calm canine 21–25
 - relaxed or calm feline 33–35
 - severe stress canine 21–23, 30–33
 - severe stress feline 33–34, 38–40
- Breed characteristics 18–19, 21
- Burnout 2

C

- Calming signals 22
- Capturing 55–56, 67, 72, 81–82
- Classical conditioning
 - clicker training 47, 53
 - cues 71
 - definition and history 45–47, 237
 - examples 19, 48, 95, 99, 105
 - level 1 training 125–126, 129, 146–147
 - level 2 training 149, 155, 162–165, 167
 - level 3 training 183, 201, 207, 216
 - secondary reinforcers. *See* Conditioned reinforcer
- Classical counterconditioning 59, 74, 90, 162–164, 171–172, 207
 - definition and history 61
 - examples 66, 83
 - level 2 training 149–150, 155–180
 - level 3 training 189, 197, 202, 205, 207, 210, 212, 214, 216, 218
- Clicker (marker) based training 47, 53–58, 71–72, 77–79, 86, 127, 155, 161, 195, 198, 210
- Cochlea 11, 13
- Comfort items 3, 100, 111, 113. *See also* Items from home
- Compassion fatigue 2, 7
- Conditioned reinforcer 53, 68, 71–72, 105, 203
- Conditioned response 46–47, 61, 63, 66, 160–161, 173, 189, 207, 210
- Conditioned stimulus 46–47
- Cones 12–13
- Conflict 51, 224
- Conflict behavior 5–7
 - canine 22, 25, 28, 29, 33, 126
 - feline 22, 33
- Consent 4, 175
 - behaviors 74, 83, 171, 183, 199, 203, 209–211, 216–218
 - establishing consent 189–190, 196–197
 - training plans 126, 191–192, 195, 200, 213
- Consequences 63–66, 74
 - emotional 40
 - habituation 58
 - operant conditioning 49–53
- Contingency 189
- Cooperative behavior 47
- Cooperative veterinary care 8, 47, 130, 136, 172, 184, 189, 198–199, 201, 205, 208–212, 215, 219, 232
- Cortisol 1, 19
- Criteria
 - evaluation stress levels 91
 - for punishment 52
 - shaping 57, 82, 161, 191–192, 194–197, 200, 203–204, 207, 213, 216
- Cues
 - antecedents 63–64, 74–75, 199, 202, 205–207
 - body language 21, 33
 - conditioned reinforcers 71–72, 203
 - contextual 21
 - end-of-behavior 85

exam 202, 205–207
 foundation behavior 76
 luring 72
 objects as 193
 response to 25, 67, 72, 74, 172, 199,
 202, 205–207
 social 16
 station 83, 196
 stimulus control 76
 teaching cues 74–76, 78, 81–83, 193,
 205–207, 218
 training plans 126, 192, 195, 200, 213
 transfer 75
 Cystocentesis 116, 141–143, 171

d

Depression 2, 7
 Depth perception 11–14
 Desensitization 58, 61, 65, 90, 105, 135,
 146, 180, 183, 189, 222
 anal gland expression 178, 180
 blood pressure 170
 carriers 65, 160–162, 218
 definition and steps of 59–60
 exam 159–160, 162–163, 202–207
 examples of 65–67, 83, 85, 158
 grooming (including nail trim) 147,
 212–216
 injections 164–165, 167, 207
 medications 171–178, 209–210
 table training 157–158
 training plans 126, 157, 166, 174,
 179, 213
 venipuncture 167–170, 208–209
 when indicated 149–150, 184, 197
 Differential reinforcement of an alternative
 behavior (DRA) 45–46, 62
 Differential reinforcement of an
 incompatible behavior (DRI) 45,
 62–63
 Discriminatory stimulus 74. *See also* Cues
 Displacement behavior 6, 22–25, 28–30, 41
 Distraction
 techniques in handling 4, 26, 100, 103,
 105, 116, 122, 125, 134–147
 in training 50, 78, 80, 82–83
 Dysphoria 119
 Dystocia 8

e

Ear

classical counterconditioning 61
 communication. *See* Body language
 examination 99, 105, 131, 135, 160, 163
 fear of touch/medication 19, 29–30,
 47, 126
 stationing for 193, 216
 training handling/medication 74, 86,
 106–107, 144–145, 172–175, 205–207,
 209–210
 Emotional distress 2, 3, 7, 30–31, 39, 59,
 119, 183, 186
 Emotional harm. *See* Emotional Distress
 Empathy 2, 180, 235, 237
 Escalation 8, 25, 60, 96, 172
 Estrus 16
 Excessive physical force 4, 7, 177
 Exposure ladder 59–60, 126
 anal gland expression 178–180
 blood pressure 170–171
 ear medications and cleaning
 172–175
 eye medications 175–176
 injection 164–167
 nail trims 176–178, 212–214
 physical exam 159–160, 163–164
 table training 157–158
 teaching touch 197
 training plans 157, 166, 174, 179, 213
 venipuncture 167–170
 Extinction 45–46
 Extrinsic 64
 Eye 11–14, communication
 Communication. *See* Body language
 examination 130–131, 134–135,
 160, 163
 handling/medication 38, 143, 175–176,
 209–210
 stationing for 193, 216
 training 106–107, 173, 205–206,
 209–210

f

Fear 125

aggression 2
 causes 2, 7, 40–42, 46, 121, 149–150,
 167, 201

Fear (*cont'd*)

- classical conditioning 47, 66
 - communication 238. *See also* Body language
 - counterconditioning 61, 65–66
 - flooding 59
 - medical management 199, 223–226.
See also Anxiolytic
 - negative reinforcement 51
 - period in development 104–106
 - pheromones 16, 19
 - physiologic effects 1, 19–20
 - prevention 125, 127
 - punishment 51
 - team members 229, 234, 237
 - techniques for reduction 3–4, 8, 20, 61, 65–67, 83, 89–91, 99, 103–105, 156, 162, 173, 201
- Fear free 1
- Fear response 2, 16, 19–20, 22, 47, 59, 61, 105, 183, 197, 223
- Fight or flight response 2, 6–7, 20, 28, 90, 150
- Five freedoms 2, 3
- Flank 98, 101, 141, 159, 162, 204
- Flehmen response 16
- Flooding 59
- Food treat 4, 22, 71, 123, 130, 134, 136, 143, 161
- Freeze response 2, 6, 7, 23, 31, 90, 185
- Frequency 13, 15
- Functional assessment 63, 127

g

- Gabapentin 223–244
- Gastric dilatation volvulus (GDV) 8
- Genetic-predisposition 19, 33, 121
- Grooming 4, 20, 68
 - body language 24
 - tactile reinforcement 160
 - training 106–107, 143–147, 171–180, 212–216
- Guilt 233–234

h

- Habituation 58, 60, 160
- Handling plan. *See* Training plan

- Happy visit 20, 40, 43–44, 103–104, 117, 155, 236
- Hearing 13–14
- Heart rate 1, 2, 19
- Hierarchy of behavior-change procedures 45–46
- Home base 54–55
- Hugging 6, 73, 199–200. *See also* Restraint
- Human-animal bond 21, 105
- Husbandry 1, 20, 52, 83, 105, 145, 184, 216
- Hypervigilance 22, 29, 31, 34, 37, 185, 187
- Hypothalamus 19

i

- Iatrogenic behavior injury (IBI) 3, 233, 236
- Index
- Inhibited bite 31, 65
- Injection
 - emergency 211, 219–222
 - prevention 99–100
 - stationing for 193
 - training 135–136, 140, 164–167, 193–194, 198–201, 205–207
 - training plans 166, 190–191, 200
- Intrinsic 18, 64, 183

j

- Jackpot 127, 155, 196

l

- Learned helplessness 2, 22–23, 31, 33–34, 38–39, 59, 113, 185
- Limbic system 16
- Low-restraint veterinary care 1–8, 67, 113, 135, 140, 144, 198–199, 218–219, 229, 232, 237
- Lure-reward training 72–74, 76, 82, 109–110, 126–127, 131, 155, 189, 196

m

- Marker-based training 53–55, 57, 72, 86
- Medication
 - baseline 223–225
 - event 224–225
 - station 63, 68, 143, 171–172, 176.
See also Stationing

stress management 150
 training acceptance. *See* Ear; Eye;
 Injection; Oral
 Mental harm 1, 3, 19–20, 57, 104, 109,
 212, 235
 Metacommunication 21
 Midline 134–135, 163
 Modeling 73–74, 126, 211
 Monoaminoxidase inhibitors (MAOI)
 223–224
 Motivation 41, 50, 57, 68, 70–71, 73, 77,
 86, 124, 127, 152, 189
 Muzzle 7, 44, 93, 160, 176, 198, 201–202

n

Nail care
 board training 81, 83, 85, 215
 capturing 55–56
 classical conditioning 19, 46
 desensitization 59–60, 83, 213–214
 differential reinforcement of
 incompatible behavior 62–63
 examination 131, 160
 paw targeting 80, 173
 preventing fear 105–106
 reinforcement hierarchy 68
 resistance 19
 sensitization 61
 training 145–147, 176–179, 190, 212, 216
 Negative punishment 49–52, 106
 Negative reinforcement 45–46, 49–51
 Neutraceutical 150, 223, 225, 237
 Neutral stimulus 45, 47
 No-restraint veterinary care 3–4, 67, 102,
 113, 130, 144, 147, 167, 198, 207–213,
 229, 232
 NPO 118

o

Olfaction 11, 15–16, 18, 33
 Operant conditioning 49–53, 64–66,
 85–86, 126, 129, 160–161, 183, 189,
 205, 207, 212, 218, 222, 235, 237–238
 Operant counterconditioning 62–63,
 65–66, 86
 Oral medication 143–144, 171–172
 Overreaction 13

p

Pain
 during examination 99, 103,
 130–135, 144, 147, 153, 159, 172,
 201, 203
 learned aversion 19
 masked 2
 medical therapy 8, 40, 116, 173, 201
 nail trimming 145, 177
 Palpation 98–99, 101, 130–131, 134–135,
 137, 141
 Panniculus response 26, 152–153
 Parasympathetic nervous system 19
 Patient-centered treatment 1, 5, 9, 20, 86,
 229, 231
 Pediatric model 1, 3–4
 Pediatric patient 118
 Perception 11–21
 animal 11–21
 client 104, 185, 232
 team member 231–236
 Pheromones
 communication 11–12, 15–16, 33
 home 103
 trigger stacking 42
 veterinary setting 20, 90, 92–93, 95–96,
 98, 111, 113, 150, 237
 Physical examination
 masked findings 2
 prevention training 20, 99, 102–103,
 106–107
 sensitive areas 17
 stationing for 194, 216
 training 74, 129–135, 159–164,
 202–207
 trigger stacking 41–42
 Piloerection 23, 34, 37, 39, 185, 187
 Pinna 131, 134, 160, 163, 172–175
 Play
 appropriate 106–107
 communication 21, 24, 29, 33, 35,
 102, 105
 reinforcement 32, 35, 43, 50, 103,
 132, 163
 Positive punishment 45–46, 49–50, 106
 examples 52
 side effects 51

Positive reinforcement 45–46, 49–50,
71–72, 74, 106–107, 126, 129
clicker training 53–58
examples 50, 52, 58
use in humans 104
Primary reinforcer 53–54, 68, 70–72, 203
Procedure-centered treatment 5
Pupillary light response (PLR) 131

r

Radiographs 4, 40, 116–118, 134, 143,
200, 210
Rate of reinforcement 57, 73, 82, 194, 196
Receptionist 90–92
Recumbency
dorsal 6, 143, 210
lateral 6, 51, 117, 138, 143, 145,
168, 210
sternal 6, 138, 141, 168, 170, 198
Reflex 45–47, 61, 131
Response substitution 62–63, 67
Restraint
body language 5–6, 28, 66, 93, 134,
214, 237
client 113
emergency 219–221
excessive 177, 214
team safety 8, 232, 236–237
2-2-3 rule 3, 51, 145
Roles of staff 90–92, 98, 105, 107, 130,
140, 159, 183, 226–227

s

Scale
classical conditioning 94–95
setting for success 92, 95, 100, 103
training 20, 58, 64–65, 73, 75, 79–80,
82, 96, 100, 127, 154–155
Sclera 26, 185
Secondary reinforce. *See* Conditioned
reinforcer
Sedation 40, 90, 93, 116, 122, 125,
141, 150
cystocentesis 141, 171
emergency 211–212, 218–222
grooming 178
training for 167, 184, 198–201

Selective serotonin reuptake inhibitors
(SSRI) 223–224
Self-defense 7, 20–21, 90, 122, 125, 134,
150, 184, 186–187
Sensation 11–12, 15–17, 19, 21, 207, 238
Sensitization 58, 60–61, 74
Sensory organs 11, 19
Serotonin antagonist and reuptake inhibitor
(SARI) 223–224
Serotonin syndrome 225
Shaping 55–58, 72, 74, 189, 230
approach 192
body target 82–83
carrier 161–162, 218
grooming 216
muzzle 201–202
nail board 215–216
nose target 78–79, 173
paw target 80–81, 173
station 83–85, 194–195, 217
training plans 67, 126, 190–191
Shock 8
Socialization 19–20, 33, 106–108, 121
Stationing 72, 76
chin rest 191, 197, 202–203, 209,
216–218
choosing station 13, 83–84
medication station 35, 63, 68, 82, 143,
171–172
training 74, 83–86, 126, 166, 174, 176,
179, 189–20, 203–218
Stifle 138, 160, 164, 168, 214
Stimulus control 76, 81
Stress. *See* Anxiety; Behavioral assessments;
Body language
Stress stages 22
Suicide 2, 7

t

Tapetum lucidum 12–13
Target 76–80, 95
body 75, 82–86, 193–196. *See also*
Station
chin. *See* Stationing, chin)
consent 191, 196–197, 200–202,
217–218
finger 35, 78

- follow 79–80, 109–110, 129, 132, 210
 - foundation 72, 76
 - hand 29, 76–79, 83, 95, 110, 127, 193–196, 200–203, 209, 213
 - nose 54, 76–79, 85, 127, 192, 200–203
 - objects 173
 - paw 76, 80–81, 83, 85, 194, 208–209, 213
 - Taste 18
 - Tetracyclic antidepressant 223–224
 - Thoracic inlet 170
 - Three-term contingency 49, 63
 - Threshold 41, 237
 - Tooth brushing 106–107
 - Topical anesthetic 118, 131, 164, 172, 178
 - Touch 17
 - Trainer 50, 183, 186, 222, 226–227, 235
 - Training plan 8, 63, 67, 69, 72–73, 86, 90–91, 121, 126, 137, 145, 149, 157, 166, 174, 179
 - Treatment plan 4, 8, 122, 180, 184, 224, 226
 - Tricyclic antidepressants (TCA) 223–224
 - Trigger stacking 41–42, 116, 154
 - 2-2-3 Rule 3, 51, 145
- U**
- Unconditioned reinforce. *See* Primary reinforcer
 - Unconditioned stimulus 45, 47
- V**
- Vaccination 39, 42, 92, 99–100, 103, 188, 216
 - Vasovagal 171
 - Venipuncture 99, 118, 138, 140, 144, 167–170, 188, 200, 208, 216
 - cephalic 136–137, 167, 193–194, 207–209, 219
 - jugular 138–140, 170
 - lateral saphenous 118, 138–139, 168, 209
 - medial saphenous 119, 138, 141, 168–169
 - Veterinary behaviorist 90, 186, 226–227, 235
 - Veterinary technician (RVT, LVT, or CVT) 149, 225–227
 - Oath 1
 - role of. *See* Roles
 - Veterinary technician specialist in behavior (VTS Behavior) 226–227
 - Vibrissae 17
 - Vision 11–13
 - Vocalization 2, 5, 7, 23, 29, 33–36, 39, 90, 108, 185, 187, 229
 - Voluntary behavior. *See* Cooperative behavior
 - Vomerolnasal organ (VNO) 11–12, 16
- W**
- Want *versus* need 2–3, 8, 92–93, 121–122, 125, 130, 133, 145, 147, 150, 164, 183–184, 211, 219, 235
 - Warning sign 6, 7, 39
- Z**
- Zoos and aquariums 1