

# Index

*Note:* Page numbers in *italic* denote figures, those in **bold** denote tables.

Prepared by Nigel d'Auvergne.

- 3D imaging, 197, 206–207, 410–411, 412  
*see also* cone beam computed tomography
- AAE Endodontic Case Difficulty Assessment Form and guidelines, 213–214
- abscess *see* acute apical abscess; apical abscess; marginal (periodontal) abscess
- access cavity, 195–202  
 canal location, 195–196  
 clinical procedure, 198  
 cone beam computed tomography (CBCT) images, 196  
 as a diagnostic step, 201–202  
 evaluation criteria, 197  
 medicolegal considerations, 429  
 mineralized pulp chambers, 200–201  
 minimally invasive access cavities, 198–200  
 perforation during access cavity preparation, 186, 187, 196, 201, 289, 429, 430  
 preparation, 197–202  
 radiographic images, 196  
 rubber dam isolation, timing in relation to access cavity preparation, 186–187, 187, 196
- access opening through crowns and restorations, 344, 345
- access preparation, aseptic working field, 186–187
- access to the apical area, 347
- access to the root tip, surgical endodontics, 368–369
- accidents *see* medicolegal considerations
- acute apical abscess, 3  
 apical periodontitis, 118, 146, 179–180
- acute dental pain  
 analgesics, 183  
 antibiotics, 182  
 apical periodontitis, 173  
 management, 182–183  
 psychological perspective, 182
- adaptive immunity, bacterial invasion, 68–69
- adult learning, independent practice, 454–461
- AFP (atypical facial pain), 398–399
- airway obstruction emergencies, 442, 443, 445, 445
- allergic responses that may compromise systemic health, 445–446
- alpha- and beta-phase gutta-percha, 285
- alveolar fracture, 408, 422  
 intra-alveolar root fractures, 409, 419–420
- analgesics, acute dental pain, 183
- anamnesis, in endodontic diagnosis, 53, 143, 171, 173–174, 179
- anatomical considerations, local anesthesia, 386
- anatomy  
 anatomical variations in teeth, 211–213  
 mandibular anterior teeth, 212–213  
 mandibular molars, 209, 210, 213  
 mandibular premolars, 213, 214  
 maxillary anterior teeth, 211, 212  
 maxillary molars, 212, 213  
 maxillary premolars, 211–212  
 root canal system anatomy, 206–211
- anesthesia, local *see* local anesthesia
- anterior superior alveolar nerve block (nasopalatine nerve block), local anesthesia, 384–385
- antibiotic-containing solutions, irrigation, 236
- antibiotics
- apical periodontitis, lack of effectiveness in treating, 332  
 biofilm elimination, 137  
 endodontic emergencies, 172  
 irreversible pulpitis, lack of effectiveness, 182  
 intracanal medicaments, 241  
 prophylactic, 361  
 resistance, to, 136  
 severe infections, 443
- antigen presentation, apical periodontitis, 104
- antimicrobial properties  
 calcium hydroxide, non-setting, 240  
 chlorhexidine digluconate, 235  
 root canal filling materials, 249–250, 257, 258, 260–261, 262, 264, 270  
 sodium hypochlorite (NaOCl), 232–233, 356–357
- antimicrobial retreatment strategies, 356–357
- antimicrobial treatment, nonsurgical retreatment, 354–357
- AO (atypical odontalgia), 399
- apical abscess, 3, 105, 118, 146, 179–180  
 endodontic emergencies, 176
- apical cyst  
 cyst formation mechanisms, 109  
 pocket cysts (bay cysts), 106  
 true cysts, 106
- apical gauging, root canal instrumentation, 217
- apical granuloma, apical periodontitis, 104–106, 106, 107, 109, 111–112
- apical inflammatory conditions, clinical diagnosis, 156
- apical obstructions, root canal instrumentation, 351–352
- apical periodontitis, 3, 5, 103–119, 146  
 acute apical abscess, 3, 118, 146, 179–180  
 acute pain, 173  
 acute (symptomatic) apical periodontitis, 164  
 antigen presentation, 104

## 464 Index

apical periodontitis (*Continued*)

apical abscess, 3, 105, 118, 146, 179–180  
 apical cyst, 105–107, 107, 108  
 apical granuloma, 104–106, 106, 107, 109, 111–112  
 asymptomatic (chronic) apical periodontitis, 3, 117–118, 152  
 bacteria/host equilibrium, 111–113  
 bacterial coaggregation, 111  
 bacterial elimination, 107  
 bacterial front line, 107–110  
 bacteria persisting after root canal treatment, 129  
 bacteria signs and symptoms association, 129–131  
 bacteriological status of teeth, 163  
 bone resorption, 103, 110–112, 112, 113  
 bone tissue response, 147–148  
 case study, 164  
 cellulitis, 118–119, 180  
 chronic apical abscess, 3, 108–109, 118, 119  
 clinical diagnosis, 143–165  
 clinical manifestations, 103–104, 117–119  
 complement functions, 109  
 condensing osteitis, 119  
 dendritic cell function, 105  
 diagnosis, 143–165  
 diagnosis and treatment options, 163–165  
 diagnostic challenges, 153–154  
 diagnostic procedures, 143  
 diagnostic terminology, 117–119  
 endodontic flare-up, 113–114  
 endodontic infections, 154–161, 162  
 endodontic pathogens, 131  
 epithelial cell proliferation, 104–105  
 healing, 113, 114–115, 153, 164  
 histology/radiology correlation, 150  
 images interpretation, 150  
 immunoglobulin specificity, 114  
 infecting microbiota, 107–114  
 infections in root-filled teeth, 126–128  
 intraoral swelling, 146  
 lesion formation, 110–111, 113, 114  
 microbial infection, 107–114  
 microbial infection and host response, 143–144  
 microbial pathogenesis, 128–129  
 microbial virulence factors, 131  
 nature of, 103–107  
 nonsurgical retreatment, 343  
 percussion and palpation testing, 147, 149  
 periapical lesions, 104, 105  
 persistence, 126–128  
 persistent or secondary, 343  
 phagocytosis evasion, 111  
 polymorphonuclear leukocytes (PMNs), 105, 107, 109  
 pulp testing, 147  
 radiographic features, 147–153  
 radiographic methods, 148–150  
 radiology/histology correlation, 150  
 symptomatic apical periodontitis, 3, 118, 164, 179–180  
 symptoms, 103–104  
 T-cell function, 105, 112  
 apical pressure, irrigation, 237  
 apical root canal, irrigation, 236–237  
 apical surgery, periapical lesions, 116–117

## apoptosis

dentin-pulp complex, 17  
 odontoblasts, 17  
 arrest of dental development, trauma, 415–416  
 articaine, local anesthesia, 382  
 aseptic working field, 185–192, 214  
   *see also* rubber dam isolation  
   access preparation, 186–187  
   advantages, 186  
   aseptic working procedures, 190–192  
   disinfection of the working field, 189–190  
   evidence, 185  
   history, 185  
   tooth isolation, 185–192  
   working aseptically, 191  
 asymptomatic apical periodontitis, 3, 117–118, 152  
 asymptomatic periapical lesions, endodontic retreatment, 332  
 atypical facial pain (AFP), 398–399  
 atypical odontalgia (AO), 399  
 avascular necrosis, trauma, 409  
 avulsion, trauma, 408, 421–422  
  
 bacteria/host equilibrium, apical periodontitis, 111–113  
 bacterial cluster formation, apical cyst, 109–110  
 bacterial coaggregation, apical periodontitis, 111  
 bacterial invasion and innate and adaptive immunity, dentin lesions cavitation, 68–69  
 bacterial leakage  
   dentin-pulp complex, 28–29  
   pulpal responses to bacterial leakage at tooth/restoration interfaces, 29, 89, 90, 124, 171  
   root canal fillings, 252–253  
   treatment outcome and, 323  
 bacteria persisting after root canal treatment, apical periodontitis, 129  
 bacteria signs and symptoms association, apical periodontitis, 129–131  
 bacteriological status of teeth, apical periodontitis, 163  
 balanced force motion, hand instrumentation technique, 221–222  
 bay cysts (pocket cysts), 106, 109  
 beneficence  
   defining, 429  
   medicolegal considerations, 427  
 best practice, defining, 427  
 biofilms, sodium hypochlorite (NaOCl), 232–233  
 biofilms in root canals  
   antibiofilm strategies, 137–138, 232  
   ecological determinants of the endodontic microflora, 136  
   extraradicular biofilms, 133–134, 135  
   heterogeneity, 136  
   microbial interactions, 134–136  
   microbial resistance to antimicrobials, 136–137  
   microbiology, 131–138  
   sodium hypochlorite (NaOCl), 232–233  
 bleeding management, surgical endodontics, 370–371  
 blockage prevention, root canal instrumentation, 225–226  
 blood flow, dental pulp, 19–22  
 bonding technique, surgical endodontics, 372–373  
 bone formation and remodeling, periapical lesions, 117

- bone-healing
  - follow-up surgery, 375
  - Rud-Molven criteria, 375
  - surgical endodontics, 375
- bone resorption
  - apical periodontitis, 103, 110–112, 112, 113
  - trauma, 411
- bone tissue response, apical periodontitis, 147–148
- bridges and crowns, removing, 344
- broken instruments
  - medicolegal considerations, 429, 433
  - removing, 348, 349–350, 351
- bupivacaine, local anesthesia, 383
- business considerations *see* independent practice; medicolegal considerations
- calcium hydroxide (Ca(OH)<sub>2</sub>)
  - intracanal medicament, 231, 240–241
  - pulpectomy, 95
  - vital pulp treatment, 89, 90
- calcium hydroxide sealers, 263–264
  - antimicrobial properties, 264
  - biological properties, 263–264
  - composition, 263
  - handling properties, 264
  - root-end closure, 264
  - technical properties/leakage, 263
  - toxicity, 263–264
- canal complexity, unsuccessful initial treatment, 327–328
- canal drying, root canal filling techniques, 281
- canal negotiation, 202–203
  - canal terminus, 202–203
  - coronal flaring, 202
  - pre-flaring, 202
  - working length, 202–203
- candor
  - defining, 429
  - medicolegal considerations, 429, 431
- caries pathology and management, 61–76
  - carious tissue removal, 69
  - deep caries management, 3, 72–76
  - deep and extremely deep carious lesions, 69
  - dentin lesions cavitation, 67–71
  - enamel–dentin lesions, 63, 65–67
  - enamel lesions without clinical cavitation, 63, 64–65
  - environmental biofilm hypothesis, 61–63
  - history of untreated caries, 62
  - natural history of dental caries, 72
- carrier devices, root canal filling techniques, 287–288
- case study
  - apical periodontitis, 164
  - cracked tooth, 57
  - discolored crown, 58
  - endodontic emergencies, 177
  - independent practice, 456, 458
  - instrument fracture, 432, 433
  - medicolegal considerations, 432, 433
  - pain conditions, 395, 395
  - pulpitis, 177
  - pulp vitality assessment, 54
  - tooth-related pain, 56
- cast cores, materials, 310
- cavitation, dentin lesions *see* dentin lesions cavitation
- CBCT *see* cone beam computed tomography
- cellular composition, dental pulp, 17–18
- cellulitis
  - apical periodontitis, 118–119
  - symptomatic apical periodontitis, 180
- cemento-osseous dysplasia, endodontic infections, 160
- cements/sealers *see* sealers/cements
- central nervous system mechanisms, dentinal and pulpal pain, 45
- ceramics, core materials, 310
- cermets, core materials, 310
- cervical (extracanal invasive) resorption, trauma, 412–413
- CE sign, root canal filling materials, 250
- chemical tissue trauma, emergencies in need of urgent referral, 441–443
- chlorhexidine digluconate (CHX)
  - disinfection, 235
  - intracanal medicament, 241
  - irrigation, 235
- chronic apical abscess, 3, 108–109
  - apical periodontitis, 118, 119
- citric acid, smear layer removal, 234–235
- clinical diagnosis
  - see also* diagnosis
  - apical inflammatory conditions, 156
  - apical periodontitis, 143–165
  - pulp necrosis, 143–165
- clinical epidemiology
  - measuring endodontic disease and treatment outcome, 315–323
  - terminology, 316
- clinical examination
  - endodontic retreatment, 331
  - trauma, 417
- clinically healthy pulp, diagnostic classification, 58–59
- clinical manifestations
  - apical periodontitis, 103–104
  - inflammation, 51–52, 52
  - periapical disease, 52
  - pulpal disease, 52
- clinical problems and solutions, 2–6
- cohort studies, endodontic research, 317–318
- cold lateral compaction, root canal filling technique, 282, 283–284
- cold techniques, root canal filling techniques, 281–285, 283–284
- collagen, dental pulp, 18
- combination products, irrigation, 236
- combinations of warm and cold condensation, root canal filling technique, 288–289
- communication, patient, medicolegal considerations, 431–433
- competence, independent practice, 457–458
- complaints
  - see also* medicolegal considerations
  - complaints procedures, 430
  - learning from, 433
- complex orofacial pain conditions, 397
- composite core materials, 310
- condensing osteitis, 3, 119

## 466 Index

- cone beam computed tomography (CBCT), 212–214, 279  
 access cavity, 196  
 cystic lesions, 108  
 neuropathies, 437, **438**, 438  
 periapical lesions, 105, 442  
 radiographic methods, 148–150, 151  
 root canal system, 207  
 trauma, 151, 412
- continuous reaming motion, engine-driven Ni-Ti instrument systems, 222–223
- cores and posts  
 in restoring root canal-treated teeth, 300, 302, 304–308, 308  
 removing, 344–347
- coronal and crown–root fractures, trauma, 418–419
- coronal and radicular access, root canal instrumentation, 214, 215
- coronal sealing, rubber dam isolation, 191–192
- cracked tooth  
 case study, 57  
 pulpal diagnosis, 57, 177
- cross-sectional studies, endodontic research, 317
- crown-down sequence, engine-driven Ni-Ti instrument systems, 222
- crown–root and coronal fractures, trauma, 418–419
- crowns and bridges, removing, 344
- curettage of the soft-tissue lesion, surgical endodontics, 369, 370
- cycles to failure, root canal instrumentation, 227
- cysts and tumors of the jaws, endodontic infections, 161, 162
- cytotoxicity, root canal filling materials, 250–251
- decision-making  
 dentist's perspective, 330–338  
 endodontic retreatment, 330–339, 330  
 patient's perspective, 338–339  
 pulpal diagnosis, 49–59
- deep caries management, 3, 72–76  
 clinical pulp diagnosis, 75–76  
 histological picture of pulp inflammation, 70–71  
 radiographic definitions, 67, 69–70, 71  
 selective caries removal, 74–75  
 stepwise caries removal, 74, 75  
 strategies, 72–74  
 terminology, 73–74  
 treatment protocol, 74–76
- dendritic cell function, apical periodontitis, 105
- dens invaginatus, endodontic infections, 154, 157
- dental amalgam, restoration of endodontically treated teeth, 296, **300**, 308
- dental development arrest, trauma, 415–416
- dental history, endodontic retreatment, 330, **331**
- dental materials, neural injury, 437–440, **438**
- dental pulp, 17–22  
 blood flow, 19–22  
 cellular composition, 17–18  
 collagen, 18  
 dentinal repair, 21  
 extracellular matrix, 18–19  
 fibroblasts, 17  
 glycoproteins, 19  
 glycosaminoglycans, 19  
 immune cells, 17–18  
 immune responses, 20  
 lymphatics, 22  
 nerves, 19  
 neurogenic inflammation, 19, 24–25, 40–43  
 neuropeptides role, 20, 21  
 progenitor cells, 18  
 proteoglycans, 19  
 resting blood flow, 22  
 secondary odontoblast-like cells, 18  
 stem cells, 18, 21  
 sympathetic nervous system, 20  
 vascular supply, 19–22
- dental trauma *see* trauma
- dentinal and pulpal pain, 33–46  
*see also* nerves  
 central nervous system mechanisms, 45  
 dentin hypersensitivity, 44–45  
 function of intradental sensory nerves, 36–38  
 hydrodynamic mechanism in pulpal A-fiber activation, 38–40, 39  
 morphology of intradental sensory innervation, 33–36  
 nerve fibers classification, 33  
 nociceptor activation, local control, 44  
 pain symptoms, 45–46  
 pulpal diagnosis, 45–46  
 sensitivity of dentin, 38–40
- dentinal fluid protective roles, dentin-pulp complex, 26–28
- dentinal repair, dental pulp, 21
- dentin-bonding systems, vital pulp treatment, 90
- dentin conditioning  
 root canal filling techniques, 278–281  
 smear layer and debris, 278–280
- dentin hypersensitivity, 44–45
- dentin lesions cavitation  
 bacterial invasion and innate and adaptive immunity, 68–69  
 caries-induced inflammation, 69  
 carious activity, 69, 70  
 lateral spread along the enamel–dentin junction and toward the pulp, 67–68  
 soft tissue inflammation, 69
- dentin-pulp complex, 11–29  
 apoptosis, 17  
 bacterial leakage, 28–29  
 classification of dentin, 14  
 clinical implications of dentin microstructure, 14–15  
 dental treatment procedures, 26  
 dentinal fluid, protective roles, 26–28  
 dentinal tubules, 11–17, 13  
 external injuries, 25–29  
 immune responses, 22–25  
 inflammation, 24–25  
 neurovascular responses, 28  
 nondestructive stimuli responses, 25  
 odontoblasts, 11–17  
 odontoblasts and tertiary dentin, 16–17  
 preparation trauma, 28  
 pulpal responses to bacterial leakage at tooth/restoration interfaces, 29  
 restorative materials effects, 29  
 restorative procedures, 26
- dentin-root canal filling interface, 277–281
- dentin wettability, root canal filling techniques, 280

- dentist's perspective, decision-making, endodontic retreatment, 330–338
- DETI (Dutch Endodontic Treatment Index), 214
- diagnosis
- see also* pulpal diagnosis
  - accuracy, 50–51
  - apical inflammatory conditions, 156
  - apical periodontitis, 143–165
  - defining, 49–50
  - diagnostic methodology, 53–55
  - endodontic diagnosis, 162–165
  - evaluation of diagnostic information, 49–50
  - learning needs, 455
  - medicolegal considerations, 429, 431
  - observer variation in periapical radiographic diagnosis, 50
  - pulp necrosis, 143–165
  - pulp vitality assessment, 53–55
  - strategy, 51
  - wrong diagnosis, medicolegal considerations, 429
- diagnosis and treatment options, apical periodontitis, 3, 4 163–165
- diagnostic challenges, apical periodontitis, 153–154
- diagnostic characteristics, pulp necrosis, 3, 156
- diagnostic classification, pulpal diagnosis, 3, 58–59
- diagnostic considerations, endodontic emergencies, 171, 172
- diagnostic dilemmas, 6, 422
- diagnostic methodology
- evaluation of reported pain, 55–56
  - evaluation of tooth discolorations, 58
  - provocation/inhibition of pain, 56–58
  - pulpal diagnosis, 53–55
- diagnostic process, pain conditions, 395–397
- diagnostic quandaries
- pulp review/removal, 422–424
  - trauma, 422–424
- diagnostic terminology
- apical periodontitis, 117–119
  - endodontic conditions, 3–6
- differential diagnosis, endodontic infections, 159–161, 162
- discolored crown
- case study, 58
  - pulpal diagnosis, 58
- disinfection, 231–241
- see also* aseptic working field; irrigation
  - calcium hydroxide ( $\text{Ca}(\text{OH})_2$ ), 240–241
  - chlorhexidine digluconate (CHX), 235, 241
  - hydrogen peroxide ( $\text{H}_2\text{O}_2$ ), 235
  - intracanal medicaments, 240–241
  - iodine potassium iodide (IKI), 235–236
  - microorganism eradication, 231
  - rubber dam, 191
  - working field, 189–190
- Dutch Endodontic Treatment Index (DETI), 214
- EDTA, smear layer removal, 234–235
- EGTA, smear layer removal, 234–235
- electrical test, pulp vitality assessment, 54–55
- electrocoagulation, hemostasis, 371
- electronic apex locator, working length, 216, 217
- electronic pulp testing, 423
- emergencies, endodontic *see* endodontic emergencies
- emergencies in need of urgent referral, 435–446
- airway obstruction, 442, 443, 445, 445
- allergic responses that may compromise systemic health, 445–446
- chemical tissue trauma, 441–443
- inhalation or aspiration of dental instruments or materials, 445
- neurological injuries resulting from endodontic procedures and materials, 435–440
- neurological injuries resulting from periapical inflammation, 440–441
- reporting adverse events, 445–446
- severe odontogenic infections that may compromise systemic health, 443–444
- severe or persistent pain, 445
- suspicion of locally aggressive or neoplastic lesions, 444–445
- employers, independent practice, 460
- enamel–dentin lesions, 65–67
- dentin demineralization, 65–66
  - dentin hypermineralization prior to demineralization of dentin, 65–66
  - odontoblasts, 65
  - superficial lesions, 65
  - tertiary dentinogenesis and lesion activity, 66–67
- enamel lesions without clinical cavitation, 63, 64–65
- EndoActivator, irrigation, 238
- endodontic complications after trauma, 405–424
- endodontic conditions, diagnostic terminology, 3–6
- endodontic diagnosis, 162–165
- clinical–radiological features, 162–163
  - extent of infection, 162–163
  - integrated approach, 162–165
- endodontic emergencies, 171–183
- see also* pain conditions
  - acute dental pain, 182–183
  - acute pain from apical periodontitis, 173
  - acute pain from pulpitis, 173
  - apical abscess, 176
  - case study, 177
  - diagnostic considerations, 171, 172
  - emergency principles, 171
  - emergency pulpotomy, 178
  - etiology, 171–181
  - idiopathic tooth pain, 182
  - marginal (periodontal) abscess, 181
  - neuropathic pain, 182
  - non-endodontic tooth pain, 181–182
  - non-odontogenic pain, 182
  - odontogenic pain, 182
  - pain clinical assessment, 173
  - pain history, 171, 172
  - pathogenesis, 171–181
  - posttreatment emergency, 180–181
  - pulpotomy, 178
  - reasons, 175
  - referred pain, 181–182
  - strategy for emergency treatment, 172
  - treatment modalities, 172
- endodontic infections, 154–161, 162
- apical periodontitis, 154–161, 162
  - cemento-osseous dysplasia, 160
  - cysts and tumors of the jaws, 161, 162
  - dens invaginatus, 154, 157



## 468 Index

- endodontic infections (*Continued*)
- dental trauma, 154
  - differential diagnosis, 159–161, 162
  - endodontic–periodontal lesions, 154–158, 158
  - maxillary sinus involvement, 158–159
  - normal structures, 160
  - orofacial pain conditions, 160–161
  - osteomyelitis, 159–160
  - root fractures, 154, 157
  - root resorption, 158, 159
  - sinusitis, 159
  - tissue reactions, 163
  - tumors of the jaws, 161, 162
- endodontic instruments
- see also* root canal instrumentation
  - engine-driven Ni-Ti instrument systems, 217, 219–224
  - Gates–Glidden burs, 218, 218
  - neuropathies caused by, 437–440
  - Ni-Ti instrument systems, engine-driven, 217, 219–224
  - root canal instrumentation, 217–224
  - Self-Adjusting File (SAF), 221, 221
  - stainless-steel hand files, 217–218, 223–224
  - traditional systems, 217–218
- endodontic pathogens, apical periodontitis, 131
- endodontic–periodontal lesions, 154–158, 158
- endodontic research, study designs, 317–318
- endodontic retreatment, 4, 5, 6, 327–339
- see also* nonsurgical retreatment
  - asymptomatic periapical lesions, 332
  - clinical examination, 331
  - decision-making, 330–339, 330
  - dental history, 330, 331
  - extraction, indications, 333–334
  - indications for nonsurgical retreatment, 334
  - indications for operative intervention, 333–338
  - indications for surgical retreatment, 334–338
  - medical history, 330, 331
  - microsurgical classification, 335
  - nonsurgical retreatment, 3, 4, 6, 334
  - perforations and resorptions, 338, 339
  - praxis concept, 332, 333
  - radiographic examination, 331
  - reasons for retreatment, 329
  - resorptions and perforations, 338, 339
  - signs and symptoms, 332–333
  - special tests, 331
  - surgical retreatment, 3, 4, 6, 334–338
  - unsuccessful initial treatment, 327–329
  - variation in management of endodontic ‘failures’, 332
- endodontic treatment, objective, 2
- endodontic treatment and disease, radiologic evaluation, 155
- Endodontic Treatment Classification Form (ETC), 214
- engine-driven Ni-Ti enlargement, root canal instrumentation, 217
- engine-driven Ni-Ti instrument systems, 217, 219–224
- reciprocation, 223, 227
  - vs stainless-steel hand files, 223–224
- Enterococcus faecalis*, 231, 232, 260–261, 261, 270, 327, 356
- origin in infected root canals, 128
- environment, working *see* aseptic working field
- environmental biofilm hypothesis, 61–63
- environmental pollution, dental amalgam, 308
- epinephrine-containing agents, local anesthesia, 381, 382–383, 387
- episteme*, 1
- epithelial cell proliferation, apical periodontitis, 104–105
- epoxy resin sealers, 261–263
- antimicrobial properties, 262
  - biological properties, 262, 263
  - composition, 261
  - handling properties, 262–263
  - technical properties/leakage, 261–262
  - toxicity, 262, 263
- errors *see* medicolegal considerations
- ETC (Endodontic Treatment Classification Form), 214
- ethical considerations, 427
- see also* medicolegal considerations
- eugenol *see* zinc oxide–eugenol sealers
- evidence-based medicine, treatment outcome, 316
- experimental studies, endodontic research, 318
- external injuries, dentin–pulp complex, 25–29
- extracanal invasive (cervical) resorption, trauma, 412–413
- extracellular matrix, dental pulp, 18–19
- extraction indications, endodontic retreatment, 333–334
- extraradicular infection, unsuccessful initial treatment, 327
- extrusive luxation, 408, 420–421
- fibroblasts, dental pulp, 17
- filing motions, hand instrumentation technique, 221–222
- final root canal preparation, root canal instrumentation, 217
- flap design, surgical endodontics, 363, 365
- flap elevation and retraction, surgical endodontics, 368, 369
- flap repositioning and suturing, surgical endodontics, 373–374
- follow-up,
- neurological injury, 437, 440
  - non-surgical treatment, 150, 315, 330
  - pulp capping, pulpotomy, 89
  - trauma, 417, 418–421
- forceps, rubber dam isolation, 187–188
- fracture predilection, root-treated teeth, 295–296, 297–298
- fractures
- see also* instrument fracture; luxations; root fractures
  - alveolar fracture, 408, 409, 419–420, 422
  - coronal and crown–root fractures, 418–419
  - pulp revascularization, 408
  - root canal treatment, 418–419
  - trauma, 406, 407, 418–420
- functional pain, 394–395
- Gates–Glidden burs, 218, 218
- GentleWave, irrigation, 239–240
- glycoproteins, dental pulp, 19
- glycosaminoglycans, dental pulp, 19
- goal orientation, independent practice, 456–457
- gutta-percha
- alpha- and beta-phase gutta-percha, 285
  - antimicrobial properties, 257
  - biological properties, 256–257
  - composition, 254–255
  - cones, 253–255
  - exploring sinus tracts and periodontal pockets, 147, 149
  - handling properties, 257
  - injectable, 286–287
  - master cone fit, 282

- removing, 347
- root canal filling materials, 249, 250, 253–257
- root canal filling techniques, 282, 285, 286–287
- technical properties, 255–256
- hand instrumentation techniques, 221–222
- HCSCs *see* hydraulic calcium silicate cements
- hemostasis
  - chemicals, 371
  - electrocoagulation, 371
  - local anesthetic vasoconstriction, 370
  - pressure application, 370
  - proper and gentle operation technique, 370
  - resorbable agents, 371
  - suctioning, 370
  - surgical endodontics, 370–371
- histological picture of pulp inflammation, deep caries management, 70–71
- hydraulic calcium silicate cements (HCSCs), 268–272
  - bioactivity, 270
  - biological properties, 270
  - composition, 268–269
  - handling properties, 270–271
  - technical properties, 269–270
  - toxicity, 270, 271
  - vital pulp treatment, 90–91
- hydrogels, regenerative endodontics, 272
- hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)
  - disinfection, 235
  - irrigation, 235
- hyperplastic pulpitis 80
- hypersensitive dentin, 44–45
- IANB (inferior alveolar nerve block)
  - local anesthesia, 382, 385, 386, 386, 387, 388, 436–437
  - nerve injury, 436–437
- iatrogenic injury
  - see also* medicolegal considerations
  - vital pulp treatment, 80, 81
- identity in a community, independent practice, 458–460
- idiopathic pain, 182, 397, 398
- immune cells, dental pulp, 17–18
- immune responses
  - dental pulp, 20
  - dentin-pulp complex, 22–25
- immunity, bacterial invasion, 68–69
- immunoglobulin specificity, apical periodontitis, 114
- incisions
  - papilla base incision, 366–367
  - submarginal incision, 366
  - sulcular incision, 365–366
  - vertical incisions, 367–368
- independent practice, 451–461
  - adult learning, 454–461
  - advice, 453, 460
  - case study, 456, 458
  - competence, 457–458
  - employers, 460
  - goal orientation, 456–457
  - identity in a community, 458–460
  - key terms, 453
  - motivation to succeed, 455–457
  - self-directed learning, 454–461
  - supervisors, 460
  - talent fallacy, 455–456
  - terminology, 453
  - transition to, 451–461
- indications for extraction, endodontic retreatment, 333–334
- indications for nonsurgical retreatment, 334
- indications for operative intervention, endodontic retreatment, 333–338
- indications for surgical retreatment, 334–338
- infected pulp tissue, 5, 84, 405, 409
- infecting microbiota, apical periodontitis, 107–114
- infection-related (inflammatory) root resorption, trauma, 411–412
- infections, spreading odontogenic, 443–444
- infections compromising systemic health, 443–444
- infections in root-filled teeth, apical periodontitis, 126–128
- inferior alveolar nerve block (IANB)
  - local anesthesia, 382, 385, 386, 386, 387, 388, 436–437
  - nerve injury, 435–437
- infiltrations, local anesthesia, 385
- inflamed pulp
  - clinical evidence, 125
  - microbiology, 123–138
- inflammation
  - caries-induced inflammation, 69
  - clinical manifestations, 51–52, 52
  - crucial prerequisite for repair and regeneration, 24
  - dentin-pulp complex, 24–25
  - histological picture of pulp inflammation, 70–71
  - inflammatory mediators, 41–42
  - morphological vs functional changes of pulpal nerves in inflammation, 42–43, 43
  - nerves, 40–43
  - neurogenic inflammation, 19, 24–25, 40–43
  - periapical inflammation, 51–52, 440–441
  - pulpal inflammation, 19, 24–25, 40–43, 51–52
  - soft tissue inflammation, 69
  - vascular events, 24–25
- inflammatory (infection-related) root resorption, trauma, 411–412
- inflammatory pain, 393–394
- informed consent
  - see also* medicolegal considerations
  - defining, 429
- infraorbital nerve block, local anesthesia, 384
- injectable gutta-percha, 286–287
- innate immunity, bacterial invasion, 68–69
- instrumentation *see* endodontic instruments; root canal instrumentation
- instrument fracture
  - broken instruments, removing, 348, 349–350, 351
  - case study, 432, 433
  - medicolegal considerations, 429, 432, 433
  - prevention, 226–227
  - root canal instrumentation, 224–225, 226–227
- instrument swallowed/inhaled
  - emergencies in need of urgent referral, 445
  - medicolegal considerations, 429–430
- insurance
  - see also* medicolegal considerations
  - professional indemnity/malpractice insurance, 430–431

## 470 Index

- internal inflammatory root resorption, trauma, 412–413
- intra-alveolar root fractures, 409, 419–420
- intra canal medicaments, 240–241
- intraosseous injection, local anesthesia, 389
- intrapulpal injection, local anesthesia, 390, 391
- intraradicular conditioning, 278–281
- intraradicular infection, unsuccessful initial treatment, 327
- intraseptal anesthesia, local anesthesia, 389–390
- intrusive luxation, 408, 420–421
- iodine potassium iodide (IKI)
  - disinfection, 235–236
  - irrigation, 235–236
- irreversible pulpitis, 3, 176, 178
- irrigation, 231–241
  - see also* disinfection
  - activation of irrigant flow, 237–238
  - antibiotic-containing solutions, 236
  - apical pressure, 237
  - apical root canal, 236–237
  - chlorhexidine digluconate (CHX), 235
  - combination products, 236
  - EndoActivator, 238
  - GentleWave, 239–240
  - hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>), 235
  - iodine potassium iodide (IKI), 235–236
  - irrigant properties, 236
  - key properties, 232
  - lasers, 238–239
  - microorganism eradication, 231
  - MTAD (a mixture of tetracycline isomer, acid, and detergent), 1–2, 236
  - Photon Induced Photoacoustic Streaming (PIPS™), 238–239
  - ProUltra PiezoFlow ultrasound system, 239
  - QMIX, 236
  - root canal irrigation, 231–241
  - safe and effective, 235
  - SmearClear, 236
  - SmearOff, 236
  - sodium hypochlorite (NaOCl), 231, 232–235, 356–357
  - sonic and ultrasonic cleaning, 238, 239–240, 239
  - syringe-needle irrigation, 237–238
  - Tetraclean, 236
  - ultrasonic cleaning, 238, 239–240, 239
  - wide-spectrum sound energy, 239–240
- isthmuses, root-end preparation, 371, 372
- keratocystic odontogenic tumor, 161, 162
- key terms
  - diagnostic, 3
  - medicolegal, 429
  - transition to independent practice, 453
- lasers, irrigation, 238–239
- lateral luxation, 408, 420–421
- leakage/sealing, root canal filling materials, 252–253
- learning, self-directed learning, independent practice, 454–461
- learning from complaints and mistakes, medicolegal considerations, 433
- ledges, root canal instrumentation, 347, 352, 354
- ledging prevention, root canal instrumentation, 226
- legal considerations *see* medicolegal considerations
- lidocaine, local anesthesia, 382, 387
- limited reach vs unwanted dentin removal, root canal instrumentation, 224
- local anesthesia, 381–391
  - anatomical considerations, 386
  - anterior superior alveolar nerve block (nasopalatine nerve block), 384–385
  - articaine, 382
  - bupivacaine, 383
  - challenging, 387–388
  - complications, 391
  - difficulties, 386–387
  - effectiveness assessment, 383
  - emergencies in need of urgent referral, 435–437
  - epinephrine-containing agents, 381, 382–383, 387
  - failure to secure anesthesia, 385
  - fundamentals, 381, 382, 382
  - hemostasis, 370
  - IANB (inferior alveolar nerve block), 386
  - inferior alveolar nerve block (IANB), 382, 385, 386, 386, 387, 388, 436–437
  - infiltrations, 385
  - infraorbital nerve block, 384
  - intraosseous injection, 389
  - intrapulpal injection, 390, 391
  - intraseptal anesthesia, 389–390
  - lidocaine, 382, 387
  - local anesthetic-related neuropathies, 435–437
  - mandibular infiltrations, 388
  - mandibular nerve blocks, 387–388
  - mandibular teeth, 385
  - maxillary nerve blocks, 388
  - maxillary teeth, 383–385
  - maximum safe doses, 391
  - mepivacaine, 382–383, 387
  - nasopalatine nerve block (anterior superior alveolar nerve block), 384–385
  - nerve blocks, 385
  - neurological injuries, 435–437
  - neurosensory assessment, 436
  - periodontal ligament injections, 388–389
  - pH influence, 382
  - physiological considerations: inflammation, 386–387
  - posterior superior alveolar nerve block, 383–384
  - prilocaine, 383, 387
  - pulpitis, 386–387
  - sedation, 390–391
  - sensitization, 386–387
  - standard methods, 383–385
  - supplementary injections, 388–390
  - surgical endodontics, 363
  - trigeminal nerve injuries, 436
- luxations, 406–411, 408
  - see also* fractures
  - classification, 406
  - clinical features, 406
  - concussion and subluxation, 420
  - extrusive luxation, 408, 420–421
  - intrusive luxation, 408, 420–421
  - lateral luxation, 408, 420–421
  - risks of complication, 406
  - splinting, 420–422
  - trauma, 420–422
- lymphatics, 22



- maleic acid, smear layer removal, 234–235
- malignancy, emergencies in need of urgent referral, 444–445
- malpractice
  - see also* medicolegal considerations
  - defining, 429
- mandibular anterior teeth, anatomy, 212–213
- mandibular infiltrations, local anesthesia, 388
- mandibular molars, anatomy, 209, 210, 213
- mandibular nerve blocks, local anesthesia, 387–388
- mandibular premolars, anatomy, 213, 214
- mandibular teeth, local anesthesia, 385
- marginal (periodontal) abscess, 181
- master cone fit
  - gutta-percha, 282
  - root canal filling technique, 282
- materials
  - see also* root canal filling materials
  - bioactive capping materials, vital pulp treatment, 91–92
  - capping materials, vital pulp treatment, 89–92
  - cast cores, 310
  - ceramics, 310
  - cermets, 310
  - composite, 310
  - core materials, prosthodontic reconstruction, 310
  - hydrogels, 272
  - post materials, 303–304
  - regenerative endodontics, 272
  - reimplantation, 271–272
  - retrograde fillings during root-end surgery, 271–272
  - tissue–biomaterial interaction and pulp healing, vital pulp treatment, 91–92
- maxillary anterior teeth, anatomy, 211, 212
- maxillary molars, anatomy, 212, 213
- maxillary nerve blocks, local anesthesia, 388
- maxillary premolars, anatomy, 211–212
- maxillary sinus involvement, endodontic infections, 158–159
- maxillary teeth, local anesthesia, 383–385
- mechanical tests, pulp vitality assessment, 53–54
- medical history, endodontic retreatment, 330, **331**
- medicament accident, medicolegal considerations, 430
- medicolegal considerations, 427–433
  - beneficence, 427, 429
  - best practice, defining, 427
  - candor, 429, 431
  - case study, 432, 433
  - communication, patient, 431–433
  - complaints, learning from, 433
  - complaints procedures, 430
  - diagnosis, 429, 431
  - ethical considerations, 427
  - examples of errors and accidents, 428–430
  - informed consent, 429
  - instrument fracture, 429, 432, 433
  - instrument swallowed/inhaled, 429–430
  - insurance, 430–431
  - key terms, 429
  - learning from complaints and mistakes, 433
  - malpractice, 429
  - malpractice claims according to dental specialty, **428**
  - malpractice claims from various countries, **428**
  - medicament accident, 430
  - negligence, 429
  - nonmaleficence, 427, 429
  - patient communication, 431–433
  - patient's best interests, 431–433
  - perforation during access cavity preparation, 429
  - professional indemnity/malpractice insurance, 430–431
  - record-keeping, 433
  - referral, 431
  - risk management, 431–432
  - root filling technical aspects, 430
  - skills limits, 431
  - treatment options, 431
  - unexpected pain, 429
  - wrong diagnosis, 429
- mepivacaine, local anesthesia, 382–383, 387
- mercury pollution, dental amalgam, 308
- meta-analyses, endodontic research, 318
- metal or plastic carriers, removing, 348–349
- methacrylate-based sealers, 264–267
  - biological properties, 267
  - composition, 265, **266**
  - handling properties, 267
  - technical properties/leakage, 265–267
  - toxicity, 267
- methylprednisolone injection
  - acute pulpitis, 178
  - pulpitis, 178
- microbial infection, apical periodontitis, 107–114
- microbial pathogenesis, apical periodontitis, 128–129
- microbial reduction by instrumentation, 232
- microbial virulence factors, apical periodontitis, 131
- microbiology
  - bacteria persisting after root canal treatment, 129
  - bacteria signs and symptoms association, 129–131
  - biofilms in root canals, 131–138
  - biological evidence, 131–133
  - clinical evidence, 124–126
  - historical background, 123–124
  - inflamed pulp, 123–138
  - necrotic pulp, 123–138
  - root canal biofilms, 131–138
  - root-filled teeth, 127–128
  - routes of microbial entry to the pulpal space, 124–125, 124
- microbiota
  - 'failed' root canal treatment, 356
  - infecting microbiota, apical periodontitis, 107–114
  - root canal microbiota, 123–124, 127
  - root-filled tooth, 354–356
- microorganism eradication, root canal system, 231
  - see also* disinfection; irrigation
- migraine/neurovascular orofacial pain, 401
- mineralized pulp chambers, access cavity, 200–201
- mineral trioxide aggregate (MTA)
  - see also* hydraulic calcium silicate cements (HCSCs)
  - perforation repair, 354
  - pulp capping, 84, 92
- mishaps *see* medicolegal considerations
- missed canals, root canal instrumentation, 352–353, 355
- modified double flared approach
  - hand instrumentation technique, 221
  - root canal instrumentation, 214–215, 216, 217, 221
- molecular identification, root canal bacteria, 130
- motivation to succeed, independent practice, 455–457
- MTA *see* mineral trioxide aggregate

## 472 Index

- MTAD (a mixture of tetracycline isomer, acid, and detergent), irrigation, 1–2, 236
- nasopalatine nerve block (anterior superior alveolar nerve block), local anesthesia, 384–385
- necrotic pulp, 5
- clinical evidence, 125–126
  - diagnostic classification, 59
  - microbiology, 123–138
  - pulpal diagnosis, 59
- negligence
- see also* medicolegal considerations
  - defining, 429
- neoplastic lesions, emergencies in need of urgent referral, 444–445
- nerve blocks, local anesthesia, 385
- nerves
- see also* dentinal and pulpal pain
  - dental pulp, 19
  - dentin hypersensitivity, 44–45
  - electrophysiological methods for the recording of pulp nerve activity, 36
  - function of intradental sensory nerves, 36–38, 37, 38
  - hydrodynamic mechanism in pulpal A-fiber activation, 38–40, 39
  - inflammation, 40–43
  - inflammation responses, 40–41
  - inflammatory mediators, 41–42
  - morphological vs functional changes of pulpal nerves in inflammation, 42–43, 43
  - morphology of intradental sensory innervation, 33–36, 34, 35, 36
  - nerve fibers classification, 33, 34
  - neurogenic inflammation, 19, 24–25, 40–43
  - nociceptor activation, local control, 44
  - odontoblasts as receptor cells, 40
  - peripheral neural changes, 41
  - sensitivity of dentin, 38–40
  - tissue injury responses, 40–41
- neural injury
- dental materials, 437–440, 438
  - root canal treatment, 437–440, 438
- neurogenic inflammation, dental pulp, 19, 24–25, 40–43
- neurogenic vasodilation, 41
- neurological injuries
- endodontic procedures and materials, 435–440
  - local anesthetic-related, 435
  - periapical inflammation, 440–441
- neuropathic pain, 394, 397–398
- endodontic emergencies, 182
  - management of persistent neuropathic pain, 440
- neuropeptides role, dental pulp, 20, 21
- neurosensory assessment, local anesthesia, 436
- neurovascular orofacial pain/migraine, 401
- neurovascular responses, dentin-pulp complex, 28
- Ni-Ti instrument systems, engine-driven, 217, 219–221
- non-endodontic tooth pain, 181–182
- non-inflammatory root resorption, trauma, 413–415
- nonmaleficence
- defining, 429
  - medicolegal considerations, 427
- non-odontogenic pain, endodontic emergencies, 182
- nonsurgical retreatment, 3, 4, 6, 343–358
- see also* endodontic retreatment
  - access opening through crowns and restorations, 344, 345
  - access to the apical area, 347
  - antimicrobial retreatment strategies, 356–357
  - antimicrobial treatment, 354–357
  - apical periodontitis, persistent or secondary, 343
  - broken instruments, removing, 348, 349–350, 351
  - cores and posts, removing, 344–347
  - critical steps, 344
  - crowns and bridges, removing, 344
  - gutta-percha, removing, 347
  - indications, 334, 343–358
  - metal or plastic carriers, removing, 348–349
  - periapical healing, 357
  - preventive retreatment, 343–344
  - prognosis, 357
  - root canal instrumentation, 350–354
  - sealers/cements/pastes, removing, 348
  - silver cones, removing, 348
  - tooth survival, 357
- normal anatomical structures, radiographic interpretation, 160
- normal apical tissues, 3
- normal pulp, 3
- objectives of endodontic treatment, 2
- occlusal loading, prosthodontic reconstruction, 298–299
- odontoblasts
- apoptosis, 17
  - dentin-pulp complex, 11–17
  - enamel-dentin lesions, 65
  - multifunctions, 15
  - odontoblast cycle, 13, 13
  - odontoblast process, 15–16
  - pulpal immune defense, 15
  - as receptor cells, 40
  - roles, 15–16
  - tertiary dentin, 16–17
- odontogenic pain, endodontic emergencies, 182
- orofacial pain conditions, endodontic infections, 160–161
- osteomyelitis, endodontic infections, 159–160
- osteoprogenitor cells, periapical lesions, 115
- outcome, treatment *see* treatment outcome
- pain clinical assessment, endodontic emergencies, 173
- pain conditions, 393–402
- see also* dentinal and pulpal pain; endodontic emergencies
  - acute dental pain, 182–183
  - acute pain, apical periodontitis, 173
  - atypical facial pain (AFP), 398–399
  - atypical odontalgia (AO), 399
  - case study, 395, 395
  - complex orofacial pain conditions, 397
  - diagnostic process, 395–397
  - functional pain, 394–395
  - inflammatory pain, 393–394
  - migraine/neurovascular orofacial pain, 401
  - neuropathic pain, 394, 397–398
  - neurovascular orofacial pain/migraine, 401
  - painful posttraumatic trigeminal neuropathy, 397–398
  - pain management, 398, 399, 400, 401, 402
  - pain mechanisms, 393–395

- persistent dentoalveolar pain (PDAP), 399
- persistent idiopathic facial pain (PIFP), 398–399
- pulpal pain, differential diagnosis, 57–58
- pulpitis–vital pulp, symptomatic, pain history, 173–174
- referred pain – temporomandibular disorder pain, 401–402
- sensory nerve action potential (SNAP), 397
- temporomandibular disorder pain – referred pain, 401–402
- transient pain, 393
- trigeminal autonomic cephalalgias, 401
- trigeminal neuralgia, 399–400
- trigemino-facial blink reflex, 397
- unexpected pain, medicolegal considerations, 429
- painful posttraumatic trigeminal neuropathy, 397–398
- pain history
  - endodontic emergencies, 171, 172
  - pulpitis–vital pulp, symptomatic, 173–174
- pain management, 398, 399, 400, 401, 402
- pain mechanisms, 393–395
- pain symptoms
  - dentinal and pulp pain, 45–46
  - pulpal diagnosis, 45–46
- paper point evaluation, working length, 216–217
- papilla base flap, surgical endodontics, 365
- papilla base incision, 366–367
- ‘parachute’ technique, cores and posts, removing, 345, 346
- passive compaction, root canal filling technique, 282
- pastes, removing, 348
- patient communication, medicolegal considerations, 431–433
- patient information
  - periapical surgery, 374
  - postoperative measures, 374
  - surgical endodontics, 374
- patient’s best interests, medicolegal considerations, 431–433
- patient’s perspective, decision-making, endodontic retreatment, 338–339
- PDAP (persistent dentoalveolar pain), 399
- percussion and palpation testing, pulp necrosis, 147, 149, 149
- perforation during access cavity preparation, medicolegal considerations, 429
- perforation prevention, root canal instrumentation, 226, 227
- perforation repair
  - mineral trioxide aggregate (MTA), 354
  - root canal instrumentation, 353–354
- perforations and resorptions, endodontic retreatment, 338, 339
- periapical disease
  - clinical manifestation, 52
  - treatment outcome, 319
- periapical disease, nature of, unsuccessful initial treatment, 328
- periapical healing, nonsurgical retreatment, 357
- periapical health and disease, visual descriptors, 155
- periapical inflammation, 51–52
  - neurological injuries, 440–441
  - pulpal diagnosis, 51–52
- periapical lesions
  - apical periodontitis, 104, 105
  - apical surgery, 116–117
  - asymptomatic periapical lesions, 332
  - bone formation and remodeling, 117
  - healing, 113, 114–115, 153, 164
  - normal periapical conditions, 117
  - osteoprogenitor cells, 115
  - persistence, 115–117
  - radiographic healing, 117
  - T-cell function, 112
  - treatment, 114–115
- periapical radiographic diagnosis, observer variation, 50
- periapical surgery, patient information, 374
- periodontal (marginal) abscess, 181
- periodontal ligament injections, local anesthesia, 388–389
- persistent dentoalveolar pain (PDAP), 399
- persistent idiopathic facial pain (PIFP), 398–399
- phagocytosis evasion, apical periodontitis, 111
- phenolic compounds, intracanal medicaments, 241
- pH influence, local anesthesia, 382
- Photon Induced Photoacoustic Streaming (PIPS™), irrigation, 238–239
- phronesis, 1–2
- physiological considerations: inflammation, local anesthesia, 386–387
- PIFP (persistent idiopathic facial pain), 398–399
- PIPS™ (Photon Induced Photoacoustic Streaming), irrigation, 238–239
- planktonic microbes, effects of sodium hypochlorite, 232
- PMNs (polymorphonuclear leukocytes), apical periodontitis, 105, 107, 109
- pocket cysts (bay cysts), 106, 109
- polymorphonuclear leukocytes (PMNs), apical periodontitis, 105, 107, 109
- posterior superior alveolar nerve block, local anesthesia, 383–384
- postoperative considerations, vital pulp treatment, 96
- postoperative measures
  - patient information, 374
  - surgical endodontics, 374–375
- postoperative recall, pulp-preserving therapies, 89
- post placement, 301, 302, 302, 303
- posts and cores, removing, 344–347
- posts characteristics, 303–306
  - diaphragm, 306
  - post diameter, 305
  - post length, 305
  - post materials, 303–304, 303
  - post shape, 304–305
  - surface configuration, 305–306
- post space preparation
  - cementing posts, 307
  - clinical outcomes for posts, 307–308
- praxis concept, endodontic retreatment, 332, 333
- preparation trauma, dentin-pulp complex, 28
- preventing procedural mishaps, root canal instrumentation, 225–227
- previously initiated treatment, 3
- previously treated tooth, 3
- prilocaine, local anesthesia, 383, 387
- professional indemnity/malpractice insurance, medicolegal considerations, 430–431
- progenitor cells, dental pulp, 18
- prosthodontic reconstruction, 295–311
  - anterior teeth, 302–303
  - core materials, 310
  - fracture predilection, 295–296, 297–298
  - intact teeth, 302, 308–309

## 474 Index

- prosthodontic reconstruction (*Continued*)  
   occlusal loading, 298–299  
   posterior teeth, 308–310  
   posts characteristics, 303–306  
   restorability of teeth, 299–300, 301  
   restoration failure, 310–311  
   restoration principles, 300–301  
   root-treated teeth, 295–311  
   teeth with inadequate retention or resistance, 303  
   teeth with inadequate tissue for retention without auxiliary aids, 309–310  
   teeth with MOD (mesio-occluso-distal) cavities, 309  
   teeth with proximal cavities, 303  
   teeth with proximo-occlusal cavities, 309  
   timing of restoration, 301–302  
 proteoglycans, dental pulp, 19  
 ProUltra PiezoFlow ultrasound system, irrigation, 239  
 psychological perspective, acute dental pain, 182  
 pulp, dental *see* dental pulp; dentin-pulp complex; vital pulp treatment  
 pulpal diagnosis, 3, 49–59, 422–424  
   accuracy, 50–51  
   clinically healthy pulp, 58–59  
   collecting diagnostic information, 52–53  
   cracked tooth, 57, 177  
   decision-making, 49–59  
   dentinal and pulpal pain, 45–46  
   diagnostic classification, 58–59  
   diagnostic methodology, 53–55, 56–58  
   differential diagnosis, 57–58  
   discolored crown, 58  
   electronic pulp testing, 423  
   evaluation of diagnostic information, 49–50  
   evaluation of reported pain, 55–56  
   evaluation of tooth discolorations, 58  
   key literature, 423  
   necrotic pulp, 59  
   pain symptoms, 45–46  
   periapical inflammation, 51–52  
   pulpal inflammation, 51–52  
   pulpitis: reversible/irreversible, 59  
   pulp vitality assessment, 53–55  
   strategy, 51  
   temperature changes, 56  
   tooth-related pain, 56  
   trauma, 422–424  
 pulpal disease, clinical manifestation, 52  
 pulpal immune defense, odontoblasts role, 15  
 pulpal inflammation, 19, 24–25, 40–43, 51–52  
 pulpal pain, differential diagnosis, 57–58  
 pulpal responses to bacterial leakage at tooth/restoration interfaces, dentin-pulp complex, 29  
 pulp breakdown, trauma, 411–416  
 pulp canal mineralization, access cavity, 200–201  
 pulp capping, vital pulp treatment, 3, 4, 5, 81–84, 85, 89–91  
   direct pulp capping (class I), 82  
   direct pulp capping (class II), 83  
 pulpectomy, 3–4, 4  
   calcium hydroxide (Ca(OH)<sub>2</sub>), 95  
   inter-appointment dressing with calcium hydroxide, 95  
   objective, 93–94  
   step-by-step procedure, 95  
   treatment principles, 94–95, 96  
   vital pulp treatment, 3, 4, 5, 93–96  
   wound healing, 95–96  
 pulp infection, trauma, 411–416  
 pulpitis, 3  
   acute pain, 173  
   case study, 177  
   irreversible pulpitis, 3, 176, 178  
   local anesthesia, 386–387  
   reversible pulpitis, 3, 176, 178  
 pulpitis: reversible/irreversible, diagnostic classification, 59  
 pulpitis–vital pulp, symptomatic, 173–177  
   anamnesis, 173–174  
   examination, 174–176  
   pain history, 173–174  
 pulp necrosis, 3  
   clinical diagnosis, 143–165  
   clinical features, 144–145  
   diagnostic characteristics, 156  
   diagnostic procedures, 143  
   gutta-percha, for tracing sinus tracts, 147, 149  
   microbial infection and host response, 143–144  
   percussion and palpation testing, 147, 149, 149  
   pulp testing, 147  
 pulpotomy  
   endodontic emergencies, 178  
   full or “pulp chamber”, 86  
   vital pulp treatment, 3, 4, 5, 84–87  
 pulp-preserving therapies, 79  
   age of patient, 88  
   clinical procedure, 88–89  
   controversial treatment?, 92–93  
   factors of importance, 87–89  
   integrity of permanent restorations, 89  
   postoperative recall, 89  
   size of pulp exposure, 88  
 pulp polyp, 80  
 pulp regeneration, 424  
 pulp revascularization, fractures, 408  
 pulp review/removal  
   diagnostic quandaries, 422–424  
   trauma, 422–424  
 pulp space mineralized tissue, trauma, 409–411  
 pulp therapy result factors, unsuccessful initial treatment, 328  
 pulp vitality assessment, 53–55  
   case study, 54  
   clinical use, 54  
   electrical test, 54–55  
   guiding rules, 54  
   interpreting test results, 55  
   mechanical tests, 53–54  
   thermal tests, 54  
 punches, rubber dam isolation, 187–188  
  
 QMiX, irrigation, 236  
  
 radiographic definitions, deep caries management, 67, 69–70, 71  
 radiographic examination  
   endodontic retreatment, 331  
   trauma, 417–418

- radiographic features
  - apical periodontitis, 147–153
  - follow-up methods, 150–153
  - images interpretation, 150
  - observer variation in periapical radiographic diagnosis, 50
  - radiology/histology correlation, 150
- radiographic healing, periapical lesions, 117
- radiographic images
  - access cavity, 196
  - rubber dam isolation, 191
- radiographic methods
  - apical periodontitis, 148–150
  - working length, 215–216
- radiologic evaluation, endodontic treatment and disease, 155
- reaming motions, hand instrumentation technique, 221–222
- reciprocation, engine-driven Ni-Ti instrument systems, 223, 227
- reconstruction, prosthodontic *see* prosthodontic reconstruction
- record-keeping, medicolegal considerations, 433
- rectangular flap, surgical endodontics, 365
- referral, medicolegal considerations, 431
- referred pain – temporomandibular disorder pain, 401–402
- regenerative endodontics, materials, 272
- reimplantation, intentional, materials, 271–272
- removing
  - broken instruments, 348, 349–350, 351
  - cores and posts, 344–347
  - crowns and bridges, 344
  - gutta-percha, 347
  - metal or plastic carriers, 348–349
  - sealers/cements/pastes, 348
  - silver cones, 348
- reporting adverse events, emergencies in need of urgent referral, 445–446
- research, endodontic, study designs, 317–318
- reshaping the root canal, root canal instrumentation, 350–351, 352
- resorbable agents, hemostasis, 371
- resorption
  - see also* bone resorption; root resorption
  - replacement, 422
- resorptions and perforations, endodontic retreatment, 338, 339
- restoration failure
  - cores and posts, 311
  - root structure, 311
  - superstructure, 311
  - tooth structure, 311
  - loss of retention, 301, 310–311
  - root-treated teeth, 310–311
  - structural mechanical failure, 311
- restoration principles
  - see also* prosthodontic reconstruction
  - root-treated teeth, 300–301
- restorative materials effects, dentin-pulp complex, 29
- restorative procedures, dentin-pulp complex, 26
- retreatment *see* endodontic retreatment; nonsurgical retreatment
- retrograde fillings during root-end surgery, materials, 271–272
- reversible pulpitis, 3, 176, 178
- revitalization and/or regenerative endodontic procedures, 97
- risk factors
  - activated irrigation and intracanal medicaments, 322
  - age of patient, 320
  - aseptic procedures, 321–322
  - cleaning and preparation/Instrumentation technique, 322
  - complications during treatment, 322
  - coronal restoration, 323
  - general dental health, 320–321
  - general health, 320
  - intraoperative risk factors, 321–322
  - irrigation, 322
  - marginal bone level, 321
  - patency, 322
  - person-specific risk factors, 319–321
  - preoperative diagnosis, 321
  - preoperative pain, 321
  - preoperative risk factors, 321
  - preoperative root filling, 321
  - quality of preparation and root filling, 322
  - root filling quality, 323
  - single visit – multiple visits, 322
  - sinus tract, 321
  - size of apical preparation, 322
  - smoking, 320
  - socioeconomic status, 320
  - tooth number/type, 321
  - tooth-specific risk factors, 321
  - treatment outcome, 319–323
- risk management, medicolegal considerations, 431–432
- root canal bacteria, molecular identification, 130
- root canal biofilms, microbiology, 131–138
- root canal disinfection, 3, 4, 5, 231–241
  - see also* disinfection; irrigation
- root canal filling–dentin interface, 277–281
- root canal filling materials, 248–272
  - antimicrobial properties, 257, 260, 262, 264
  - biocompatibility, 250–252, 252
  - biological properties, 249–250
  - cements/sealers, 257–272
  - CE sign, 250
  - gutta-percha, 249, 250, 253–257
  - handling properties, 249, 250
  - leakage/sealing, 252–253
  - limitations, 248
  - purpose, 248
  - requirements, 249–253
  - sealers/cements, 257–272
  - sealing/leakage, 252–253
  - selection, 248–249
  - technical properties, 249
  - toxicity, 250–251
- root canal filling techniques, 277–289
  - canal drying, 281
  - carrier devices, 287–288
  - clinical objectives, 277, 278
  - cold lateral compaction, 282, 283–284
  - cold techniques, 281–285, 283–284
  - combinations of warm and cold condensation, 288–289
  - dentin conditioning, 278–281
  - dentin wettability, 280
  - evidence, limited on relative efficacy, 277, 278
  - gutta-percha, 282, 285, 286–287
  - intraradicular conditioning, 278–281
  - laboratory studies, 277
  - master cone fit, 282



## 476 Index

- root canal filling techniques (*Continued*)
  - passive compaction, 282
  - root canal filling–dentin interface, 277–281
  - single-cone technique, 279, 281–282
  - in vitro* investigations, 277, 278
  - warm lateral compaction, 285
  - warm techniques, 285–289
  - warm vertical compaction, 285–286
  - wide open apical foramen, 289
- root canal infections, clinical features, 145–147, 148
- root canal instrumentation, 205–227, 350–354
  - anatomical variations in teeth, 211–213
  - apical gauging, 217
  - apical obstructions, 351–352
  - blockage prevention, 225–226
  - coronal and radicular access, 214, 215
  - cycles to failure, 227
  - endodontic instruments, 217–221
  - engine-driven Ni-Ti enlargement, 217
  - engine-driven Ni-Ti instrument systems, 217, 219–224
  - final root canal preparation, 217
  - hand instrumentation techniques, 221–222
  - initial root canal preparation, 214–217
  - instrumentation techniques, 221–223
  - instrument fracture, 224–225
  - instrument fracture prevention, 226–227
  - ledges, 347, 352, 354
  - ledging prevention, 226
  - limitations, 223–225
  - limited wall contact vs unwanted dentin removal, 224
  - missed canals, 352–353, 355
  - modified double flared approach, 214–215, 216, 217, 221
  - nonsurgical retreatment, 350–354
  - perforation prevention, 226, 227
  - perforation repair, 353–354
  - preassessment, 213–214
  - preventing procedural mishaps, 225–227
  - principles, 205–206
  - procedural steps, 213–217
  - reshaping the root canal, 350–351, 352
  - root canal system anatomy, 206–211
  - stripping, prevention, 226
  - working length, 215–217
  - zipping prevention, 226
- root canal irrigation, 231–241
  - see also* disinfection; irrigation
- root canal microbiota, 123–124, 127
- root canal system, eradication of microorganisms, 231
- root canal system anatomy, 206–211
  - apical configuration, 209, 210
  - cross-sectional shape and diameter, 208, 209, 210
  - physiologically and pathologically induced changes, 209–211
  - root canal curvature, 207–208
  - root canal(s) versus root canal system, 206–207
- root canal treatment
  - bacteria persisting after, 129
  - fractures, 418–419
  - neural injury, 437–440, 438
- root-end closure
  - calcium hydroxide sealers, 264
  - retrograde fillings during root-end surgery, 271–272
- root-end filling, surgical endodontics, 372–373
- root-end preparation
  - isthmuses, 371, 372
  - surgical endodontics, 371–372
- root-end resection, surgical endodontics, 369, 370
- root-filled teeth, microbiology, 127–128
- root filling technical aspects, medicolegal considerations, 430
- root fracture predilection, root-treated teeth, 295–296, 297–298
- root fractures
  - endodontic infections, 154, 157
  - intra-alveolar root fractures, 409, 419–420
- root resorption
  - endodontic infections, 158, 159
  - inflammatory (infection-related), 411–412
  - internal inflammatory, 412–413, 414, 415
  - non-inflammatory, 413–415
- root-treated teeth
  - see also* prosthodontic reconstruction
  - as abutments, 299, 300
  - fracture predilection, 295–296, 297–298
  - restorability of teeth, 299–300, 301
  - restoration failure, 310–311
  - restoration principles, 300–301
- rubber dam isolation
  - see also* aseptic working field
  - access cavity, 196
  - application of the rubber dam, 189
  - aseptic working field, 185–192
  - coronal sealing, 191–192
  - disinfection of the rubber dam, 191
  - forceps, 187–188
  - prerequisites, 187
  - punches, 187–188
  - radiographic images, 191
  - rubber dam clamp, 187
  - rubber dam frame, 188–189
  - winged technique, 189
  - wingless technique, 189
- Rud–Molven criteria, bone-healing, 375
- SAF (Self-Adjusting File), 221, 221
- sealers/cements, 257–272
  - calcium hydroxide sealers, 263–264
  - epoxy resin sealers, 261–263
  - hydraulic calcium silicate cements, 268–272
  - methacrylate-based sealers, 264–267
  - removing, 348
  - root canal filling materials, 257–272
  - silicones, 267–268
  - zinc oxide–eugenol sealers, 258–261
- sealing/leakage, root canal filling materials, 252–253
- secondary odontoblast-like cells, dental pulp, 18
- sedation, adjunct to local anesthesia, 390–391
- selective caries removal, deep caries management, 74–75
- selective carious removal, 3, 4
- Self-Adjusting File (SAF), 221, 221
- self-directed learning, independent practice, 454–461
- sensory nerve action potential (SNAP), pain conditions, 397
- signs and symptoms, endodontic retreatment, 332–333
- silicones
  - biological properties, 268
  - composition, 268
  - handling properties, 268

- sealers/cements, 267–268
- technical properties/leakage, 268
- toxicity, 268
- silver cones, removing, 348
- single-cone technique, root canal filling technique, 279, 281–282
- sinusitis, endodontic infections, 159
- skills limits, medicolegal considerations, 431
- SmearClear, irrigation, 236
- smear layer and debris, dentin conditioning, 278–280
- smear layer removal, sodium hypochlorite (NaOCl), 234–235
- SmearOff, irrigation, 236
- SNAP (sensory nerve action potential), pain conditions, 397
- sodium hypochlorite (NaOCl)
  - antimicrobial properties, 356–357
  - biofilms, 232–233
  - biofilms in root canals, 232–233
  - citric acid, combination, 234–235
  - EDTA, combination, 234–235
  - EGTA, combination, 234–235
  - irrigation, 231, 232–235, 356–357
  - maleic acid, combination, 234–235
  - planktonic microbes, action on, 232
  - potentially harmful effects, 234
  - smear layer removal, 234–235
  - tissue dissolution, 233
  - weaknesses and potential harm, 234
- sonic and ultrasonic cleaning, irrigation, 238, 239–240, 239
- special tests, endodontic retreatment, 331
- splinting
  - avulsion, 421
  - intra-alveolar root fractures, 409, 419–420
  - luxations, 420–422
- stainless-steel hand files, 223–224
  - vs engine-driven Ni-Ti instrument systems, 223–224
- stem cells, dental pulp, 18, 21
- step-by step procedure
  - (class I), 83
  - (class II), 84
  - pulpectomy, 95
  - pulpotomy, 87
- stepwise removal procedure, 71, 72, 73
- stepwise carious (tissue) removal, 73, 74
- submarginal flap according to Ochsenbein–Luebke, surgical
  - endodontics, 365
- submarginal incision, 366
- suctioning, hemostasis, 370
- sulcular incision, 365–366
- supervisors, independent practice, 460
- surgical endodontics, 361–375
  - access to the root tip, 368–369
  - bleeding management, 370–371
  - bonding technique, 372–373
  - bone-healing, 375
  - complete removal of the soft-tissue lesion, 370
  - critical steps, 364
  - curettage of the soft-tissue lesion, 369, 370
  - flap design, 363, 365
  - flap elevation and retraction, 368, 369
  - flap repositioning and suturing, 373–374
  - follow-up surgery, 375
  - hemostasis, 370–371
  - incisions, 365–368
  - indications, 362
  - local anesthesia, 363
  - papilla base flap, 365
  - papilla base incision, 366–367
  - patient information, 374
  - postoperative measures, 374–375
  - procedure outline, 361–362, 362, 363
  - rectangular flap, 365
  - root-end filling, 372–373
  - root-end preparation, 371–372
  - root-end resection, 369, 370
  - submarginal flap according to Ochsenbein–Luebke, 365
  - submarginal incision, 366
  - sulcular incision, 365–366
  - treatment planning, 361–362
  - triangular flap, 365
  - vertical incisions, 367–368
- surgical retreatment, 3, 4, 6
  - indications, 334–338
- swallowing and aspiration of instruments
  - emergencies in need of urgent referral, 445
  - medicolegal considerations, 429–430
  - prevention, 185
- sympathetic nervous system, dental pulp, 20
- symptomatic apical periodontitis, 3, 118, 164, 179–180
  - cellulitis, 180
  - emergency management, 179–180
  - pus drainage, 180
- synonyms, endodontic diagnostic terms, 3–6
- syringe-needle irrigation, 237–238
- systematic reviews, endodontic research, 318
- systemic health, infections compromising, 443–444
- talent fallacy, independent practice, 455–456
- T-cell function
  - apical periodontitis, 105, 112
  - periapical lesions, 112
- techne*, 1
- technical aspects of primary treatment, unsuccessful initial
  - treatment, 328
- temperature changes, pulpal diagnosis, 56
- temporomandibular disorder pain – referred pain, 401–402
- terminology
  - beneficence, 429
  - candor, 429
  - clinical epidemiology, 316
  - deep caries management, 73–74
  - diagnostic, 3–6, 117–119
  - independent practice, 453
  - informed consent, 429
  - malpractice, 429
  - medicolegal, 429
  - negligence, 429
  - nonmaleficence, 429
- Tetraclean, irrigation, 236
- thermal tests, pulp vitality assessment, 54
- three-dimensional imaging *see* 3D imaging
- tissue dissolution, sodium hypochlorite (NaOCl), 233
- tools of treatment, 6–7
- tooth anatomy, 195–196
- tooth development, 195–196
- tooth isolation, aseptic working field, 185–192

## 478 Index

- tooth-related pain
  - case study, 56
  - pulpal diagnosis, 56
- tooth survival, nonsurgical retreatment, 357
- toxicity
  - calcium hydroxide sealers, 263–264
  - epoxy resin sealers, 262, 263
  - hydraulic calcium silicate cements, 270, 271
  - methacrylate-based sealers, 267
  - root canal filling materials, 250–251
  - silicones, 268
  - zinc oxide–eugenol sealers, 258–259, 260
- transient pain, 393
- transition to independent practice, 451–461
- trauma, 405–424
  - 3D imaging, 412
  - alveolar fracture, 408, 409, 419–420, 422
  - arrest of dental development, 415–416
  - avascular pulp necrosis, 409
  - avulsion, 408, 421–422
  - bone resorption, inflammatory, 411
  - cervical (extracanal invasive) resorption, 412–413
  - clinical examination, 417
  - common dental injuries, 405, 408
  - complications, 405–424
  - complications, schematic overview, 409
  - concussion and subluxation, 420
  - cone beam computed tomography (CBCT), 412
  - consequences, 405–418
  - coronal and crown–root fractures, 418–419
  - dental development arrest, 415–416
  - diagnostic quandaries, 422–424
  - endodontic infections, 154
  - extracanal invasive (cervical) resorption, 412–413
  - fractures, 406, 407, 418–420
  - immediate management, 416–422
  - inflammatory (infection-related) root resorption, 411–412
  - inflammatory bone resorption, 411
  - internal inflammatory root resorption, 412–413, 414, 415
  - long-term management, 418–422
  - luxations, 420–422
  - management, 416–422
  - non-inflammatory root resorption, 413–415
  - pulp, 406
  - pulpal diagnosis, 422–424
  - pulp breakdown, 411–416
  - pulp infection, 411–416
  - pulp regeneration, 424
  - pulp space mineralized tissue, 409–411
  - radiographic examination, 417–418
  - root resorption, inflammatory (infection-related), 411–412
  - root resorption, internal inflammatory, 412–413, 414, 415
  - root resorption, non-inflammatory, 413–415
- treatment modalities, endodontic emergencies, 172
- treatment options, medicolegal considerations, 431
- treatment outcome, 315–323
  - see also* endodontic retreatment
  - activated irrigation and intracanal medicaments, 322
  - age of patient, 320
  - aseptic procedures, 321–322
  - cleaning and preparation/Instrumentation technique, 322
  - complications during treatment, 322
  - coronal restoration, 323
  - defining a ‘successful’ outcome, 315–317
  - evidence-based medicine, 316
  - general dental health, 320–321
  - general health, 320
  - intraoperative risk factors, 321–322
  - irrigation, 322
  - measuring endodontic disease and treatment outcome, 315–323
  - measuring outcome, 315–317
  - outcome dilemma, 6
  - patency, 322
  - patient-related outcome, 319
  - periapical disease, 319
  - person-specific risk factors, 319–321
  - preoperative diagnosis, 321
  - preoperative pain, 321
  - preoperative risk factors, 321
  - preoperative root filling, 321
  - quality of preparation and root filling, 322
  - retention of root-filled teeth, 319
  - risk factors, 319–323
  - root filling quality, 323
  - rubber dam isolation, 185
  - single visit – multiple visits, 322
  - sinus tract, 321
  - size of apical preparation, 322
  - smoking, 320
  - socioeconomic status, 320
  - study designs, endodontic research, 317–318
  - tooth number/type, 321
  - tooth-specific risk factors, 321
- treatment procedures
  - see also* vital pulp treatment
  - endodontic disease conditions, 3–6
  - nonsurgical retreatment, 3, 4, 6
- treatment protocols
  - deep caries management, 74–76
  - vital pulp treatment, 81–87
- triangular flap, surgical endodontics, 365
- tricalcium silicate cements *see* hydraulic calcium silicate cements
- trigeminal autonomic cephalalgias, pain conditions, 401
- trigeminal nerve injuries, 436
- trigeminal neuralgia, pain conditions, 399–400
- trigemino-facial blink reflex, pain conditions, 397
- true cysts, 106, 109
- tumors of the jaws
  - differential diagnostic, 161, 162
  - needing urgent referral, 444
- ultrasonic cleaning, irrigation, 238, 239–240, 239
- unsuccessful initial treatment
  - canal complexity, 327–328
  - endodontic retreatment, 327–329
  - extraradicular infection, 327
  - intraradicular infection, 327
  - nature of periapical disease, 328
  - operator-related factors, 329
  - patient-related factors, 329
  - pulp therapy result factors, 328
  - technical aspects of the primary treatment, 328

- vascular supply, dental pulp, 19–22
- vertical incisions, 367–368
- visual descriptors, periapical health and disease, 155
- vitality assessment, pulp *see* pulp vitality assessment
- vital pulp, 2–6
- vital pulp treatment, 79–98
  - aims, 79
  - bioactive capping materials, 91–92
  - calcium hydroxide ( $\text{Ca}(\text{OH})_2$ ), 89, 90
  - capping materials, 89–92
  - choosing between pulp-preserving vital pulp therapies and pulpectomy, 96–97
  - dentin-bonding systems, 90
  - healing patterns, 89–92
  - hydraulic calcium silicate cements, 90–91
  - iatrogenic injury, 80, 81
  - indications, 80–81
  - postoperative considerations, 96
  - principles, 79
  - pulp capping, 3, 4, 5, 81–84, 85, 89–91
  - pulpectomy, 3, 4, 5, 93–96
  - pulpectomy vs pulp-preserving therapies, 96–97
  - pulpotomy, 3, 4, 5, 84–87
  - pulp-preserving therapies, 79, 87–89, 92–93
  - pulp-preserving therapies vs pulpectomy, 96–97
  - revitalization and/or regenerative endodontic procedures, 97–98
  - revitalization protocol, 97
  - tissue–biomaterial interaction and pulp healing, 91–92
  - treatment concepts, 80–81
  - treatment protocols, 81–87
- warm lateral compaction, root canal filling technique, 285
- warm techniques, root canal filling techniques, 285–289
- warm vertical compaction, root canal filling technique, 285–286
- watch-winding, hand instrumentation technique, 221
- wide open apical foramen, root canal filling technique, 289
- wide-spectrum sound energy, irrigation, 239–240
- working length
  - canal negotiation, 202–203
  - electronic apex locator, 216, 217
  - paper point evaluation, 216–217
  - radiographic methods, 215–216
  - root canal instrumentation, 215–217
- zinc oxide–eugenol sealers, 258–261
  - antimicrobial properties, 260–261
  - biological properties, 258–260
  - composition, 258
  - handling properties, 261
  - technical properties/leakage, 258
  - toxicity, 258–259, 260
- zipping prevention, root canal instrumentation, 226







