

Contents

Review-Lecture	
Metabolic imprinting by pre- and early postnatal nutrition in farm animals	17
K. Huber – University of Hohenheim, Faculty of Agricultural Sciences, Institute of Animal Science, Stuttgart-Hohenheim, Germany	
Minerals	
1. Excretion of inositol phosphates in dairy cows fed soybean meal or rapeseed meal-based diets	23
Haese E., Gänger K., *Rodehutsord M. – Stuttgart-Hohenheim	
2. The addition of phosphorus and calcium alters the caeca microbial diversity and functionality of broiler chickens	24
*Borda-Molina D., Chaves-Moreno D., Rodehutsord M., Camarinha-Silva A. – Stuttgart-Hohenheim / Braunschweig	
3. Effects of lactic acid treatment of cereals and dietary phytase on calcium and phosphorus balance and serum parameters in growing pigs	25
*Vötterl J. C., Klinsoda J., Zebeli Q., Hennig-Pauka I., Metzler-Zebeli B. – Vienna / Bakum	
4. Growth performance and copper status of weaned piglets fed two copper sources	26
*Romeo A., Durosoy S., van Baal J., Bikker P. – Sillingy / Wageningen	
5. The effects of high dosages of zinc on porcine T-cells	27
*Kreuzer-Redmer S., Arends D., Schulte J. N., Karweina D., Pieper R., Brockmann G. A. – Vienna / Berlin	
6. Alteration of Ca transporting structures in small intestine and egg shell gland of phylogenetically divergent chicken lines after dietary calcium depletion	28
Bues M., Jansen S., Habig C., Weigend A., Halle I., Breves G., Weigend S., *Wilkens M. R. – Hanover / Neustadt am Rübenberge / Braunschweig	
7. In situ ruminal degradation of phytate from single and compound feeds for dairy cows	29
Haese E., Feyder A., Grubješić G., *Rodehutsord M. – Stuttgart-Hohenheim	
8. Differential expression of genes associated with Mg²⁺ homeostasis in dairy cows with high and low back fat mobilization	30
*Jurek S., Aschenbach J. R., Martens H., Sponder G. – Berlin	
9. Effects of different dietary concentrations of copper sulfate and copper glycinate without or with formic acid on performance and copper metabolism in piglets	31
*Zentek J., Pelletier W., Ader P., Männer K. – Berlin / Lampertheim	
10. Copper deficiency in fallow deers (<i>Dama dama</i>) from farms in Lower Saxony?	32
*Rieger H., Kölln M., Wahl D., Kamphues J. – Hanover / Nienburg	
11. Lameness in fattening turkeys due to mineral deficiencies in a complete compound feed – a case report	33
*Kölln M., Rieger H., Engels A., Kamphues J. – Hanover / Bönen	
12. Influence of feed fermentation on phytate content and phosphorus digestibility in fattening pigs fed a liquid diet based on rye and rapeseed extracted meal	34
*Bunte S., Grone R., Schollenberger M., Rodehutsord M., Rimbach M., Kamphues J. – Hanover / Stuttgart-Hohenheim / Wahlstedt	
Other topics	
13. What is the impact of organic acids, zinc and copper on the transfer of extended-spectrum beta-lactamases carrying?	35
*Saliu E.-M., Vahjen W., Zentek J. – Berlin	
14. AMP-activated protein kinase as mediator of short-term adaptation to hypoxia in lagomorph jejunum epithelium	36
*Dengler F., Rackwitz R., Pfannkuche H., Gäbel G. – Leipzig	

15. Use of milk recording data for characterisation of dairy cow supply situation	37
*Glatz-Hoppe J., Losand B. – Dummerstorf	
16. Can chewing behavior improve estimation of dry matter intake of individual dairy cows?	38
*Selje-Åbmann N., Lawrence P., Dickhoefer U. – Stuttgart-Hohenheim	
17. Acceptance of elevated plains and their effects on litter quality, performance, and broiler behavior	39
*Schuchmann F. F., Sürle C., Grafe J., Visscher C., Kamphues J. – Hanover / Ruthe / Vechta	
18. Identifying influences on the biological quality of drinking water for dairy cows	40
Hayer J. J., Schulz Dieckhoff B. G., Heinemann C., *Steinhoff-Wagner J. – Bonn	
19. Serum methylmalonic acid concentrations in dairy cows with retained placenta, parturient paresis and healthy controls ante and post partum	41
*Grützner N., Stangl G., Köller G., Hirche F., Füll M. – Halle (Saale) / Leipzig	
20. Assessment of muscle mass in fattening bulls by means of body size measurements, bioelectrical impedance analysis and ultrasound measurements	42
*von Soosten D., Meyer U., Rehage J., Dänicke S. – Braunschweig / Hanover	
21. Time-dependent effect of intestinal microbial colonization patterns on concomitant immune development in neonatal piglets	43
*Martínez-Vallespín B., Schlosser J., Ebner F., Zentek J., Hartmann S., Pieper R. – Berlin	
22. Analyzing the effects of quercetin on porcine intestinal jejunum and follicle-associated epithelium of Peyer's patches	44
*Cornelius V., Radloff J., Radloff J., Amasheh S. – Berlin	
23. Effects of body weight gain on selected serum vitamin levels in ponies and horses	45
*Schedlbauer C., Raila J., Blaue D., Starzonek J., Vervuert I. – Leipzig / Nuthetal	
Energy	
24. Recovery of milk somatic cell count and performance after an intramammary LPS challenge is dependent on the metabolic status of dairy cows	46
*Gross J. J., Grossen-Rösti L., Wall S. K., Wellnitz O., Bruckmaier R. M. – Bern	
25. Metabolic status and performance at the onset of lactation in dairy cows are associated with circulating serotonin	47
Kessler E. C., Wall S. K., Hernandez L. L., Bruckmaier R. M., *Gross J. J. – Bern / Madison	
26. Impact of breed, sex and body mass on feed intake and energy expenditure for growth of young cattle – a meta-analysis of German and Austrian experiments	48
*Gruber L., Ettl T., Schwarz F., Fischer B., Pries M., Jilg T., Koch C., Meyer U., Kunz H.-J., Susenbeth A., Royer M. – Irdning / Poing-Grub / Freising-Weihenstephan / Iden / Bad Sassendorf / Aulendorf / Münchweiler an der Alsenz / Braunschweig / Kiel	
27. Effect of dietary L-carnitine in dairy cows on performance and high-resolution measurement of clinical parameters after calving	49
*Meyer J., Daniels S., Frahm J., Klüß J., Kersten S., Meyer U., Rehage J., Dänicke S. – Braunschweig / Hanover	
28. Effect of dietary L-Carnitine in dairy cows on haematological profiles with special emphasis on parturition	50
*Daniels S., Meyer J., Kersten S., Frahm J., Klüß J., Huber K., Dänicke S. – Braunschweig / Stuttgart-Hohenheim	
29. The influence of short chain fatty acids and β-hydroxybutyrate on the gene expression of gluconeogenic enzymes in a bovine liver cell line	51
*Sittel A.-M., Fuhrmann H., Schoeniger A. – Leipzig	
30. Influence of dietary energy concentration on feed intake and growth performance of fattening Fleckvieh and Braunvieh bulls	52
*Ettl T., Obermaier A., Spiekers H. – Poing-Grub	
31. Metabolizable energy content of functional groups in permanent grassland after 50 years field experiment with different levels of N fertilization	53
*Wahyuni R. D., Pötsch E. M., Gierus M. – Vienna / Irdning	

Environmental effects	
32. Time from receipt of a tanniferous extract required to significantly mitigate methane emission from dairy cows	54
*Denninger T., Schwarm A., Dohme-Meier F., Mürger A., Eggerschwiler L., Clauss M., Kreuzer M. – Zurich / Äs / Posieux	
33. Effect of feeding fresh whey on feed intake and ruminal methane emission of grazing beef cattle	55
Dufey P.-A., Oberson J.-L., Martin C., Silacci P., Hess H. D., *Dohme-Meier F. – Posieux / Saint-Genès-Champagnelle	
34. Relationship between feed intake, efficiency, methane emission, metabolism, lymphocyte activation and lymphocyte proliferation during transition in high-yielding dairy cows	56
*Meese S., Ulbrich S. E., Bruckmaier R., Wellnitz O., Bollwein H., Kreuzer M., Röntgen M., Gimsa U., Schwarm A. – Zurich / Bern / Dummerstorf / Äs	
35. Animal and environmental factors influencing the β-hydroxybutyrate (BHB)-level in the blood of early lactating dairy cows in commercial farms	57
*Jansen H. M., Zschiesche M., Albers D., Hummel J. – Göttingen / Oldenburg	
36. Effect of plane of milk replacer feeding on feed intake and methane production from female Holstein dairy calves	58
Tümmler L.-M., Derno M., *Kuhla B. – Dummerstorf	
37. Influence of a vegetal carbon supplementation on methane emissions of dairy cows in late lactation	59
*Schäfers S., von Soosten D., Meyer U., Dänicke S. – Braunschweig	
38. Effects of <i>Scrophularia striata</i> extract on <i>in vitro</i> nutrient degradation and CH₄ formation when added to a diet containing a low-quality fibre source	60
*Klevenhusen F., Sarnataro C., Spanghero M., Zebeli Q. – Berlin / Vienna / Udine	
39. Effects of a mixed-nematode infection on vitamin A and E and carotenoids in plasma, liver and egg-yolks in laying hens	61
Das G., Karadas F., Karagecili M. R., Stehr M., Grashorn M., Metges C. C. – Dummerstorf / Van / Stuttgart-Hohenheim	
Feeding concepts	
40. Effects of feeding chopped hay and grass-clover silage on feed intake, apparent total tract digestibility, and performance of organic dairy cows	62
*Haselmann A., Zehetgruber K., Knaus W., Zebeli Q. – Vienna	
41. Effects of concentrate proportion of the ration on rumen fermentation, rumination activity and the risk of a subacute ruminal acidosis in early lactating dairy cows	63
*Bünemann K., von Soosten D., Meyer U., Dänicke S., Zeyner A. – Braunschweig / Halle (Saale)	
42. Effect of varying trypsin inhibitor activity in differently processed soybean cakes on praecaecal amino acid digestibility in broilers	64
*Kuenz S., Thurner S., Hoffmann D., Kraft K., Wiltafsky M., Damme K., Windisch W., Brugger D. – Freising-Weihenstephan / Kitzingen / Hanau-Wolfgang	
43. Effects of type of concentrate and timing of supplementation on feed intake, milk performance, and nitrogen use in cows grazing an alfalfa-rye grass sward	65
*Sainz-Sanchez P. A., Rojas G., Castro-Montoya J. M., Gómez C. A., Dickhoefer U. – Stuttgart-Hohenheim / Lima	
44. Effect of roughage energy and concentrate level on characteristics of feed / energy intake and milk yield by Holstein and Simmental dairy cows	66
*Becker V. A. E., Junge W., Stamer E., Thaller G. – Kiel / Brux	
45. Effects of continuous or pulsed-feeding application of a multi-strain probiotic on body weight gain in whiteleg shrimp (<i>Litopenaeus vannamei</i>)	67
*Kesselring J., Standen B., Sendao J., Gruber C., Wein S. – Getzersdorf	
46. Gastric health in fattening pigs fed fermented liquid diets – findings on diets and at slaughterhouses	68
*Bunte S., Grone R., Pecher H.-P., Kamphues J. – Hanover / Pinneberg	

47. Effects of feeding chopped hay and grass-clover-silage on feed selection behavior and chewing activity in organic dairy cows	69
*Haselmann A., Zehetgruber K., Knaus W., Zebeli Q. – Vienna	
48. Effect of an energy- and nutrient-reduced diet containing 10% lignocellulose on the development of gastrointestinal organs, intestinal histomorphology and intestinal metabolites in dual purpose laying hens	70
*Röhe I., Zentek J. – Berlin	
49. Preliminary test in piglets offered a compound feed containing humic acid-rich peat on performance, fermentation characteristics and composition of the microbiome in the digesta	71
*Visscher C., Hankel J., Nies A., Keller B., Galvez E., Strowig T., Breves G. – Hanover / Braunschweig	
50. Effects of marginal differences in dietary physically effective fiber concentration on feed intake and feeding behavior in lactating dairy cows	72
*Heering R., Selje-Aßmann N., Dickhoefer U. – Stuttgart-Hohenheim	
51. Survival rate of <i>Salmonella Typhimurium</i> in a liquid diet for pigs simulating the 'controlled' fermentation	73
*Bunte S., Grone R., Keller B., Rimbach M., Kamphues J. – Hanover / Wahlstedt	
Intermediary metabolism	
52. Growth, milk intake, and plasma metabolites and free amino acid concentrations in low and normal birth weight piglets in the late neonatal period	74
*Sciascia Q. L., Li Z., Goers S., Nguyen N., Tuchscherer A., Metges C. – Dummerstorf	
53. Body weight gaining – Impact on metabolic health in ponies and horses	75
*Blaue D., Schedlbauer C., Starzonek J., Gittel C., Brehm W., Einspanier A., Vervuert I. – Leipzig	
54. Effects of equine obesity on liver metabolism	76
*Schedlbauer C., Blaue D., Starzonek J., Blüher M., Gittel C., Brehm W., Gericke M., Vervuert I. – Leipzig	
55. Impact of inulin/oligofructose supplementation to a high-protein or control diet on body weight gain and intermediary metabolism in mice	77
*Koch F., Derno M., Langhammer M., Tuchscherer A., Hammon H. M., Mielenz M., Metges C. C., Kuhla B. – Dummerstorf	
56. Increase in hypothalamic microglia activation during early lactation of dairy cows	78
*Kuhla B., Kuhla A., Dannenberger D. – Dummerstorf / Rostock	
57. The effect of feeding rumen-protected niacin during the transition from late pregnancy to early lactation on hepatic transcriptome of early-lactation dairy cows	79
*Ringseis R., Zeitz J., Weber A., Koch C., Eder K. – Giessen / Münchweiler an der Alsenz	
58. Influence of quercetin on DNA methylation pattern in growing pigs	80
*Burdeos G., Blank R., Wolfram S. – Kiel	
Nutrition and Inflammation	
59. Effects of an oral supplementation of green tea and curcuma extract on lipopolysaccharide-induced inflammation in horses and ponies	81
*Starzonek J., Roscher K., Blüher M., Blaue D., Schedlbauer C., Vervuert I. – Leipzig / Giessen	
60. Oxidative status and serum concentrations of the acute phase protein haptoglobin in piglets fed either conventional soy bean meal (SBM) or enzymatically treated SBM	82
*Bayer S., Schuh K., Heitkönig B., von Heimendahl E., Brökner C., Dusel G., Sauerwein H. – Bingen am Rhein / Bonn / Horsens	
61. Adipose tissue – do inflammation parameters change within progressive body weight gain in ponies and horses?	83
*Blaue D., Schedlbauer C., Starzonek J., Blüher M., Gittel C., Brehm W., Vervuert I. – Leipzig	
62. Correlation of gene expression of fibroblast growth factor 21 in the liver of dairy cows in the transition period with genes of stress signaling pathways, inflammation, β-oxidation, and lipogenesis	84
*Geßner D. K., Hof L. M., Koch C., Eder K. – Giessen / Münchweiler an der Alsenz	

63. Changes in NO production of HD11 chicken macrophages <i>in vitro</i> incubated with Masson Pine pollen (<i>Pinus massoniana</i>) or LPS in the presence and without polymyxin B	85
*Brugger D., Schusser B., Wilhelm B., Shi L., Zhao L., Windisch W. – Freising / Yantai	
64. Analysis of the inflammasome signaling pathway in a porcine intestinal co-culture model exposed to probiotic <i>E. faecium</i> and enterotoxigenic <i>E. coli</i>	86
*Loss H., Aschenbach J. R., Tedin K., Lodemann U. – Berlin	
Protein and Amino Acids	
65. Changes in the microbiome of caecal content and excreta in broilers induced by a reduced dietary protein content	87
*Keller B., Klingenberg L., Galvez E., Strowig T., Hankel J., Helmbrecht A., Keller C., Visscher C. – Hanover / Braunschweig / Hanau-Wolfgang	
66. Effects of supplementation of methionine on growth performance and antioxidant status of broilers under condition of heat stress	88
*Eder K., Fleischmann A., Ehrbrecht T., Most E., Maha C., Whelan R., Zeitz J. O., Eder K. – Giessen / Hanau-Wolfgang	
67. Intensively expander processed corn in broiler diets: impact on apparent ileal amino acid digestibility at different stages of fattening	89
*Puntigam R., Brugger D., Eipper J., Hechenberger P., Schedle K., Schwarz C., Gierus M. – Vienna / Freising-Weihenstephan	
68. Protein intake of broiler chickens in choice experiments after experimental infection with <i>Campylobacter jejuni</i>	90
*Hankel J., Klingenberg L., Helmbrecht A., Visscher C. – Hanover / Hanau-Wolfgang	
69. Application of an <i>in vitro</i> multi-enzyme assay to estimate the precaecal digestibility of crude protein and amino acids in broiler chicken	91
*Witten S., Ritteser C., Grashorn M. A., Aulrich K. – Westerau / Stuttgart-Hohenheim	
70. Investigations on the optimal arginine supply for performance and carcass parameters in turkeys	92
*Siebert D., Khan D. R., Tischler A., Tossenberger J. – Schwalbach am Taunus / Kaposvár	
71. Free amino acid pattern in serum of fattening turkeys suffering from hepatic lipidosis	93
*Middendorf L., Radko D., Dünghoef K., Sieverding E., Windhaus H., Mischok D., Visscher C. – Hanover / Bad Homburg / Hamminkeln / Lohne / Vechta	
72. Effects of leucine supplementation on growth performance and biochemical pathways of protein synthesis and protein degradation in muscle and liver of broilers	94
*Geßner D. K., Zeitz J. O., Käding S., Soto-Gonzales A., Niewalda I., Most E., Dorigam J. C. P., Eder K. – Giessen / Hanau	
73. Precaecal amino acid digestibility and InsP6 disappearance in broiler diets containing different oilseed meals as influenced by phytase supplementation	95
Krieg J., Siegert W., Berghaus D., Bock J., Feuerstein D., *Rodehutsord M. – Stuttgart-Hohenheim / Lampertheim	
74. Effects of hydrolysing the protein sources (wheat gluten/rice protein) on apparent digestibility of nutrients in dogs	96
*Ingenpaß L., Kölln M., Mandel S., Kamphues J. – Hanover / Kevelaer	
75. Postprandial amino acid absorption in pigs fed soybean meal or enzyme treated soybean meal	97
*Brökner C., Nørgaard J. V. – Horsens / Tjele	
76. Effect of increasing condensed tannin intake on fecal and urinary nitrogen excretion in growing finisher pigs	98
Seoni E., Battacone G., Dohme-Meier F., *Bee G. – Posieux / Sassari	
77. The total tract digestibility of two protein meals (processed poultry meal vs. insect meal from <i>Hermetia illucens</i>) in dogs	99
*Meyer L. F., Kölln M., Kamphues J. – Hanover	

78. Porcine intestinal cells IPEC-J2 tolerate the absence or elevated levels of L-glutamine and certain environmental stressors	100
*Grzeskowiak L., Kehl M., Vahjen W., Zentek J. – Berlin	
Feedstuff Evaluation	
79. Postprandial kinetic of free plasma lysine in dependence of soluble and insoluble protein fractions of feedstuffs for horses	101
*Bockisch F., Taubert J., Adolph S., Coenen M., Vervuert I. – Leipzig	
80. Do fruit and vegetable pomaces in varying concentrations affect the <i>in vitro</i> ruminal fermentation, methane production and nutrient degradability?	102
*Giller K., Bossut L., Eggerschwiler L., Kreuzer M., Terranova M. – Zurich / Nantes / Posieux	
81. Effect of finely-graded differences in dietary trypsin inhibitor activity on zootechnical performance and pancreas development of broilers	103
*Hoffmann D., Thurner S., Ankerst D., Damme K., Windisch W., Brugger D. – Freising-Weihenstephan / Kitzingen	
82. Feeding two separate meals of crushed or pelleted oat grains from different varieties and the effect on postprandial blood concentrations of amylase, glucose, GLP-1 and insulin in adult healthy horses	104
*Bochnia M., Czeto A., Glatter M., Schuerer C., Bachmann M., Gottschalk J., Einspanier A., Koeller G., Wensch-Dorendorf M., Zeyner A. – Halle (Saale) / Leipzig	
83. Using soluble and insoluble dietary fibre in piglet nutrition – Effect of soybean hulls and lignocellulose on performance and physiology	105
*Slama J., Pekar D., Schwarz C., Schedle K., Gierus M. – Vienna	
84. Feed processing effects on energy digestibility and performance of broilers	106
*Ebbing M. A., Naranjo V. D., Sitzmann W., Gierus M. – Vienna / Hanau-Wolfgang / Reinbek	
85. Are there differences in starch gelatinisation between differently processed laboratory rodent maintenance feedstuffs marketed as identical?	107
*Böswald L. F., Kienzle E. – Oberschleißheim	
86. Effect of lactic acid treatment of cereals and dietary phytase on fecal microbiome and shedding of virulence factors in growing pigs	108
*Klinsoda J., Vötterl J., Zebeli Q., Metzler-Zebeli B. – Vienna	
87. Crushing or pelleting of oat grains from different varieties and the effect on the morphology of starch granules and chewing parameters in horses fed twice per day	109
*Bochnia M., Czeto A., Schuerer C., Zeyner A. – Halle (Saale)	
88. Variation of the hygienic status of hay due to soaking and steaming as well as subsequent storage at different temperatures	110
*Glatter M., Bochnia M., Wensch-Dorendorf M., Greef J. M., Zeyner A. – Halle (Saale) / Braunschweig	
89. Effect of different pre-ensiling treatments on <i>in vitro</i> ruminal fibre degradation of lucerne silages	111
*Hartinger T., Gresner N., Südekum K.-H. – Bonn	
90. Effects of toasting temperature and time on ruminal gas production kinetics and post-ruminal crude protein from field pea (<i>Pisum sativum</i>) grain silages measured <i>in vitro</i>	112
*Bachmann M., Kuhnitzsch C., Thierbach A., Michel S., Bochnia M., Greef J. M., Martens S., Steinhöfel O., Zeyner A. – Halle (Saale) / Köllitsch / Braunschweig	
91. Testing effects of grinding, soaking and fermentation of different cereals on the ‘structure’ of the diet and stomach health in pigs	113
*Grone R., Bunte S., Kölln M., von Felde A., Becker B., Kamphues J. – Hanover / Bergen / Schweringen	
92. Variability of the equine intestinal microbiota after feeding of Jerusalem Artichoke meal	114
*Glatter M., Borewicz K., van den Bogert B., Wensch-Dorendorf M., Bochnia M., Greef J. M., Bachmann M., Breves G., Smidt H., Zeyner A. – Halle (Saale) / Wageningen / Braunschweig / Hanover	

Ruminal Transformations	
93. Effect of rumen nitrogen balance and dietary protein source on intake, milk yield, nitrogen excretion, and behavior of dairy cows	115
*Kand D., Dickhoefer U. – Stuttgart-Hohenheim	
94. Differences in the <i>in vitro</i> rumen fermentation of tropical legumes and grasses and temperate legumes, and their neutral detergent fraction	116
*Castro-Montoya J., Goetz K., Dickhoefer U. – Stuttgart-Hohenheim	
95. Heat stress and hyperosmolarity impact rumen bacteria and fermentation <i>in vitro</i>	117
*Petri R. M., Mahmood M., Klevenhusen F., Khiaosa-ard R., Zebeli Q. – Vienna / Berlin	
96. Comparison of <i>in situ</i> ruminal crude protein and starch degradation values of single feeds and compound feeds for dairy cows produced thereof	118
Grubješić G., Titze N., Krieg J., *Rodehutschord M. – Stuttgart-Hohenheim	
97. Effects of different concentrate levels and buffer compositions on the induction of a subacute acidosis by applying the Rumen Simulation Technique	119
*Maasjost T., Eger M., Breves G. – Hanover	
98. Fermentation characteristics of feeds with different carbohydrate composition incubated at low and high dilution rate in the RUSITEC	120
*Pfau F., Hünerberg M., Zhang X., Hummel J. – Göttingen	
99. Betaine as a rumen fermentation modulator during physiological, hyperthermal and hyperosmotic rumen conditions <i>in vitro</i>	121
*Khiaosa-ard R., Mahmood M., Klevenhusen F., Gavrău A., Zebeli Q. – Vienna / Berlin	
100. Effects of yeast supplementation on performance parameters and rumen fermentation profile in dairy cows	122
*Elcoso G., Ragués J., Müller I., Bach A. – Getzersdorf / Lleida / Barcelona / Caldes de Montbui	
101. <i>In vitro</i> disappearance of betaine by ruminal microbes under physiological, thermal-stressed and osmotic-stressed rumen conditions	123
*Mahmood M., Khiaosa-ard R., Klevenhusen F., Gavrău A., Zebeli Q. – Vienna / Berlin	
Digestion and Absorption	
102. Determinating the precaecal digestibility of alfalfa (<i>Medicago sativa</i>) and red clover (<i>Trifolium pratense</i>) products in the organic feeding of broilers	124
*Pleger L., Weindl P. N., Weindl P. A., Carrasco L. S., Bellof G. – Freising	
103. Fermented wheat bran in diets for laying hens: Effect on nutrient digestibility/retention and microbiota	125
*Wanzenböck E., Kneifel W., Domig K., Schedle K. – Vienna	
104. Effect of resistant starch type 4 on intestinal passage rate, nutrient flow, microbial metabolites and gut microbiome composition in pigs	126
*Metzler-Zebeli B., Newman M., Ladinig A., Kandler W., Zebeli Q. – Vienna / Tulln	
105. Digesta passage in nondomestic ruminants: separation mechanisms in ‘moose-type’ and ‘cattle-type’ ruminants, and seemingly atypical browser species	127
Przybyło M., Hummel J., Ortmann S., Kohlschein G. – M., Schaub D., Smithyman J., Przybyło U., Świerk S., Hammer S., Hatt J. – M., Górka P., *Clauss M. – Zurich / Göttingen / Krakow / Goerlitz / Berlin	
106. Effects of abomasally infused starch and amylase on faecal excretion of microbial crude protein and short-chain fatty acids in heifers	128
*Robbers K., Westreicher-Kristen E., Troescher A., Susenbeth A. – Kiel / Lampertheim	
107. Impact of ‘controlled fermentation’ of rye based compound liquid diets on extract viscosity (diet / digesta) and its relevance regarding digestibility in pigs	129
*Grone R., Bunte S., Kamphues J. – Hanover	
108. Effects of substitution of wheat by rye in diets for young fattening pigs regarding digestibility and performance	130
*Wilke V., Grone R., Kamphues J. – Hanover	
109. Losses of fecal starch in production dairy herds	131
Hünerberg M., *Endres A.-C., Hummel J. – Göttingen	

110. Estimating segmental and total tract apparent digestibility of nutrients in horses using feed-internal and external markers	132
*Bachmann M., Glatter M., Bochnia M., Greef J. M., Breves G., Zeyner A. – Halle (Saale) / Braunschweig / Hanover	
Lipids	
111. Effect of conjugated linoleic acid and α-linolenic acid on the somatotrophic axis of dairy cows fed a diet with reduced n-3 fatty acid content during late pregnancy and early lactation	133
Vogel L., Gnott M., Kröger-Koch C., Hoeflich A., Groß J. J., Bruckmaier R. M., Tröscher A., Starke A., *Hammon H. M. – Dummerstorf / Bern / Lampertheim / Leipzig	
112. Influence of the maternal supply with essential fatty acids and conjugated linoleic acid on the energy status of neonatal calves	134
Uken K. L., Vogel L., Gnott M., Görs S., Hoeflich A., Weitzel J. M., Tuchscherer A., Tröscher A., Bruckmaier R. M., Groß J. J., Sauerwein H., *Hammon H. M. – Dummerstorf / Lampertheim / Bern / Bonn	
113. Studies with the BFH12 cell line as an <i>in vitro</i> model for bovine hepatic steatosis	135
*Reichelt K., Schoeniger A., Fuhrmann H. – Leipzig	
114. Effects of essential fatty acids and conjugated linoleic acid on fatty acid and oxidative status in plasma and hepatic acute phase response in dairy cows fed a diet with reduced n-3 fatty acid content from late pregnancy to early lactation	136
Gnott M., Vogel L., Kröger-Koch C., Dannenberger D., Starke A., Tröscher A., Bernabucci U., *Hammon H. M. – Dummerstorf / Leipzig / Lampertheim / Viterbo	
115. Effects of essential fatty acids supplementation on the mRNA abundance of the adiponectin system and the antibacterial peptide BSP30a in submandibular salivary glands of dairy cows fed a maize based ration	137
*Mielenz M., Kröger-Koch C., Vogel L., Gnott M., Tuchscherer A., Tröscher A., Hammon H. M., Dall'Aglia C. – Dummerstorf / Lampertheim / Perugia	
116. Effect of conjugated linoleic acid and α-linolenic acid on hepatic glucose metabolism of dairy cows fed a diet with reduced n-3 fatty acid content during late pregnancy and early lactation	138
Vogel L., Gnott M., Kröger-Koch C., Görs S., Tröscher A., Starke A., *Hammon H. M. – Dummerstorf / Lampertheim / Leipzig	
Undesirable substances	
117. Do glyphosate-based herbicides have different effects on <i>in vitro</i> rumen microbial metabolism and metaproteome compared to pure glyphosate?	139
*Riede S., Haange S., Rohn K., von Bergen M., Breves G. – Hanover / Leipzig	
118. Long-term dietary exposure to <i>Fusarium</i>-toxin contaminated and sodium sulphite treated feedstuff in pigs and its impact on physiological parameters and vaccination response	140
*Bahrenthien L., Kluess J., Berk A., Kersten S., Frahm J., Hüther L., Beer M., Wernike K., Harder T., Schatzmayr D., Zeyner A., Dänicke S. – Braunschweig / Greifswald-Insel Riems / Tulln / Halle (Saale)	
119. Transfer of perfluoroalkyl acids (PFAAs) and their precursors from contaminated feed into eggs of laying hens	141
*Kowalczyk J., Göckener B., Eichhorn M., Bücking M. – Berlin / Schmallenberg	
120. Effects of glyphosate residues and different concentrate feed proportions in dairy cow rations on the ruminal microbial community	142
*Billenkamp F., Schnabel K., von Soosten D., Meyer U., Frahm J., Kersten S., Höper D., Beer M., Dänicke S. – Braunschweig / Greifswald-Insel Riems	
121. Excretion of non-dioxin like polychlorinated biphenyls (ndl-PCBs) in blood and milk of accidentally exposed dairy cattle and transfer to the calf	143
Schulz K., *Bloch D., Lüth A., Spolders M., Schafft H., Lahrssen-Wiederholt M. – Berlin	
122. Study on the transfer of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) into milk of high-yielding cows for the determination of dioxin half-lives in milk in consideration of cows' metabolic state	144
*Krause T., Kowalczyk J., Knappstein K., Lamp J., von Soosten D., Numata J., Lahrssen-Wiederholt M., Dänicke S., Susenbeth A., Molkentin J. – Berlin / Kiel / Braunschweig	

<i>Workshop - Vitamins in Ruminants</i>	
Vitamin D – Too soon to turn off the light Stangl G.I.* – Halle	149
Vitamin D Supplementation & Vitamin D Metabolism– Unexpected Findings Wilkens M.R.* – Hannover	152
The Role of Vitamins for Optimizing Performance and Health of Ruminants Gilbert M. Weber – Basel	155
Functional aspects of supplementing selected water-soluble vitamins in ruminants Ringseis R. – Giessen	162