

Index

a

- acidic hydrogen evolution reaction 312
- additives 141
- adiabatic combustion temperature 58
- afterburning, SHS 24
- air
 - aluminum particles in 131–132
 - boron particles in 132–133
 - metal powder combustion in 133–134
 - oxidation behavior in 112–113
- $\text{AlF}_3\text{--}3\text{NaN}_3$
 - combustion products 257, 258
 - combustion temperature and burning rate 252–256
 - particle size distribution 260
 - SEM image of surface powder 259
- Al_2O_3 128
 - volatility 132
- Al–O–N 157
- alkali metal/alkaline earth metal borides 52
- alkaline 230
- alkaline-ground metal 230
- alloys
 - ceramic 97
 - combustion of 185
 - FS 65 194
 - SEM images 194
- AlN ($\text{Al}_3\text{O}_3\text{N}$) obtaining by metal powders combustion 152
- AlN porous-shell hollow spheres 90–93
- aluminium nitride (AlN) 17–20, 42–44
 - density of 270
 - formation 133–134
 - oxidation 118
 - recombination luminescence 283, 285
 - thermal conductivity of 270, 271
- aluminium nitride (AlN) ceramics
 - afterglow (AGL) feature 278, 290
 - characteristics and application 265–266
 - dielectric properties 272–274
 - dosimetric properties 286–290
 - electrical conductivity 272, 273
 - estimation 289
 - ionizing radiation 287–288
 - long-lasting luminescence 278, 290
 - luminescence properties 274–275, 282–291
 - optically stimulated luminescence 281–282
 - oxygen content 269
 - oxygen-related defects 282
 - photoluminescence 274–277
 - production of 269–272
 - sensitivity 288
 - sintering of 270
 - as solid-state lasers 290–291
 - spectral properties 274
 - surface oxidation of 265
 - thermal conductivity 269–272, 322
 - thermoluminescence 279–281
 - translucent 290–291
 - UV light irradiation 274, 284, 288–289
- aluminium nitride (AlN) matrix
 - recrystallization of 270, 271
- aluminium nitride (AlN) nanopowder
 - manufacture of 266–268
 - morphology and particle size of 267
- aluminum nitride (AlN) powders, combustion synthesis of
 - flower-like AlN 86–90
 - polymer-matrix composites 83–86
 - porous-shell hollow spheres 90–93
 - quasi-aligned AlN nanowhiskers 76–83
- aluminum particles combustion
 - Adiabatic flame temperature 127
 - in air 131–132

- aluminum particles combustion (*contd.*)
 - aluminum–air systems 129–131
 - aluminum–nitrogen system 129
 - aluminum–oxygen systems 127–129
 - stoichiometric reaction 129
 - surface energy 126
 - thermochemical features 125–127
 - aluminothermic ferrotitanium 206
 - aluminum oxynitride, in air 154–155
 - aluminum particles combustion 125–131
 - aluminum particles, in air 131
 - aluminum–air systems 129–131
 - aluminum–nitrogen systems 129
 - aluminum–oxygen systems 127–129
 - ammonia halides 231–232
 - ammonium fluoride 19
 - additives 193
 - ammonolysis 297–298, 300, 315
 - of MoO_3 298–299
 - applications, boron nitride 50
 - atomic clusters 125
 - azide SHS systems reactions 232, 235–236
- b**
- black boron 14
 - boric acid with ammonia 52
 - boric oxide with organic nitrogen 52
 - boron nitride
 - α -BN formation 15
 - applications 51
 - ceramics 68–70
 - chemical dispersion 13–14
 - composites 224, 225
 - icosahedron 14
 - leaching 14
 - magnesium–reduction system 16
 - properties 49–50
 - synthesis 215–217
 - boron particles, in air 132
 - boron–nitrogen system, combustion in 57–62
 - burning azide systems SHS 237
 - burning rate 202, 203, 208, 252–256
 - burning, SHS 21
- c**
- catalytic oxidation
 - iron in DO 220
 - phenols 222
 - CCPs. *See* condensed combustion products (CCPs)
 - ceramics
 - AlN (*see* aluminium nitride (AlN) ceramics)
 - alloys 97
 - dense 156
 - density of 270
 - nitride (*see* nitride ceramics)
 - SHS-Az 243–245
 - chemical and thermal stability 51
 - chemical furnace 3
 - chlorination–nitridation reactions 82
 - chromium nitride synthesis 213–215
 - combustion synthesis (CS) 44, 98–99
 - aluminum nitride (AlN) powders (*see* aluminum nitride (AlN) powders, combustion synthesis of)
 - boron nitride ceramics (*see* Boron nitride ceramics, combustion synthesis of)
 - experimental methods of approach 166–167
 - in gas–solid systems 53
 - niobium nitride 173–177
 - nitrides (*see* nitrides, combustion synthesis of)
 - β -SiAlON 98
 - tantalum nitride 177–180
 - vanadium nitride 167–173
 - combustion temperature
 - NbN synthesis 174–175
 - TaN synthesis 178, 180
 - VN synthesis 169–170
 - combustion velocity
 - front 167
 - iron 199, 200
 - wave 168
 - condensed combustion products (CCPs) 131–133
 - AlN content in 142–143
 - anisotropic needle crystals 138
 - cooling and crystallization 152
 - crystal phases 136
 - metals in air 149
 - microstructure 137–141
 - phase composition 135, 141, 142
 - SEM images 138, 139, 141, 142, 150
 - XRD pattern 137, 147–148
 - condensation synthesis 9
 - cooling and crystallization, of CCP 152
 - corrosion resistance 112–122
 - cristobalite peak 115
 - crystals, silicon nitride 198
 - CS wave 62–67
 - CS-SPSed β -SiAlON 108–112
 - CSed powders 102

cyclic voltammetry 314
cyclone dust 186

d

DAPs. *See* donor-acceptor pairs (DAPs)
degradation
– dissolved organics 224
– phenols 222, 223
– photo catalytic 226
dense ceramics 156
Dense β -SiAlON by CS and SPS 101–108
differential scanning calorimetry and thermal
gravimetric analysis (DSC–TGA) 216
dissolved organics (DOs) 219
– catalytic oxidation 220
donor–acceptor pairs (DAPs) 284–285
DOs. *See* dissolved organics (DOs)

e

electrocatalysis 308–316
electrocatalytic oxidation 315
electron-donating sacrificial reagents 303
energy dispersive X-ray spectroscopy (EDS)
62
Engel-Brewer theory 296
enhanced thermal conductivity 83–86
equilibrium mechanism 6
ethylenediaminetetraacetic acid (EDTA) 225
excellent thermal conductor and electrical
insulator 51
experimental apparatus 99
extremely low friction coefficient 51

f

Fe-containing composite materials
applications 219–224
Fe-Si alloys
– on SHS of silicon nitride 192–194
ferric-oxalate system 222
ferroalloys combustion 217–226
ferroboron combustion 215–217
ferroboron nitriding 218
ferroboron particles 216
ferrochromium combustion 213–215
ferroniobium combustion 204–206
ferrosilicon
– combustion of 186–199
– dilution 190–192
– filtration combustion modes 188–190
– FS 65 193
– microstructure 195
– SEM images of combustion products
197–199
– XRD pattern fragment 186

ferrotitanium 208
– burning rate of 210
– combustion of 207
– combustion products 210
– nitriding degree 208, 209
ferrotitanium – nitrogen interaction 212
– XRD analysis data on products 212
ferrovanadium combustion 199–203
ferrovanadium nitriding 201
fibers 231, 233, 234, 240
field emission scanning electron microscopy
(FESEM) 78
filtration combustion (FC) 54
filtration combustion modes of ferrosilicon
188–190
flame-front propagation velocity
– NbN synthesis 173–174
– TaN synthesis 178, 179
– VN synthesis 168, 169
flame wave propagation model 132
flower-like AlN 86–90
fluidized bed 298
fluorine-containing additives 191
formic acid, electrocatalytic oxidation 315

g

gas infiltration 165
gas–solid systems, combustion synthesis
in 53
gaseous boron oxides 16
Gibbs free energy 126
Glassman's criterion 127, 129, 130
growth mechanism of BN 66

h

hafnium combustion 24
halides
– decomposition 247
– for refractory compositions 234–235
– in azide SHS systems 235–236
– of ammonia 234
– of elements 232–233
– role of 230
HER, *see* hydrogen evolution reaction
(HER) 309
heterogeneous catalysis 219
heterogeneous combustion 151
Heyrovsky reaction 312
high heat resistivity 51
high reaction temperatures 99
hollow spheres, AlN porous-shell
90–93
high surface-area nitrides 314
homogeneous catalysis 219

hot isostatic pressing (HIP) 53
 hydrogen evolution reaction (HER)
 308–311, 313, 315
 hydrothermal sintering 298
 – acidic 312
 – correlation of overpotential 310
 – low pH 309
 – nitrides of tantalum 310
 – testing 310
 – voltammograms 311

i

ignition and surface burning, of particles 151
 indentation size effect (ISE) 108
 inductively coupled nitrogen plasma (ICP)
 technique 266, 268
 infiltration combustion 54
 infiltration combustion mode 20–32
 inorganic azides 229, 230
 ionic radii 296, 297
 ionizing radiation 287–288
 iron
 – combustion velocity 199, 200
 – in DO catalytic oxidation 220
 – leaching 223
 isothermal oxidation 112

j

Jain's model 284

l

lattice parameters, β -SiAlON 103, 105, 108
 Li-air fuel cells 313
 light-emitting diode (LED) 97, 265
 long-lasting afterglow 290
 luminescence properties, AlN ceramics
 274–275, 282–291

m

Me(Al, Ti, Zr)-O-N 159–160
 mechanical activation assisted CS (MACS)
 86–90
 $\text{MeN}_{0.34}$ - $\text{MeN}_{0.45}$ 3
 mesoporous vanadium nitride 315
 metathesis routes 299–300
 metal nitrides formation 165
 metal–metal distances, transition
 metals 296
 metal-oxidizer combustion 125
 metal particle, physical model 152
 metal powder
 – burning in air 136
 – characteristics 144
 – combustion in air 133–134

– images 146
 – temperature 145
 metals combustion, in air 131–133
 microstructure, of oxide scale 113
 microstructures of particles 65
 molecular hydrogen generation 224
 mullite peaks 115

n

nAl 146, 148
 nAl combustion, in air 134–143
 nAl powders 125
 – AlN content in CCP of 140
 – combustion process 138–140
 – nitrogen for CCP of 147
 – SEM image 135, 138, 139, 141
 nAl/ μ Al and [nAl + (μ Al/Zr alloy)]
 combustion in air 134
 nanocubes 301
 nanofibers 249, 251, 252
 nanosized aluminum nitride powder 268
 – oxygen content of 268
 nanosized SHS powders 8
 nanostructural SHS-Az powder synthesis
 246
 nanostructured nitride powders synthesis
 247
 nanowhiskers, quasi-aligned AlN
 nanowhiskers 76–83
 neutron diffraction 5
 NH_4Cl 80
 niobium nitride (NbN) 165
 – combustion synthesis 173–177, 204–206
 – combustion temperatures 174–175
 niobium/nitrogen system, SHS process 173
 nitridation 297, 307
 nitridation, of boron 52
 nitride ceramics 67–72
 – microstructure 157
 – phase composition 158
 – properties 159
 – by SHS gasostating 38–44
 nitride ceramics synthesis
 – Al–O–N 156–157
 – Me(Al, Ti, Zr)–O–N 159–160
 – Zr–O–N 156
 nitride conversion variations 171, 176, 181
 nitride dissociation 26–29
 nitrated ferromagnesium structure 204
 nitrated ferrosilicon 190–192
 nitrides
 – band gap energies 322
 – conversion 170, 171, 181
 – in dense ceramics 156

- in SHS-Az mode 236–241
- surface composition of 296
- of titanium, boron and silicon 246–252
- nitrides, combustion synthesis of
 - aluminum nitride 16–20
 - boron nitride 13–16
 - infiltration combustion 20–32
 - metal IV-V groups transition 2–5
 - SHS equipment 32–33
 - SHS gasostating 38–44
 - SHS-ceramics synthesis 33–37
 - silicon nitride 9–13
 - two threshold mechanisms 5–7
- nitrides formation 165–166, 196–197, 236–241, 321–322
- physicochemical processes of 185
- stages 236–241
- nitrides (oxynitrides) formation
 - by metal powder combustion in air 133–134
 - nAl combustion in air 134–137
- nitrides preparation 297–302
- metathesis routes 299
- using N_2/H_2 mixtures 298
- nitriding σ -(Fe–V) 203
- nitriding degree 187, 188, 190, 208, 209, 214
 - defined 186
 - of combustion products 186–188
- nitrogen
 - admission to reaction zone 20–32
 - excitation 134
- noble metals 315
- nonequilibrium mechanism 7, 12
- nonmetal nitrides 2

o

- optically stimulated luminescence (OSL) 281–282
- ORR, *see* oxygen reduction reaction (ORR) 313
- oxidation 125, 129
 - aluminium nitride 118
 - β -SiAlON 118, 122
- oxidation behavior, in air 112–118
- oxidation kinetics, β -SiAlON 112, 113
- oxide precursors 297
- oxide scale microstructure 113–115
- oxidizer/fuel (O/F) mass ratios 127
- oxygen diffusion 270
- oxygen reduction reaction (ORR) 313
 - activity 314
- oxygen-related defects 282
- oxynitride perovskites 306
- oxynitrides

- band gap energies 322
- in dense ceramics 156
- synthesis 321, 322

p

- passivation 297
- penetration structures 2
- persistent luminescence. *See* long-lasting afterglow
- phenols
 - catalytic oxidation 222
 - degradation 222, 223
- phosphorescence. *See* long-lasting afterglow
- photoactive ferric oxalate complexes 219
- photocatalysis 302–308
- photocatalysts 296
 - visible-light 303
- photo catalytic degradation 226
- photocatalytic water splitting 303, 306, 307
- photo-Fenton system 224
- photoluminescence (PL), AlN ceramics 274–277
- photon thermal conductivity 111
- physical properties of CS-SPSed β -SiAlON 108–112
- plasma chemical method 266
- plasma technique 266, 268
- polyhedrons 198
- polymer composites 83–86
- polytetrafluoroethylene (PTFE) 90
- porous hafnium nitriding 25
- powder of refractory compounds 242
- Pt–Mo–N thin films 315
- pyrolysis of borazine 53

q

- quasi-aligned AlN nanowhiskers 76–83

r

- raw reactants 101
- reactant powders melting 166
- recombination luminescence, AlN 283, 285
- recrystallization 270
 - aluminum nitride matrix 271
- refractory compounds, SHS-Az type 242
- refractory materials synthesis 321
- Ruff–Fenton system 219

s

- SAED patterns 105
- self-propagating high-temperature synthesis (SHS) 44, 53, 229
 - CS technology application 321–322
 - FC reactor 32

- self-propagating high-temperature synthesis (SHS) (*contd.*)
 - gasostating 38–44
 - process 165, 166
 - products, XRD pattern 172, 176–177, 180, 182
 - SHS-30 reactor 32
 - semiconductor oxides 302
 - SHS, *see* self-propagating high-temperature synthesis (SHS) 229
 - SHS-Az ceramics property 243–245
 - SHS-Az constant pressure laboratory reactor 248
 - SHS-Az mode
 - nitrides in 236–241
 - SHS-Az powder property 241–243
 - SHS-nitrided ferroniobium 206
 - Si_3N_4 -SiC-TiN(C) ceramics 38
 - SiAlON powders 35–36
 - SiAlON-s 10, 39–40, 97
 - Sieverts law 197
 - silicon infiltration combustion 27
 - silicon nitride 9–13
 - crystallographic characteristics of 196
 - crystals growth 198
 - formation 237–238
 - holohedral crystals 10
 - mechanism of structure 195–199
 - morphology 10
 - polymorphic modifications 196
 - powder 33–35, 241, 244
 - α - Si_3N_4 synthesis 12
 - β - Si_3N_4 synthesis 13
 - skeleton crystals 10
 - solubility 197
 - synthesis 186–199
 - silver-containing catalyst system 218
 - α - Si_3N_4 12
 - β - Si_3N_4 13
 - β - Si_3N_4 crystals 12
 - β - $\text{Si}_{4.3}\text{Al}_{1.7}\text{O}_{1.7}\text{N}_{0.3}$ -BN 39
 - β -SiAlON 97, 101–102
 - combustion synthesis 98, 101–102
 - corrosion resistance in SCW 118–122
 - isothermal oxidation 112
 - lattice parameters 103, 105, 108
 - morphology 105
 - oxidation behavior in air 112–113
 - oxidation kinetics 112, 133
 - oxidation mechanism 118, 122
 - purity 101, 105
 - reaction mechanisms 99–101, 116–118
 - SEM images 106, 116, 117, 121
 - spark plasma sintering 98–99, 102–103
 - TEM micrographs 107
 - thermal conductivity 109–112
 - Vickers hardness properties 108–109
 - XRD patterns of surfaces 114
 - Skeleton crystals 10
 - sodium 230
 - sodium azide 247
 - decomposition 238
 - sol-gel routes application 300
 - solid–gas and/or solid–liquid systems 165
 - solid–gas combustion mode 165
 - solid-state lasers 290–291
 - solid-state synthesis techniques 314
 - spark plasma sintering (SPS) 98–99, 102
 - specific surface area (SSA) of powder 267
 - spin combustion 30
 - stability against oxygen 51
 - static quenching technique 62
 - steady combustion wave 153
 - stoichiometric equations 230–234, 246, 247
 - structural macrokinetics 26
 - structure and phase formation 1
 - supercritical water, corrosion resistance in 118–122
 - supercritical water gasification (SCWG) 118
 - supercritical water oxidation (SCWO) 118
 - surface mode 207
 - surface oxidation of AlN ceramics 265
 - surface powder synthesis 259
- t**
- Tafel reaction 312
 - tantalum combustion 21
 - tantalum nitride (TaN) 165
 - combustion synthesis of 177–180
 - formation 22
 - optical absorption spectra 305
 - tantalum oxynitrides 304, 306
 - photocatalytic activity 304
 - tantalum powder images 178
 - TaON-Ag nanocomposites 308
 - temperature-programmed ammonolysis 297
 - theoretical maximum density (TMD) 166
 - thermal conductivity 109–112
 - AlN ceramics 322
 - thermal gradients 298
 - thermodynamic parameter 98
 - thermoluminescence (TL), AlN ceramics 279–282
 - μTi 149
 - combustion in air 150
 - Ti-Al 154
 - Ti-TiO₂ 154
 - c-Ti²N 4

- TiN obtaining by metal powders combustion 143–152
 - TiON films 308
 - titanium carbonitride powder 241
 - titanium nitride
 - nanopowder 246
 - phase-formation process of 210–213
 - powder 242, 246, 250, 251
 - synthesis 206–213, 249
 - traditional solid-state synthesis techniques 314
 - transition metals
 - metal–metal distances 296
 - nitrides 2
 - nitrides formation 165–166
 - translucent AlN ceramics 290–291
 - transmission electron microscopy (TEM) 80
 - two threshold mechanisms 5–7
- u**
- UV light irradiation 274, 284, 288–289
- v**
- vanadium nitride (VN) 165, 315
 - combustion images 167–168
 - combustion synthesis 167–173
 - mesoporous 315
 - SHS characteristics 167
 - synthesis 199–203
 - thermal effect 200
 - vanadium powder images 168
 - vapor–gas mechanism 198
 - vapor–liquid–solid (VLS) mechanism 105
 - Vickers hardness 108–109
 - visible-light photocatalyst 303
 - Volmer reaction 312
- w**
- warming-up zones 4
 - wave velocity 202
- x**
- X-ray diffraction (XRD) patterns
 - combustion products 258
 - raw ferrosilicon FS 65 192, 193
 - SHS-derived products 172, 176–177, 180, 182
 - X-ray spectrum analysis 7
- y**
- yttria 269
 - effect of 269
- z**
- μZr 149
 - zirconium combustion 18, 30
 - Zr + N₂ 2
 - Zr–O–N 156
 - ZrN obtaining by metal powders combustion 143–152

