

Contents

List of Figures	vii
List of Tables	xi
1 Introduction	1
2 Multiple Antenna Systems	5
2.1 Basics of Multiple Antenna Systems	5
2.1.1 Possible System Configurations	7
2.1.2 Multiple Antenna Performance Gains	9
2.2 MIMO Channel and System	11
2.2.1 MIMO Radio Channels	11
2.2.2 MIMO System Model	14
2.2.3 Frequency Flat versus Frequency Selective	16
2.3 MIMO Channel Capacity	18
2.3.1 Frequency Flat MIMO Capacity	19
2.3.2 MIMO LOS Capacity Bounds	20
2.3.3 Frequency Selective MIMO Capacity	24
3 Orthogonal Frequency Domain Multiplexing	25
3.1 Development of OFDM	25
3.2 SISO OFDM System Structure	26
3.2.1 Generation of a Discrete OFDM Symbol	27
3.2.2 Cyclic Extension	28
3.2.3 Processing of the Received OFDM Symbol	30
3.2.4 Pulse Shaping	32
3.3 Advantages and Disadvantages of OFDM	34
3.4 Adaption of OFDM to MIMO Systems	37
3.4.1 System Model	37
3.4.2 Signal Model	39
4 Lattice Based Detection in a Frequency Selective Environment	41
4.1 Background and Basics of Lattice Sphere Detection	41
4.2 Basic Principle of the Common Sphere Decoder	43
4.3 Sphere Detection Principle with Example of a Decision Tree	46
4.4 Tree Traversal Strategies	49

4.5	Determination of Possible Candidates in the Complex Valued QAM System	50
4.6	Candidate Enumeration strategies	52
4.7	Choice of Initial Search Radius	56
4.8	Complexity	57
4.9	Conclusion	60
5	Fixed Effort Sphere Detection in a Frequency Selective Environment	61
5.1	Introduction and Overview	61
5.2	K-Best Algorithm	62
5.2.1	Basic Principle	63
5.2.2	Simplified Determination of the Best Nodes	63
5.2.3	Example for the K-Best Detection	64
5.2.4	Complexity	66
5.3	Fixed-Complexity Sphere Decoder	67
5.3.1	Channel Ordering	67
5.3.2	Basic Principle	68
5.3.3	Generation of the Search Sets	69
5.3.4	Example for the FSD Detection	70
5.3.5	Complexity	71
5.4	Reduced Search Sphere Detector	72
5.4.1	Basic Principle	73
5.4.2	Search Set Missing Probability and Generation of the Search Sets	74
5.4.3	Example for the RS-SD Detection	82
5.4.4	Complexity	83
5.5	OFDM Reduced Search Sphere Decoder	84
5.5.1	Basic Principle	85
5.5.2	Candidate Distribution	86
5.5.3	Example of the Determination of the Number of Candidates per Level and Subcarrier	88
5.5.4	Complexity	94
5.6	Performance Analysis	96
5.6.1	Computational Effort	96
5.6.2	Simulation Results	99
5.6.3	Conclusion	112
6	Linear and Non-Linear Detection in a Frequency Selective Environment	115
6.1	Linear Detection	115
6.2	Successive Interference Cancellation	118
6.3	Reduced Search Approaches	120
6.3.1	Reduced Search Maximum Likelihood	121

6.3.2	Improved Reduced Search Maximum Likelihood	124
6.4	OFDM Reduced Search Maximum Likelihood	127
6.5	Performance Analysis	131
6.5.1	Computational Effort	131
6.5.2	Simulation Results	133
6.5.3	Conclusion	142
7	Considerations on Practical Implementation	145
7.1	DeMoCRIT	145
7.1.1	System Overview	145
7.1.2	Example Measurement Result	147
7.1.3	Limitations	150
7.2	Concept with FPGAs	151
7.2.1	System Concept Overview	151
7.2.2	Floating Point Performance of the Stratix III FPGA	154
8	Conclusion	157
A	Appendix	161
A.1	Quadrature Amplitude Modulation	161
A.2	Parallelization of the MIMO channel into decoupled SISO AWGN channels	162
A.3	Example for the Signal Model Used in a MIMO OFDM System	163
A.4	Maximum Likelihood Vector Detection	170
A.5	Channel Ordering	171
A.6	QR-Decomposition	175
A.7	Search Set Missing Probability	176
A.8	Candidate Enumeration in a Complex QAM Constellation	178
A.9	Soft Output Information	180
A.10	GUI at the Transmitter and the Receiver of DeMoCRIT	181
B	Lists of Abbreviations, Symbols and Operators	183
B.1	List of Abbreviations	183
B.2	List of Symbols	187
B.3	List of Operators	192
	Bibliography	195