

Subject Index

a

Abeles theory 223
 absorption spectroscopy of Ag nanoparticles 218
 agglomeration, rapid 121
 aggregation
 – color changes derived from 121
 – control 120
 – small molecules 121
 akaganeite 196
 alkane thiols, anodic oxidation 282
 alkyl chains 266
 alumina nanopores, immobilization of Au 125
 alumina particles, spherical 106
 alumina-water
 – mixtures 307
 – systems 309
 aluminum chlorohydrate 194
 amorphous carbon films 112
 amphiphiles 124
 amphiphilic resin dispersion 110
 anatase sol 99
 anisotropy constant 274
 annealing process 275
 antiferromagnetic cobalt oxide shell 50
 antinematic 206
 AOT microemulsions 124
 AOT surfactant 238
 approximation
 – average 85
 – constant 85
 aqueous inorganic nanoparticles 121
 arene thiols, anodic oxidation 282
 artificial opals 129 135
 assembly
 – controlled 121
 – layer-by-layer 126 f.
 – methods 120
 – programmed 121

– versatile 123
 assembly stepwise of Au nanoparticles 128
 atactoids 182
 atomic force microscopy (AFM) 19
 – 3D aggregates 20
 – maghemite after etching 302
 – patterned polystyrene films 162
 – using MoS₂ as substrate 21
 avalanche photodiode 235

b

ballistic electron 245
 barium chromate nanoparticles, prismatic 124
 barium chromate nanorods 189
 bathochromic shift 150
 Belousov-Zhabotinsky reaction systems 157
 bentonite suspensions 190
 Bessel function 193
 BHCOAT method 214
 bias 226
 bimetallic nanoparticles 95, 98
 biopolymers 111
 biosensing 279
 – optical affinity 150
 biosensors, optical 279 ff.
 biphasic suspension 197, 200
 birefringent gel 190
 birefringent liquid 182
 birefringent phase 197
 bis(2-ethylhexyl) sulfosuccinate 238
 block copolymer 110, 165
 – lithographic mask 298
 – self-assembly of 299
 blocking temperature 253, 273
 boehmite crystallites 180
 Boltzmann constant 175
 bottom-up approach for mineral nanoobjects 182
 bottom-up nanotechnology 158

- bound water 188
- Bragg diffraction 134, 144
- Bragg diffraction switching device 150
- Bragg filter 61
- Bragg peak 26, 150
- Bragg reflections 12
- Bragg spots 61
- branching points 79
- bridging flocculation 5
- Brownian behavior 196
- Brownian dynamics 79
 - simulation 36
- Brownian motion 135
- bulk magnetization 77
- bump 237
- c**
- cadmium selenide nanorods 189
- cadmium sulfide, flat triangular 31
- capillary force 8, 23
 - lateral, schematic image 140
 - waves induced 43
- caprolactone 167
- carbon film, amorphous 58, 112
- carbon grid, amorphous 6
- carbon nanotubes 189
 - templates 124
- carboxylic acid 34
- cast polymer film, pattern transition 161
- catalysts, Pd-containing 106
- catalytic activity of metal nanoparticles 113
- cellulose acetate films 101
- cellulose fibers
 - in-situ synthesis of metal nanoparticles 111
 - porous 111
- cellulose templates 110
- chainlike clusters 78
 - ferromagnetic and supramagnetic 114
 - heterometallic 107
- chaotic structures 33
- Chevrel-Sergent phases 181
- chimie douce techniques 205
- citrate ions 34
- clays 190
- coalescence 65 ff.
- coating agents 16
- coating materials
 - octanoic 310
 - oleic acid 50
 - oleyl amine 50
- coating procedure 296
- cobalt film diffractograms 14
- cobalt-iron
 - phase diagram 53
 - structure 50, 53
- cobalt-iron structure 53
- cobalt nanocrystals 6
 - annealing 25, 273
 - bidimensional (2D) organization 257
 - chainlike mesostructures 80
 - coating 24
 - crystallinity 25
 - 3D organizations 259
 - hysteresis loop 258
 - labyrinthine structures 42
 - linear chains 263
 - magnetic and TEM characterization 273
 - magnetic properties 258
 - ordered in supra crystals 275
 - thick film 40
 - uncoalesced 263
 - under applied magnetic field 36
 - with high MAE 272
 - with magnetic field perpendicular to substrate 83
 - XRD pattern 12
- cobalt nanoparticles
 - ferro- and antiferromagnetic 50
 - ferromagnetic behaviour 114
 - highly crystallized 274
- cobalt-ruthenium carbonyl clusters
 - ferromagnetic 114
 - superparamagnetic 114
- cobalt supra crystals 12
- coercive field 272
- coffee-water mixtures 307
- coffee-water systems 309
- colloidal crystals
 - freestanding 144
 - freestanding, 2D 144
 - liquid 119
 - metallodielectric 149
 - orientation 131
 - solid 119
 - temperature gradient 131
 - two-dimensional 119, 137
- colloidal epitaxy 131
- colloidal lithography 296, 300 ff.
 - applications 298
 - nanocrystals as mask 301
- colloidal particles, dispersed 129
- colloidal solution 3 ff.
- colloidal stability 175
- colloids
 - characterization 76
 - liquid-gas transition 76

- monolayer 297
- phase diagram 76
- columnar phase 175
- numerical simulations 199
- contact angle 8
- continuous film preparation 162
- copolymer lithography 298 ff.
- copper grids 141
- copper nanoparticles 101
 - catalytic activities 113
 - cellulose acetate films 101
 - composite polyimide layers 102
- core-shell nanoparticles 49
 - properties 50
- Couette cell 187, 202
- Coulombic repulsion 2
- crack area 309, 311
- crack characteristics
 - maghemite nanocrystals 316
 - silver nanocrystals 316
- crack junction angle 315
- crack patterns
 - 1D geometry 308
 - influence of magnetic field 311
 - influences 307
 - maghemite 309 f.
- crack systems
 - long-lived 307
 - short-lived 307
- crack wavelength 312
- crystal growth 27 f.
- crystal structure of FePt 60
- crystallographic planes, high-index 58
- cubelike superstructure 70
- current density vector 232
- cyclohexane 310

d

- 1D arrangement using polymer linearity 124
- 2D crystallization 140
- 2D monolayer 265
- 2D organization of Co 257
- 2D particle arrays 129
- 2D phases of rodlike particles 200
- 2D superlattice 2
- 3D array of palladium bipyridine square 128
- 3D films 262, 265 f.
 - Co nanocrystals 268
 - surface-structured 267
 - tubelike-structured 269
- 3D microcrystals, preparation, structure analysis and function 120
- 3D organization of Co 258 ff.
- 3D self-assembly 119 ff.
 - applications 145
 - dissipative process 145
 - nanoparticle interaction 129
 - particle sizes 119
 - structures 143 f.
- 3D shrinkage crack patterns 307
- 3D superlattices 11 ff., 262
- Debye-Hückel screening 36
 - length 5
- decahedral particle 63
- decane 310
- decanethiol 16
- demagnetization factor 254, 272
- demagnetization field 84 f.
- deposition
 - method 31
 - self assemblies 11
- Deryaguin-Landau-Verwey-Overbeek (DLVO) theory 175
- dialkyl disulfides, cathodic reduction 282
- diamond-cylinder arrays, periodic 146
- dicobalt octacarbonyl 103
- dielectric constant 223, 233, 237
- diffraction pattern 64
- diffraction rings 53
- diffusion of nonsovent 15
- diiodobutane (DIB) 104
- dipolar fluids, structural correlation 79
- dipolar interactions 256
 - Ag nanoparticles 218
- dipolar particles, nucleation 78
- dipolar systems
 - liquid-gas transition 76 f.
- dipole image, schematic representation 224
- dipole-dipole interaction 1, 224
- disklike nanoparticles 190
- disklike particles, hexagonal phase 201
- dissipative hierarchy structure (DHS) 126
- dissipative structure 157 ff.
- DLVO, *see* Deryaguin-Landau-Verwey-Overbeek
- DNA as template 124
- DNA hybridization, single-stranded 290
- dodecanethiol 17, 238, 312
 - chains 239
 - coating agent 223
- dodecanoic acid 17, 30, 266
 - coating material 24, 310
- dodecyl alkyl chains 214
- downsizing technology 158
- drift of particles 243

- drop coating 296
 - droplet nucleation 164
 - Drude model 235
 - drying polymer solution
 - dissipative structures 159
 - dynamic regular structure 160
 - dual-channel sensing element,
 - schematics of 287
 - dynamic thin laminar flow (DTLF) 142
- e**
- easy axes 268
 - easy magnetic axes, orientation 255
 - EDS, *see* energy dispersive X-ray spectroscopy
 - eigenmode 231, 233
 - eigenvalue 184
 - electric double layer 130
 - electric field effects on mineral liquid crystals 207
 - electrochemical deposition 281
 - electromagnetic losses 235
 - electromagnetic modes 234
 - electron-beam (EB) lithography 280
 - electron diffraction
 - data, phase identification 54
 - determination of core-shell nanoparticles 54
 - pattern 52
 - electron-plasmon coupling 238
 - electrophoretic deposition 141
 - electrorheological fluids 133
 - electrostatic forces 5, 188
 - electrostatic stabilization 2
 - energy dispersive X-ray spectroscopy (EDS) 51
 - core-shell nanoparticles 54
 - FePt composition determination 66
 - microanalysis 54
 - quantitative analysis 56
 - energy transfer rate 235
 - etching apparatus 143
 - etching method 303
 - evaporation
 - configuration of Langevin dynamics 81
 - control of solid colloidal crystals 136
 - crack formation 309
 - patterns 41
 - processes 8
 - solvent 30, 160
 - regular pattern formation of deposited polymers 160
 - vacuum 280
 - evaporation rate 11
 - solvent 31
 - evaporation-driven self-assembly technique 146
 - Ewald sphere 186
 - Ewald summation 80
 - extinction of luminescence 245
- f**
- Faraday constant 5
 - Faraday law 281
 - far-field radiation 235
 - fast Fourier transform (FFT) 64
 - Fe nanoparticles, *see also* iron nanoparticles
 - Fe₃Pt structure models 56
 - Fe₅₂Pt₄₈ isothermally treated 67
 - FePt
 - crystal structure 60
 - phase structure 68
 - structure models 56f.
 - FePt alloys
 - magnetic properties 55
 - phases 56
 - structure variations 55
 - FePt nanocrystals
 - assembly 66
 - composition analysis by EDS 66
 - monodisperse 65
 - phase transformation 66
 - structure of coalesced 69
 - FePt nanoparticles
 - multiply twinned 61
 - shapes of 60, 62
 - synthesis 60
 - FePt/Fe₃Pt nanocomposites 55ff.
 - FePt particles, ultrafine 61
 - ferrite nanocrystals 301
 - ferroelectric nematic state 79
 - ferrofluid 34, 75, 85
 - diluted 36
 - ferromagnetic Co nanoparticles 50
 - ferromagnetic garnets 82
 - ferromagnetic nanocrystals 251
 - FFT, *see* fast Fourier transform
 - field emission gun scanning electron microscopy (FEG-SEM) 303
 - film cracking 8
 - fingering instability 159
 - fingering patterns 33
 - fingering periodicity 32
 - flocculation bridging 5
 - fluid flow 31
 - fluorescein 288
 - fluoro nanoparticles 126

Fourier filtering technique, imaging of FePt 61
 Fourier transform 6
 Fourier transformations 50
 Fourier-transform infrared (FTIR) spectroscopy, quantitative 283
 free water 188
 freestanding colloidal crystals 144f.
 freezing volume fraction 76

g

gap-mode 234
 gas-liquid transition (GLT), pattern size 84
 gauche defects 16, 18
 gel 124
 – shrinkage 308
 gelation 176, 190
 Gibbs ensemble 77
 gibbsite nanodisks 193
 – nematic phase 194
 gibbsite nanoparticles, hexagonal columnar phase 202
 goethite 196
 – electric field effects 207
 goethite nanorods 200
 – magnetic properties 205
 gold bumps 236
 gold colloidal assay 122
 gold nanocrystals
 – coating agent for 16
 – micelles 142
 gold nanoparticles
 – alumina nanopores 125
 – carboxylic acid-coated 121
 – electrophoretic deposition 141
 – elongated 281
 – fabrication 94
 – gels 124
 – immobilized 110
 – in porous Ti-filaments 108
 – in porous Zr-filaments 109
 – mercaptosuccinic acid-coated 15
 – organization around organic fibers 125
 – poly(2-vinylpyridine) coated 291
 – poly(glycidyl methacrylate) coated 291
 – redox-active metallodendron-stabilized 121
 – stepwise assembly 128
 – sugar-conjugated 122
 – thiocholine bromide-stabilized 126
 gold tips 236
 gold-silica composites 145

h

Hamaker
 – constant 4, 6, 21f.
 – expression 4
 hard magnetic phases 56, 58
 Heck reaction 113
 Hele-Shaw cell 85
 hematite
 – cigar-shaped 31
 – needles 302
 heptane 21
 heterometallic cluster 107
 hexadecanethiol 289
 hexagonal structure 82
 hexagonal superstructure 70
 hexamethyldisilazane (HMDS) 93
 hexane 312
 – coating material 310
 – solvent 31
 hierarchical pattern 299
 highly oriented pyrolytic graphite (HOPG) 6, 214
 – reflectivity 221
 – substrate 20, 222, 309
 high-resolution transmission electron microscopy (HRTEM) 49, 214
 – Ag particles in mesoporous silica films 93
 – coalescent Fe₅₂Pt₄₈ grains 68
 – FePt nanocomposites 57
 – HOPG substrate immersed in a Ag nanocrystal solution 28
 – image of Pt/M-ZrO₂ sample 107
 – iron oxide 69
 – larger-sized nanoparticles 50
 HMDS, *see* hexamethyldisilazane
 homeotropic texture 207
 honeycomb 33
 – formation 34
 – pattern formation 165
 honeycomb-patterned films 164ff.
 – applications 167f.
 – plastic deformation 166
 – preparation of pincushion structure 166
 Hooke's law 204
 HRTEM, *see* high-resolution transmission electron microscopy
 hydrazine 238
 hydrogel 150
 hydrogen plasma 95, 114
 – technique 113
 hydroxypropylcellulose (HPC) 204
 hysteresis curves 254

- hysteresis loop 254
 - coated maghemite nanocrystals 269
 - Co nanocrystals 258, 263
 - Co superlattices 266
- i*
- icosahedron shape 64
- immobilized nanoparticles, physico-chemical properties 112
- imogolite nanocrystals
 - mixed with HPC 204
 - mixed with PVA 204
- imogolite nanotubules 189
- in-situ fabrication 91 ff.
 - Au nanoparticles 94
 - metal nanoparticles 91, 107, 110
 - Pt nanoparticles 94
- inelastic electron tunneling 227
 - electromagnetic-field-assisted 233
- Ino model 64
- inorganic films 92 ff.
- inorganic matrices 107 ff.
- inorganic molecules 127
- inorganic nanocrystals, self organizing 1 ff.
- inorganic nanoparticles
 - aqueous 121
 - assembled structures with DNA 122
 - biological components 122
 - color changes 121
 - guided by designable templates 123
 - mesoscopic assembly 120
 - random assembly 120
- inorganic solid matrix 125
- inorganic templates 125
- interfacial tension 84
- inverse opal 145
 - biotinylated polymers 150
 - pore wall thickness 148
 - preparation 149
- ion-plasma etching 295
- iridescent layers 196
- iron, *see also* Fe
 - coating 50
- iron nanocrystals 34 ff.
- iron nanoparticles
 - cellulose acetate films 101
 - superparamagnetic 114
- iron oxide 69
 - crystallographic data 52
 - structure 50
- iron oxide nanocrystals
 - monolayer 59
- iron oxide nanoparticles
 - self-assembly 69 f.
 - shapes 59
 - synthesis 59
- iron pentacarbonyl 65
 - as coating material 50
- iron-platinum nanocrystals, thin 3D superlattices 25
- iron-platinum nanocomposites, magnetic properties 55
- isotropic/nematic phase separation 194
- isotropic/nematic transition 202
- ITO substrate 127
 - stepwise assembly 128
- k*
- Kretschmann configuration 286
- l*
- labyrinthine patterns 82
- ladder patterns 163
- lamellar phase 175
 - numerical simulations 195
- $\text{H}_3\text{Sb}_3\text{P}_2\text{O}_{14}$ 199
- swelling 198
- Langevin dynamics 80
 - configurations during evaporation 81
- Langmuir monolayers 82
- Langmuir-Blodgett films 123
- Langmuir-Blodgett technique 31, 189, 296
- laponite gels 190
- latex films 144
- lattice parameters 68
- lattice structure, control 142
- layer-by-layer (LbL) adsorption 106
- layer-by-layer (LbL) assembly 126 f.
- layer-by-layer (LbL) processing 104 f.
- layer-by-layer (LbL) method 127
- layer-by-layer (LbL) self-assembly, schematic 285
- layered double hydroxide (LDH) 194
- Lenard-Jones potential 78
- Lewis motif 208
- LGT, *see* liquid-gas transition
- linear chains 263 ff.
- line geometry 301
- liquid colloidal crystals 129 ff.
 - electrically switchable 150
 - formed by shear flow 132
 - lattice structure 130
 - layer thickness 130
 - mechanical fragility 133
 - pH gradient 132
 - properties 129

liquid-crystalline phases 173
 – classification 175
 liquid crystal polymer, electrooptic response 150
 liquid crystals
 – lyotropic 173
 – thermotropic 173, 196
 liquid-gas transition (LGT) 75 ff.
 – in dipolar systems 76 f.
 – simulation studies 76
 liquid-like colloidal crystal
 – optical switch 150
 – formed under centrifugal equilibrium 134
 – superstructures in binary mixtures 133
 lithium nanowires 189
 lithography 295 ff.
 – colloidal 295
 – copolymer 298
 – interference 299
 – nanosphere 296
 – natural 296
 – photo or e-beam 299
 – regular micro- and nanopatterning of materials 157
 – spheres 296
 liver cells 167
 localized surface plasmon (LSP) 286
 local plasmon modes 234
 Lorentz field 218
 – effect 220
 luminescence 246 f.
 – cross sections 247
 – individual-site dependence 243
 – switch 248
 – tip-modified 246
 lyotropic liquid crystals 173

m

maghemite 31
 – AFM images 302
 maghemite nanocrystals 34, 36
 – chainlike mesostructures 80
 – cigar-shaped 270
 – coated with citrate ions 309
 – crack characteristics 316
 – crack formation with different coatings 310
 – magnetization curves 267
 – magnetic field 82
 – polygon cracks 309
 – spherical aggregates 80
 – tubelike film of citrate-coated 269
 magnetic anisotropy 255
 magnetic anisotropy energy (MAE) 253, 257
 – Co nanocrystals 272
 magnetic behaviour of metal nanoparticles 114
 magnetic dipolar forces 4
 magnetic energy 84, 86
 magnetic field 34 ff., 255
 – applications of 34
 – nematic suspension 185
 – vanadium pentoxide suspensions 184
 magnetic free energy 206
 magnetic hard phase 50
 magnetic induction 84
 magnetic moment, remanent 206
 magnetic nanocrystals
 – chain structures 34
 – collective magnetic properties 251 ff.
 – column growth 42
 – mesoscopic organization 75 ff.
 – mesostructures 256 ff.
 – organization with applied field 80 ff.
 – perpendicular field 82
 magnetic nanoparticles
 – organized arrays 251
 – patterned 3D film 266
 – self-assembly 50 ff.
 – structure 50 ff.
 magnetic soft phase 50
 magnetic susceptibility 84
 magnetism, permanent 55
 magnetite nanocrystals 34
 magnetization 84 f.
 – spontaneous 75
 – vanadium pentoxide ribbons 184
 magnetization curve 256
 – maghemite nanocrystals with several coatings 267
 magnetization factor 254
 Maier-Saupe distribution 193
 Marangoni effect 31, 159
 Marangoni instability 301
 Marks decahedron 64
 – shape 62
 masks, etching or deposition 146
 Maxwell equations 214, 232
 MCM-41 107
 melting volume fraction 76
 4-mercaptobiphenyls 283
 mercaptohexanol spacer 290
 3-mercaptopropyltrimethoxysilane 107
 mercury semiconductor nanocrystals 149

- mesophases 173
 - columnar 201
 - hexagonal 202
 - identification techniques 178
 - single domain 184
 - single domain examination 177
 - transition between 176
 - types 175
 - uniaxial 184
 - mesoporous films
 - from titanium dioxide 94
 - silica 92
 - mesoporous zirconia 107
 - mesoscopic organization 80 ff.
 - magnetic nanocrystals 80, 82
 - mesoscopic polymer patterning 157
 - mesoscopic structures 1, 36, 257
 - masks 301
 - collective magnetic properties 255 ff.
 - size 86
 - metal deposition 295
 - metal nanoparticles
 - catalytic properties 113
 - composites of 110
 - fabrication in inorganic films 92
 - ferromagnetic 114
 - generation of size-controlled 111
 - inorganic matrices 107
 - in-situ fabrication 91 ff.
 - magnetic properties 114
 - metal oxide ultrathin films 95
 - monodispers 96
 - non-film solid matrices 106
 - optical properties 113
 - physicochemical properties 112
 - polyelectrolyte thin films 104
 - polymeric films 101
 - polymeric matrices 110
 - shapes and surfaces 58
 - TiO₂ films 99
 - metallic particles, monolayer-protected 284
 - methacrylate colloids 307
 - micellar block copolymers 101
 - micelles, reverse 238
 - microdomains 19, 101
 - microgravity, control of lattice structure 130
 - micropatterns 164
 - mineral liquid crystals (MLC) 173 ff.
 - basic principles 174
 - composites 204
 - electric field effects 207
 - investigation techniques 177
 - physical properties 178
 - rheological properties 202
 - solvent influence 176
 - mold structure 145
 - molecular beaker epitaxy 285
 - molecular matrix 120
 - nanoparticle assembly 120
 - molybdenum sulfide monolayers 20
 - monolayer-protected clusters (MPC) 279
 - preparation 284
 - monolayers 21
 - formation, sketch 22
 - monometallic nanoparticles 98
 - in-situ preparation 95
 - monophase materials 1
 - Monte Carlo simulation 77, 79
 - montmorillonite 108
 - moth's eye structure 157
 - Mössbauer spectroscopy 269
 - multicolor photochromism 101
 - multilayer 142
 - thin films 104 f.
 - multiply twinned particles 63
- n**
- nanoalloys 270
 - nanocomposite films 94
 - inorganic-organic 101
 - nanocrystals
 - C3 309
 - C8 310
 - C12 310
 - anisotropy shape 38
 - arrangement 1
 - coalescence 27
 - interparticles forces in solution 2
 - inorganic 1 ff.
 - magnetic, see magnetic nanocrystals
 - self-assemblies 6
 - spherical 257
 - surface modifications 2
 - uncoalesced 263
 - nanodecoration 99
 - nanolithography 2, 295 ff.
 - masks 299
 - nanomaterials
 - alloy 251
 - ferrite 251
 - metallic 251
 - nanometal-clay composites 108
 - nanopalladium catalyst 113
 - nanoparticles
 - applications 49
 - arrays 124

- general principles of magnetism 252
 - immobilization 91
 - inorganic, see inorganic nanoparticles
 - iron 114
 - monodisperse oxide 96
 - palladium, see palladium nanoparticles
 - silver oxide, see silver oxide nanoparticles
 - structural characterization 49
 - nanoporous films 99
 - nanorods 189
 - nanosphere lithography (NSL) 296 ff.
 - angle-resolved 297
 - applications 298
 - ordered-particle arrays 296
 - schematic representation 296
 - nanotubes 189
 - nanowires 182, 189
 - native Co nanocrystals, thermal stability 24
 - Neel expression 253
 - nematic director 179, 181
 - nematic gels, vanadium pentoxide ribbons 183
 - nematic order parameter 179
 - nematic phases 175, 178, 180
 - neural cells 168
 - Newton's law 204
 - nickel hydroxide disklike nanoparticles 201
 - noble metal nanoparticles 113
 - nonfilm solid matrices 106
 - nonmagnetic fluid 85
 - nuclear magnetic resonance (NMR)
 - ribbon structures 188
 - structural determination of biomolecules 207
 - nucleation, supersaturated fluids 78
- o**
- Ocean Optics 289
 - octahedron shape 59
 - octane 144
 - octanethiol 16
 - octanoic acid 266
 - oleic acid 65
 - oleyl amine 65
 - Onsager model 179, 182, 187, 194, 206
 - optical memory media 150
 - optical micrographs, patterned polystyrene films 162
 - optical stop band 148
 - optical switches 150
 - optical transmittance spectra 148
 - organic templates 124
 - oscillatory shear of solid colloidal crystals 136
 - osmotic pressure 150
 - oxygen plasma 95
 - etching 147
- p**
- palladium-bipyridine square molecules 127
 - palladium nanocrystals, coating agent 16
 - palladium nanoparticles
 - monometallic 99
 - resins 110
 - synthesis in micropores of SBA-15 107
 - palladium on Ag bimetallic nanoparticles 98
 - palladium(II) complex, PS-PEG supported 110
 - paranematic 206
 - particle patterns 297
 - particle-substrate interaction, strength 6
 - particle-substrate junction 240
 - pattern
 - formation of deposited polymers 160 f.
 - geometry 84
 - hierarchical 299
 - size characterization 84
 - transfer 300
 - patterned deposition, electron-beam (EB) lithography 280
 - patterned substrates for lattice structure control 142
 - phase diagram
 - investigation technique 177
 - vanadium pentoxide 188
 - phase identification 49 ff.
 - electron diffraction data 54
 - magnetic nanocrystals 52 f.
 - phase separation
 - biphasic gap 194
 - isotropic/nematic 194
 - phase transformation 65 ff.
 - phenyl ether 50
 - photodiode, avalanche 235
 - photoemission spectra of Ag nanocrystal films 225
 - photon map 235, 240
 - profiles 237
 - photonic bandgap 148
 - photonic crystals 148
 - formation from colloids 149
 - tunable 149
 - photooxidation 113
 - pincushion 166
 - Piranha solution 281
 - plasmon frequency 235

- plasmon-mode-assisted inelastic electron tunneling 232
 - plasmon modes 231, 238
 - collective 240
 - coupled 241
 - excited 242
 - scheme of the two-particle 242
 - single-particle dipolar 241
 - plasmon resonances 223
 - platinum acetylacetonate 65
 - platinum deposition 296
 - platinum nanoparticles
 - carbonization of 112
 - fabrication 94
 - inorganic matrices 107
 - zero-valent 106
 - polarization ratio spectra of Ag nanocrystal film 226
 - polarized electron spectroscopy 225
 - polarized light, of spherical particles 223
 - polarized-light microscopy
 - aqueous clay gels 191
 - images of birefringent droplets 180
 - mineral system investigation 177
 - nematic suspension of $\text{Li}_2\text{Mo}_6\text{Se}_6$ 181
 - polarizing microscope 177
 - poly(2-vinylpyridine) (P2VP) 291
 - microdomain 103
 - poly(acrylic acid) (PAA) 104
 - poly(allylamine hydrochloride) (PAH) 104
 - polycrystalline shells 54
 - poly(dimethylsiloxane) (PDMS) 144
 - polyelectrolyte-metal ion complex 105
 - polyelectrolyte thin films 104 ff.
 - poly(ethylene glycol) 111
 - polyimide 165
 - films 103
 - surface layer modification by 101
 - polyimide layers
 - Cu nanoparticles synthesis 102
 - fabrication of metallic Ag, Cu, Pd nanoparticles 101
 - polyisobutene chains 194
 - poly(N-isopropylacrylamide) 133
 - polymer
 - brushes 291
 - flexible 183
 - fluorinated 167
 - grafting 175
 - hydrophobic 167
 - hydrosoluble 175
 - patterns 160
 - template 124
 - trigger for controlled assemblies 121
 - polymer films 101 f.
 - mold for regular patterns 167
 - ladder patterns 163
 - preparation of honeycomb-patterned 164 ff.
 - polymer matrices 101, 110 f.
 - metal nanoparticles fabrication 110
 - polymer solutions, drying 159
 - poly(methyl methacrylate) (PMMA) 280, 303
 - polyol reduction process 60
 - polystyrene 111
 - beads 307
 - reactive ion etching 143
 - spheres 144
 - superstructures 134
 - polystyrene films
 - AFM images 162
 - optical micrographs 162
 - polystyrene particles
 - fluorescent 139
 - nonfluorescent 139
 - poly(styrene-*b*-2-vinylpyridine) (P(S-*b*-2VP)) 103
 - poly(styrenesulfonic acid) 105
 - poly(vinyl alcohol) (PVA) 204
 - porcelain 307
 - pore size control 165
 - potassium hydroxide 101
 - programmed assemblies 121
 - propanoic acid 309
 - protrusions, tip-formed 236
 - P(S-*b*-2VP), *see* poly(styrene-*b*-2-vinylpyridine)
 - pseudoaggregation 142
 - pseudo-rotaxane assembly 121
 - Purcell effect 231
- r**
- Raman scattering 218
 - Raman spectroscopy 216
 - Rayleigh-Benard convection 159
 - reactive ion etching (RIE) 301
 - two-step 303
 - reflectivity measurements 220
 - reflectivity spectra of Ag monolayer 224
 - regular dynamic patterning 159
 - regular pattern formation, classification 158
 - regular patterns
 - fabrication 157
 - drying polymer solutions 160
 - regular polymer patterns, applications 167
 - regular stripe patterns 160

- relaxation 245
 - times 253
- remanence magnetization 254
 - Co nanocrystals 259
 - reduced 256
- resin dispersion, amphiphilic 110
- rheology, mineral liquid crystal 204
- ribbons, vanadium pentoxide 182 ff.
- rigid rodlike nanoparticles 180
- ring geometry 301
- RKKY interactions 255
- rodlike particles, 2D phases 200
- Rosensweig instability 41
- s**
- SAED, *see* selected-area electron diffraction
- saturation magnetic moment 256
- saturation magnetization 80, 254, 274
- SBA-15 107
- scanning electron microscopy (SEM)
 - 3D aggregates 20
 - 3D films of spherical Co nanocrystals 39
 - cigar-shaped maghemite nanocrystals 40
 - coated maghemite nanocrystals 268
 - Co nanocrystals 9
 - labyrinthine structure 44
 - mesostructures made of Co nanocrystals 43
 - silver colloidal solution 15
 - silver nanocrystals 215
 - supra crystals of Ag and Co 12
 - supra crystal of Co 15
 - using MoS₂ as the substrate 21
- scanning electron microscopy (SEM) patterns
 - Ag nanocrystals coated with dodecanethiol and deposited on HOPG 313
 - Co superlattices 266
 - maghemite subjected to an applied magnetic field 311
- scanning tunneling luminescence (STL) 231 ff.
 - mechanisms 232
 - metal nanoparticles 227
 - photon map 236
- scanning tunneling microscopy (STM) 232, 284
 - induced photon emission 226
 - silver nanoparticle monolayer 243
 - single-particle contacts 239
- scanning tunneling microscopy (STM) junction 236
 - current-voltage characteristic 240
 - mechanisms for luminescence 233
- Scherrer formula 187
- Schiller layers 196
- Schlieren texture 181
- selected-area electron diffraction (SAED) 59
 - pattern 272
 - self-assembled nanoparticles 70
- self-assembled 2D array, reflectance on HOPG 222
- self-assembled monolayer (SAM) 279, 282 f., 299
 - formation monitoring 283
 - in-situ functionalization 283
 - preparation 282
 - properties 282
 - structure analysis 283
- self-assembled structures 143 ff.
 - flexible 144
 - processing 143
 - solid surfaces 144
- self-assembled superstructures 70
 - 3D model 71
- self assembly 31 f., 49 ff.
 - anisotropic nanoparticles 173 ff.
 - applications 285
 - evaporation driven 140
 - external forces 9, 31
 - iron oxide nanoparticles 70 f.
 - multilayer preparation 285
 - nanocrystal micelles 142
 - preparation of multilayers 285
 - solution deposition 11
- self-assembly process
 - dynamic 158
 - regular pattern fabrication 157
 - static molecular 158
- self-organization
 - Ag nanocrystals 213 ff.
 - inorganic nanoparticles 1 ff.
- self-evaporation technique 146
- SEM, *see* scanning electron microscopy
- semiconductor nanocrystals, 149
- semiflexible wires
 - Li₂Mo₆Se₆ 181
 - molybdenum selenide ion chains 181
- sensing materials
 - chemical 150
 - optical 150
- shapes of magnetic nanocrystals 58
- shear rate of the H₃Sb₃P₂O₁₄ lamellar gels 203
- shear stress of the H₃Sb₃P₂O₁₄ lamellar gels 203

- shear-thinning 204
- shrinkage
 - capillary stress 308
 - cracks 307 ff.
- silica
 - reactive ion etching 143
 - superstructures 134
- silica colloids, monodisperse 135
- silica films
 - cross section of silver particles 93
 - mesoporous 92
 - TEM of the calcinated mesoporous 93
- silica xerogels, mesoporous 107
- silicon
 - anisotropically etched, 145
 - substrate in reflectivity measurements 223
- silicone fluid 192
- silver colloidal assay 122
- silver nanocrystals 1, 171 ff., 213 ff.
 - coated with dodecyl alkyl chains 214
 - coating agent 16
 - collective properties 214
 - crack characteristics 316
 - crack patterns 312
 - interparticle gap control 17
 - photoemission spectra on Au and HOPG substrates 225
- silver nanoparticles
 - by LbL polyelectrolyte films 104
 - carboxylic acid-coated 121
 - colloidal 238
 - crystalline 95
 - examined by SERS 114
 - experimental reflectivity spectra 222
 - fabrication 92
 - fluorocarbon-stabilized 127
 - formed in P2VP phase 103
 - in-situ fabrication 99
 - optical properties 113
 - TiO_2 film 95
 - reflectivity spectra 224
 - synthesis 238
 - triangular 288
- silver oxide nanoparticles, amorphous 95
- silver-palladium bimetallic nanoparticles, catalytic activity 113
- silver polycrystals 28
- silver, spherical 31
- silver sulfide nanocrystals 20 ff.
 - interparticle gap control 16
 - substrate influence 19
- sintering technique 144
- size distribution effect 6
- small-angle X-ray diffraction (XRD) 12 ff.
- small-angle X-ray scattering (SAXS)
 - mesophase investigation 178
 - studies of lamellar $\text{H}_3\text{Sb}_3\text{P}_2\text{O}_{14}$ gels 203
- small-angle X-ray scattering (SAXS) pattern
 - laponite gel 193
 - nematic suspension of vanadium pentoxide ribbons 186
 - goethite 201, 205
 - $\text{H}_3\text{Sb}_3\text{P}_2\text{O}_{14}$ suspension 198
- smectic B phases, thermotropic 196
- smectic phases 175
 - 2D 189
- soft magnetic phases 56, 58
- sol-gel reaction 127
- sol-gel transition 176, 192 f.
- solid colloidal crystals 135 ff.
 - control of contact line 136
 - control of orientation 136
 - growth rate 137
 - lattice structure 137
 - preparation methods 140
 - sedimentation method 136
- solid matrices 91 ff.
- solvation forces 5
- solvent
 - evaporation 8, 160
 - evaporation rate 31
 - migration 32
- source term 237
- spheres lithography 296
- spherical harmonics 216
- spin casting 299
- spin coating 296, 301
 - technique 142
- SPR, *see* surface plasmon resonance spectroscopy
- sputtering 280
- square Fourier transform 28
- SQUID magnetometer 178
- stacked tetrahedra 63
- star polymers
 - conducting 165
 - inorganic 165
- starch-water mixture 307
- steric forces 5
- steric repulsion 5
- steric stabilization 2
- STM, *see* scanning tunneling microscopy
- Stockmayer fluids 78
- Stokes-anti-Stokes, Raman spectroscopy 216

- Ag nanocrystals 217
 - small supra crystals 216
 - Stoner-Wohlfarth magnetic particles 257
 - Stoner-Wohlfarth model 256
 - structure
 - formation due to evaporation 41
 - submicrostructures by reactive ion etching 143
 - subnanoclusters 110
 - substrate
 - effect 6
 - influence on deposition 19
 - parallel applied field 34
 - patterned, lattice structure control 142
 - perpendicular applied field 40
 - preparation 280 ff.
 - sulfonic acid groups 105
 - superconductors type I 82
 - superlattices
 - Au and CdSe 15
 - 2D and 3D 2, 11 ff.
 - of FePt nanocrystals 25
 - TEM pattern 11
 - superparamagnetic limit 50, 253
 - superparamagnetic nanocrystals 252
 - superparamagnetic relaxation 253
 - superparamagnetism 270
 - superstructures 134
 - self-assembled 70
 - types 70 f.
 - supra crystals 11 ff., 262, 315
 - diffractograms of Co nanocrystals 275
 - formation 216 f.
 - surface charge density 174
 - surface differential reflectance (SDR) 221
 - surface energy 84
 - surface-enhanced Raman scattering (SERS) 114, 231
 - applications 298
 - surface modification 101
 - surface occupation fraction 261
 - surface plasmon absorption bands 288
 - surface plasmon resonance (SPR)
 - applications 287
 - longitudinal 226
 - sensitivity 287
 - transversal 226
 - surface plasmon resonance (SPR) spectroscopy 279, 286
 - gold-nanoparticle-enhanced 289 ff.
 - immunosensing 289
 - schematics 286
 - surface sol-gel process 95
 - surfactants 124
 - susceptibility measurements 252
 - swelling law 187
 - synchrotron small-angle X-ray scattering 182
- t**
- tactoids 181
 - TEM, *see* transmission electron microscopy
 - tetraethoxysilane 107
 - tetrahedral atomic cluster 64
 - Texas Instruments Spreeta SPR sensor 287
 - thermal stability 24
 - thermotropic liquid crystals 173
 - time stability 24, 29
 - tip-formed protrusions 241
 - tip-particle junction 240, 245
 - tip-sample distance 234
 - tip-surface junction 234
 - titania nanotubes 110
 - titanium dioxide
 - films 95 ff.
 - macroporous 148
 - mesoporous 148
 - mesoporous films 94
 - titanium dioxide inverse opals, photocatalytic activity 146
 - titanium dioxide thin film 99
 - model for molding effect 100
 - titanium(IV) isopropoxide 149
 - tobacco mosaic virus (TMV) 179
 - suspensions 192, 205
 - top-down approach for mineral liquid crystals 181
 - total free energy 84
 - trans zigzag conformation 16, 18
 - transmission electron microscopy (TEM)
 - Ag nanocrystals 8
 - Ag nanoparticle characterization 214
 - AgS monolayer 10
 - Au nanoparticles in porous titania filaments 108 f.
 - calcinated mesoporous silica film 93
 - cigar-shaped maghemite nanocrystals 40
 - cross sectional of polyimide films 103
 - determination of core-shell nanoparticles 54
 - 3D images of silver aggregates 11
 - hexagonal superstructure 69
 - high magnification 69
 - Co nanocrystal 7
 - Co nanocrystal multilayer 25
 - imaging of ribbon synthesis 183
 - low magnification 51, 69

- micrographs of P(S-b-2VP) films 104
 - morphology of FePt nanocrystals isothermally treated 67
 - Pd-on-Ag core shell bimetallic nanoparticles in TiO₂ gel film 99
 - phase transformation analysis 65
 - ring organization of Ag, Co and maghemite nanocrystals 32
 - spherical maghemite nanocrystals 35
 - thiocholine bromide-stabilized Au nanoparticles 126
 - ultrafine FePt 61
 - transmission electron microscopy (TEM) patterns
 - disordered and coalesced particles 220
 - spherical particles 220
 - transmission surface plasmon resonance (T-SPR) spectroscopy 286 ff.
 - schematics 288
 - truncated octahedral shape of monodisperse FePt 66
 - truncated octahedral superstructure 70
 - truncated octahedral (TO) nanoparticles 70
 - truncated octahedron shape 59 f.
 - truncated tetrahedral platelets (TTP) of Fe₃O₄ nanocrystals 69
 - truncated tetrahedron shape 59
 - tunable photonic crystals 149
 - tunnel barrier 239, 245
 - tunnel current 226, 234, 238
 - tunneling 233
 - tunneling Hamiltonian formalism 234
 - tunneling matrix element 234
 - tunneling process, non-emissive two-step 245
- u**
- UHV STM 235
 - ultrathin films 95 ff.
 - layer-by-layer self-assembled 284
 - metal oxide 95
 - nanoparticle fabrication 99
 - optically transparent 279
 - spontaneous, LbL-self assembled 284 f.
 - ultrathin gold nanoislands 280
- v**
- vacuum deposition 280
 - vacuum evaporation 280, 289
 - van der Waals attractions 80, 188, 198
 - van der Waals attractive potential 72
 - van der Waals forces 4, 23
 - van der Waals interactions 2, 9, 34, 175, 267
 - vanadium pentoxide ribbon 184 ff.
 - electric field effects 207
 - vanadium pentoxide solution 184
 - vibrational frequency 216
 - video microscopy image of Co nanocrystal solution 42
 - viruses as templates 124
 - volume fractions 179
 - Voronoi pattern 160
- w**
- water-gas shift reaction 101, 113
 - Wistar rat hepatocytes 167
 - wurtzite CdSe/CdS core-shell semiconductor nanoparticles 50
- x**
- X-ray diffraction (XRD) patterns
 - Ag nanocrystals 215
 - Co supra crystals 13
 - XRD, *see* small-angle X-ray diffraction
- z**
- Zeeman energy 255
 - zero-field cooled and field cooled (ZFC/FC)
 - curve 263, 273, 275
 - experiments 257
 - zirconia, mesoporous 107