

Index

a

- absorption 4 ff
 - bandgap engineering 171, 174
 - bulk GaAs 155
 - coefficients 4, 83
 - cooling theory 151
 - cryocoolers 119
 - density of states engineering 172
 - Er³⁺-doped materials 103
 - fluoride single crystals 76, 83
 - luminescence 139 ff, 149
 - metal-ion impurities 46
 - microscopic theory 141 ff
 - mirror heating 129
 - rare-earth-doped materials 39
 - thermodynamics 222
- absorption–emission cycle 36
- absorption–luminescence cycle 151
- absorption–re-emission processes 93
- acceptors 162
- active ions 35–40, 48
- actual performance 214 ff
- aerosol dust particles 51
- ammonium pyrrolidine dithiocarbamate (APDC)
 - chelate 52 ff, 57 f
- annihilation operators 141
- antireflection coating 124
- anti-Stokes fluorescence 1, 198
 - design/applications 113, 117
 - rare-earth-doped materials 33
 - thermodynamics 228
- anti-Stokes luminescence 75
- applications 133–168
- aqueous precursor route 49, 54 f
- Auger recombination 140 ff
 - bandgap engineering 178
 - cooling theory 151
 - GaAs quantum wells 159 ff

- surface plasmon polaritons 192
- see also* recombination

b

- background absorption 16, 21
 - bandgap engineering 178
 - cooling theory 151
 - Er³⁺-doped materials 112
 - GaAs quantum wells 161
 - metal-ion impurities 46
 - thermodynamics 222
- background dielectric constant 140
- band blocking 13, 20
- band diagrams 182
- band-edge transitions 187
- band-filling effects 157
- bandgap energy 204
- bandgap engineering 169–196
- bandgap semiconductors *see* semiconductors
- bandgaps
 - Er³⁺-doped materials 97
 - shift/broadening 23
 - structures 22
- band-tail states 18, 175
 - see also* Urbach tail
- band-to-acceptor luminescence 163
- basic concepts 1–33
- BaY₂F₈ (BYF) 7, 35, 52
 - Czochralski growth 66 ff
 - fluoride single crystals 77–89
 - thermal properties 41 ff
- Beth–Uhlenbeck formula 146
- BIG (fluoroindate) fabrication 65
- binding energies 162, 172
- black precipitates 45, 57
- black-body radiation
 - design/applications 119
 - thermal load 11

- thermodynamics 208, 212
- Bloch wave functions 176
- blueshift 170, 193
- Boltzmann statistics 9, 12, 18, 199 ff
- Bose function 142
- Bose–Einstein condensates 1
- Bose–Einstein distribution 19, 205
- break-even cooling condition 21
- break-even nonradiative decay 16
- break-even nonradiative lifetime
 - 155, 161
- break-even recombination 170, 178
- Bridgman–Stockbarger crystal growth
 - 65, 99
- brightness temperature 203 ff,
 - 212 ff
- broadening 148, 174
- bromide crystals 48, 68
- bulk cooling
 - Er³⁺-doped materials 105 ff
 - fluoride single crystals 89 ff
 - GaAs 153 ff
 - thermodynamics 197–225
- bulk semiconductors 162 ff

c

- carbon impurities 162
- Carnot coefficients 27, 197–225
- casting 64 ff
- cavities 11
- cavity mirrors *see* mirrors
- charge carriers 12, 139 ff
- chelating agents 52 ff
- chemical durability 40 ff
- chemical potential 142–160, 176
- chloride crystals
 - KP₂Cl₅ 77
 - net optical refrigeration 35
 - rare-earth-doped materials 68
- chloride glass fabrication 48, 65 ff
- chloride hydrolysis 98
- chlorofluoride glasses 101
- clean environment 51 ff
- CNBZn (fluorochloride) glasses 65,
 - 110
- coefficient of performance (COP) *see*
 - Carnot coefficients
- coherent anti-Stokes Raman scattering
 - (CARS) 230
- collinear photothermal deflection
 - spectroscopy 101
- concentration quenching 40, 46
- conductance 23

- conduction band
 - GaAs quantum wells 159
 - luminescence 141 ff
 - type II quantum wells 182
- conductivity 42, 77
- contaminations 50, 78
- cooling by anti-Stokes emission
 - (CASE) 105 ff
- cooling coefficients 200, 224
- cooling efficiency 1 ff, 6, 14
 - bandgap engineering 169–196
 - bulk GaAs 156
 - design/applications 117
 - Er³⁺-doped materials 101–115
 - fluoride single crystals 87 ff
 - luminescence 140
 - rare-earth-doped materials
 - 36 ff, 40
 - rare-earth-doped solids 7 ff
 - surface plasmon polaritons
 - 192
 - type II quantum wells 180
 - ZBLAN fabrication 63 ff
- cooling elements 117, 131
- cooling theory 151 ff, 162
- copper impurities 10
- correction factors 44
- costs 136 ff
- Coulomb interactions
 - bulk semiconductors 153, 162
 - GaAs quantum wells 159
 - luminescence 139 ff, 145
 - rare-earth-doped materials 37
- Coulomb screening 13, 21, 152
- creation operators 141
- crucible materials 62
- cryocoolers 1, 26
 - fluoride single crystals 75
 - modeling 119, 134 ff
- crystal field splitting 10
- crystal growth
 - Er³⁺-doped materials 101
 - fluoride single crystals 77
 - rare-earth-doped halides 65 ff
 - ZBLAN 62
- crystals 35
- Cs₃Tl₂C₁₉ crystals 66
- Czochralski growth 65, 77 ff

d

- defects
 - bandgap engineering 188

- rare-earth-doped materials 36, 45
- degeneracy factors 5, 38
- degradation 117
- density of states 171 ff, 204
- density-matrix analysis 176
- design
 - laser refrigerators 124 ff
 - rare-earth-doped materials 33–74
- devitrification theory 59
- dielectric constant 140 f
- dielectric mirrors 117, 121
- diethyl dithiocarbamate (DDTC)
 - chelate 52
- differential luminescence
 - thermometry (DLT) 23, 35, 58
- dipole matrix 142
- direct gap semiconductors 12 f
- dispersion 143, 190
- dissolution 63 ff
- distillation 55 ff
- donor–acceptor transitions 171 ff, 183
- doping 162, 172 ff
- Doppler cooling 33, 197
- drying 54 ff
- Dyson equation 144

e

- effective temperature 200
- efficiency *see* cooling –, quantum efficiency etc.
- Einstein relations 87
- electrochemical purification 57 ff
- electroluminescent cooler 204
- electromagnetic noise 134 ff
- electron configurations 37
- electron–hole pairs 13, 20
 - bandgap engineering 171
 - GaAs quantum wells 159 ff
 - luminescence 139–150
 - type II quantum wells 180
- electron–hole plasma 145
- electronic domains 169–196
- electron–phonon interaction 5 f
- emission 225
 - Er³⁺-doped materials 109
 - fluoride single crystals 77
 - reabsorption 87
- energy accumulation 222
- energy bands 139

- energy flux 206
- energy gaps 75
- energy level separation 4, 82
- energy migration 39
- energy transfer 189
- energy transfer upconversion (ETU) 109 ff
- engineering
 - bandgap 169–196
 - density of states 171 ff
- entropy/–flux 197–212
- epitaxial growth techniques 22
- Er³⁺-doped materials 97–116
- erbium-doped fiber amplifiers (EDFAs) 34
- escape probability 14
- evaporative losses 63 ff
- excited state absorption (ESA) 108 ff
- excited states
 - Er³⁺-doped materials 103, 109
 - hopping 119
 - population 221
 - rare-earth-doped materials 37
- exciton density 146
- exciton–exciton scattering 19
- excitonic effects
 - bandgap engineering 176
 - cooling theory 151
 - GaAs 153, 161
 - quantum wells 161
- excitonic resonances 141, 149
- excitons–phonons coupling 148
- expansion, thermal 43
- experimentals
 - Er³⁺-doped materials 101 ff
 - fluoride single crystals 78 ff
 - semiconductors 21 ff
- external quantum efficiency (EQE) 15–27
- external resonant cavity 11
- extraction coefficient 160

f

- fabrication, rare-earth-doped materials 33–74
- fast thermalization 110
- Fermi fluid 153
- Fermi functions 142 ff, 192
- Fermi–Dirac distributions 12
- fiberglass-epoxy support 119
- filtration 51 ff
- fining 63
- fluorescence 7

- cryocoolers 117 f, 124 f
- design/applications 117
- fluoride single crystals 80, 87
- KPb_2Cl_5 crystal 98
- thermodynamics 198, 215
- type II quantum wells 183
- upconversion 1, 6
- fluorescence quantum efficiency
 - Er^{3+} -doped materials 103
 - thermodynamics 215, 221, 226
 - see also* quantum efficiency
- fluoride crystals/glasses
 - chemical durability 42
 - net optical refrigeration 35
 - rare-earth-doped materials 65 ff
 - single crystals 75–96
- fluorination 54 ff
- fluorochloride glass
 - CNBZn:Yb^{3+} 34, 65
 - Er^{3+} -doped materials 101 ff
 - net optical refrigeration 35
- fluoroindate glasses (BIG) 65
- fluorozirconate glasses (ZBLAN)
 - chemical durability 42
 - purity 45
 - Yb-doped 75–89
- flux temperature 203, 212
- four-level model 4 ff
- free-carrier absorption (FCA) 17
- full blackbody thermal load 11
- full T matrix theory 147
- fundamentals 1–33
- future rare-earth-doped materials 66 ff

g

- GaAs 17, 21 ff
 - absorption spectra/photoluminescence 177
 - cooling efficiency 17, 173
 - luminescence 142
 - photonic bandgap structure 187
 - quantum wells 159 ff
 - thermodynamics 204
- GaN 189
- gaps *see* band gaps
- Gaussian profiles 206
- glasses
 - Er^{3+} -doped 101
 - net optical refrigeration 35

- RE-doped 59 ff, 64 ff
- Yb^{3+} -doped 7
- ZBLAN 64 ff
- ZrF_4 systems 59 ff

Green's function

- bulk semiconductors 156, 162
- luminescence 143–150

ground-state 9, 109

growth 22

- apparatus 78 ff
- Bridgman–Stockbarger 65 f, 99
- Czochralski 65 f, 77 ff
- epitaxial 22
- glass fabrication 65

h

halide crystals/glasses

- Er^{3+} -doped 97
- rare-earth-doped 65 ff

Hamiltonian 140

hardness, fluoride single crystals 77

Hartree–Fock level 140, 144, 153

heat capacities 3 ff, 42

heat sink

- cryocooler 117 ff, 127 ff
- laser refrigerator 134
- microcoolers 136
- surface plasmon polaritons 189
- thermodynamics 197

heat transfer 119

heating by background absorption (HBA) 58

heat–light conversion 197

heavy metal fluoride glasses (HMFG) 34

- chemical durability 42
- fabrication 59

heavy metal halide systems 98

high-purity 21, 48 ff

see also purity

high-temperature limit 107

historicals 33 ff, 198 ff

holes density 163

homogenization 63 ff

host materials 7, 67

- cryocoolers 120
- Er^{3+} -doped 97 ff, 107
- fluoride single crystals 76, 92
- future trends 67
- rare-earth-doped 40 ff
- vibrational impurities 45

hot mirror 218
 humid environments 42
 hydrogen fluoride gas 54 ff
 hydrolysis 42, 98
 hydroxyl

- fluoride single crystals 78
- precursors 48, 54, 62

hygroscopic materials 42

i

impurities 10

- bandgap engineering 174
- fluoride single crystals 76
- hydroxyl 48, 54, 62, 78
- precursor fabrication 50
- rare-earth-doped materials 36, 45 ff, 57 ff

indium-based layers 181
 InF₃ oxidizers 61
 infrared devices 35, 118
 infrared transparency 97
 interband absorption 13 f, 20
 internal reflection 6, 11, 21, 26

- mirror heating 130
- rare-earth-doped materials 43

intra-laser-cavity 11
 ion mobility 64
 ionization 145, 172
 iron impurities 10
 irradiance 208
 isotropic energy bands 141

j

Joule heating 204, 217

k

Keldysh contour 143, 164
 kinetic holes 142
 Knoop hardness 78
 KPb₂Cl₅ crystal

- Bridgman–Stockbarger growth 66
- Er³⁺-doped materials 98 ff
- excitation spectra 110

Kramers–Kronig relation 143, 149
 Kubo–Martin–Schwinger (KMS) relation 14, 142, 159
 KY(WO₄)₂:Yb³⁺ crystals 34

l

Lambert's law 206
 laser cooling/refrigerating 1

- design/applications 117–138

- fluoride single crystals 75–96
- rare-earth-doped materials 3, 33–74
- semiconductors 12 ff, 134 ff, 169–196

laser dye solutions 139
 laser excitation 4
 lattice interactions 1, 6
 lattice temperature 19
 layers 162, 181
 leakage 120 ff, 124 ff, 131
 lifetime 134 ff
 light extraction efficiency 117, 169

see also extraction efficiency

light field, quantized 142
 light propagation effects 150
 light-emitting diodes (LEDs) 21
 lineshape profile 208
 Liouville's theorem, s 200
 LiYF₄ (YLF) fluoride single crystals 77–89
 load 2
 longitudinal acoustic phonons 148
 longitudinal optical phonons 148, 176
 losses 19, 139

- luminescence 150
- ZBLAN fabrication 63 ff

low phonon energy 97 ff
 luminescence 21

- bandgap engineering 174
- Er³⁺-doped materials 108
- fluoride single crystals 87
- microscopic theory 139–168
- rare-earth-doped materials 37
- thermodynamics 199
- upconversion 1, 13

m

magnetic noise 134 ff
 manybody interactions 12, 20

- bandgap engineering 174
- cooling theory 151
- luminescence 139

mass, cryocoolers 134 ff
 materials/–purity

- Er³⁺-doped 97–116
- fluoride glasses 65 ff, 75–96
- rare-earth-doped 33–74

matrix elements 171
 maximum allowable nonradiative decay 16
 McNamara–Mair devitrification 59

mechanical coolers 133
 mechanical properties
 – fluoride single crystals 76
 – rare-earth-doped materials 40
 melt quenching 61
 metal halides 56
 metal organic chemical vapor
 deposition (MOCVD) 22
 metal-chelate complexes 52
 metal–dielectric interface 189
 metal-ion impurities 46 ff, 54
 see also impurities
 methyl-isobutyl-ketone (MIBK)
 52 ff, 57
 microcooling applications 136 ff
 microhardness 78
 microscopic luminescence theory
 139–168
 mirrors
 – design/applications 117
 – dielectric 7, 10 f
 – heating 129 ff
 – hot 218
 – rare-earth-doped materials 43
 – thermodynamics 224
 modeling/design 119 ff
 modulation beams 103
 molecular beam epitaxy (MBE) 25
 momentum space 142
 monochromatic light 1
 monoclinic crystalline structures 77,
 98
 Mott transition 146, 149
 multimode fiber-coupled laser 2
 multiphonon decay 8
 multiphonon relaxation
 – chemical durability 42
 – Er^{3+} -doped materials 97, 108
 – rare-earth-doped materials 37,
 40 ff
 – thermodynamics 224
 – vibrational impurities 45
 see also relaxation
 multiplets 37

n

nanogaps 22, 26
 narrowband light 197–213
 net optical refrigeration 35
 non-Lorentzian exciton lineshape
 148
 nonradiative recombination
 – bandgap engineering 169

 – cooling theory 151
 see also recombination
 nonradiative relaxation
 – rare-earth-doped materials 33
 – thermodynamics 214
 – vibrational impurities 45
 – ZBLAN fabrication 62
 see also relaxation
 nonradiative transitions 76
 normalization 210
 numerical aperture 130

o

occupation number 18, 205, 211,
 220, 224
 open-batch processing 51
 operating temperatures 42
 optical cooling/refrigeration 202
 – cryocoolers 119
 – design/modeling 119 ff
 – microcoolers 136
 – net 35
 – solids 1 ff
 see also laser cooling
 optical parametric oscillators (OPOs)
 39
 optical phonons 34
 optical transitions 7 ff
 optimum cooling rate 63 ff
 oscillator strength 171
 oxide crystals
 – chemical durability 42
 – fluoride single crystals 77
 – net optical refrigeration 35
 – rare-earth-doped 48
 see also YAG
 oxide glasses 42

p

parasitic absorption 3 ff, 10 ff, 151
 see also background absorption
 parasitic heating 3 ff, 10 ff
 – fluoride single crystals 81
 – microcoolers 136
 parasitic loads 120
 partial entropy 211
 Pauli exclusion principle 153
 Peltier devices 8
 performance coefficient *see* Carnot
 coefficients
 periodically poled lithium niobate
 (PPLN) 39
 phase-space filling 152

- phenomenological cooling model 111 ff
 - phonons 1
 - Er³⁺-doped materials 97 ff
 - fluoride single crystals 77
 - GaAs quantum wells 159
 - rare-earth-doped materials 34
 - transitions 174 ff
 - photoluminescence 18, 178
 - photonic bandgap engineering 169–196
 - photons 2 ff
 - cryocoolers 119
 - cycles 139
 - propagation 204
 - tunneling 26
 - waste recycling 27
 - photothermal deflection (PTD)
 - cryocoolers 124
 - Er³⁺-doped materials 101 ff
 - rare-earth-doped materials 35
 - photovoltaic converters 227
 - physical consistency conditions 149
 - physical properties 77 ff
 - Planck distribution 203 ff, 206, 211
 - Planckian thermal radiation 197
 - plasma fraction 145
 - plasma screening 153
 - polariton effects 151
 - polarization 85, 88, 124
 - population dynamics 103, 111
 - power density 12
 - power efficiency 123
 - ppb-level impurities 50, 57
 - precipitates 45, 60
 - precursors 48 ff
 - probabilities 120, 210
 - process equipment/conditions 50 ff
 - propagation constant 189
 - pulse tube coolers 133
 - pumping
 - absorption 11
 - bandgap engineering 179
 - cryocooler modeling 128
 - design/applications 117
 - Er³⁺-doped materials 102–114
 - fluoride single crystals 87 ff
 - luminescence frequency 139 f
 - mirror heating 130
 - resonant 108
 - thermodynamics 202–227
 - wavelengths 7
 - Purcell factors 189
 - purity/purification
 - fluoride single crystals 78 ff
 - KPb₂Cl₅ crystal 99
 - precursor fabrication 50 ff
 - rare-earth-doped materials 46–60
- q**
- quantitative radiation thermodynamics 204 ff
 - quantized light field 142
 - quantum efficiency 4 ff
 - bandgap engineering 179
 - density of states engineering 171
 - design/applications 117
 - Er³⁺-doped materials 103
 - fluoride single crystals 76
 - rare-earth-doped materials 37–45
 - thermodynamics 198–226
 - type II quantum wells 182
 - vibrational impurities 46
 - quantum wells
 - GaAs 159 ff
 - type II 180 ff
 - quantum-confined systems 140
 - quasi-thermal equilibrium 142, 160
 - quenching centers 77
- r**
- radiance 205
 - radiation temperatures 197
 - radiation thermodynamics 204 ff
 - radiative lifetime 182
 - radiative recombination 139 ff
 - rare-earth ions 37 ff
 - rare-earth-doped materials 12 ff
 - BaY₂F₈ /LiYF₄ 7, 35, 41–68, 77–85
 - design/fabrication 33–74
 - glasses 139
 - solids 3, 7 ff
 - reactive atmosphere processing 60
 - recombination 6, 13 f, 21
 - cooling theory 151
 - emission 204
 - GaAs 153, 157 ff
 - radiative 139 ff
 - recrystallization 51 ff
 - reddening effect 120
 - reflectance 125
 - reflection 6, 214

refractive index 19
 – fluoride single crystals 77
 – luminescence 142
 – rare-earth-doped materials 40 ff
 refrigeration technologies 133 ff
 relaxation
 – Er^{3+} -doped materials 97, 108
 – rare-earth-doped materials 34 ff
 – thermodynamics 214
 – vibrational impurities 45
see also multiphonon relaxation
 reliability 134 ff
 renormalizations 145
 retroreflectors 130
 Roosbroeck–Shockley relation 14
 ruggedness 134 ff

s

Saha equation 146
 saturation 13
 – bandgap engineering 173
 – cryocooler modeling 122
 – thermodynamics 223
 scattering 45, 214
 scheelite structure (YLF) 77
 screened Hartree–Fock (SHF) model 154
 second-order T matrix 147
 self-energies 140–156
 SEM micrographs 26
 semiconductors 2 ff
 – bandgap engineering 169–196
 – bulk 162 ff
 – direct gap 12 ff
 – efficiency 134 ff, 169–196
 – luminescence 139–168
 separation techniques 52
 Shannon entropy 210
 Sheik-Bahae–Epstein (SB-E) theory 153 f, 157 f
 shielding 37
 Shockley–Reed–Hall recombination 169
 silver layers 124
 simplified fluoride glasses 67 ff
 single crystal fluorides 75–96
 single-pass configuration 89 ff
 SnF_4 oxidizer 61
 sodium spectrum 198
 sol–gel synthesis routes 49
 solids 1–33

solvent extraction 52 ff
 spacecraft applications 135
 specific power 135
 spectral energy flux density 206
 spectroscopy
 – Er^{3+} upconversion properties 108 ff
 – fluoride single crystals 80–86
 spin–orbit interaction 37
 spontaneous emission 3, 189
 stability parameters 59
 Stark sublevels 82
 steady-state solution 5
 Stefan–Boltzmann constant 210
 Stirling’s approximation 133, 210
 sublimation 55 ff
 sulfide glass fabrication 65 ff
 surface plasmon polaritons 13, 189 ff
 surface recombination 22
 – bandgap engineering 169
 – bulk semiconductors 162
see also recombination
 susceptibility 145, 162
 system mass 134 ff

t

temperature dependence 6
 – Auger coefficients 152
 – bandgap energy 148
 – SB-E theory 155 ff
 temperatures
 – bulk GaAs 153
 – bulk matter 197
 – cryocooler modeling 120
 – Er^{3+} -doped materials 106
 – fluoride single crystals 76, 82, 89
 – T matrix 144 ff, 153
 – ZBLAN fabrication 62
 ternary phase diagram, ZBLAN 60
 thermal energy accumulation 222
 thermal link concept 2, 127
 thermal properties 23, 77
 – fluoride single crystals 76
 – rare-earth-doped materials 40–45
 thermalization 6, 20
 – Er^{3+} -doped materials 110
 – fluoride single crystals 87
 thermocouples 35
 thermodynamics 197–225
 thermoelectric coolers (TECs) 8, 133

thermometry methods 35
 thulium-doped materials 8
 Ti^{3+} fluoride crystals 67
 Ti^{3+} system (ZBLAN: Ti^{3+}) 34
 total internal reflection (TIR) 42
 trace impurity levels 57 ff
 transition-metals 36, 46, 52
 transitions 4, 7 ff

- bandgap engineering 171
- fluoride single crystals 76
- luminescence frequency 139
- type II quantum wells 182

 translational invariance 159
 transmission 214
 transparency 77, 97
 trapping 4 ff, 14

- bandgap engineering 169
- design/applications 117
- mirror heating 130

 two-band luminescence model 141
 type II quantum wells 180 ff

u

ultratransparency 97
 upconversion 108 ff, 139
 Urbach tail 17

- bandgap engineering 174
- luminescence 148

v

valence band

- bulk semiconductors 162
- GaAs 159
- luminescence 141
- type II quantum wells 182

 van Roosbroeck–Shockley relation 14
 vapor pressure 63
 vertex corrections 147
 vibrational impurities 45 ff
 vibrational lattice modes 1, 107, 133 ff
 viscosity optimum cooling rate 64 ff

w

wavefunctions 37
 wavelength-dependent temperature change 7, 91, 121

y

Y_2O_3 oxide crystals 41
 $\text{Y}_3\text{Al}_5\text{O}_{12}$ (YAG) crystals

- rare-earth-doped materials 33, 41
- thermal properties 43

 Yb^{3+} fluoride crystals 67
 Yb^{3+} -doped fluorozirconate glass (Yb^{3+} :ZBLAN) 33

- design/applications 117
- optical cooler 208, 213
- thermodynamics 216, 220 ff

see also ZBLAN glass
 Yb^{3+} -doping 7
 YLiF_4 43
 ytterbium-based optical refrigeration 1
 ytterbium-doped fluorozirconate glass (ZBLANP) 7, 75

z

ZBLAN glass

- chelating agents 53
- design/applications 117
- electrochemical purification 57
- fabrication 62 ff
- mirror heating 129
- precursor fabrication 48
- rare-earth-doped materials 7, 33–74
- ternary phase diagram 60
- thermal properties 43
- thermodynamics 208–224

see also Yb^{3+} :ZBLAN
 zero-density exciton lineshape 148
 zirconium 62
 ZnCl_2 -based glasses 65
 ZnS/ZnSe 19, 22
 zone refining 100
 ZrF_4 glass formation 59 ff
 ZrOCl_2 recrystallization 51