

Index

In this index, tables, figures, and boxes are indicated in **bold** type

A

- ABCD, resuscitation 403, **405**
- abdomen
- distension 82, 207, **207**, 444
 - examination **82**, 82–84, **83**, **84**, 186, 194
 - neonates 432
 - location of signs/symptoms 84, **84**
 - masses, palpation 83
 - rebound tenderness 197
 - trauma 324
- abdominal migraine **196**
- abdominal pain
- acute 196–197, **198**, 210
 - causes **196**, 333
 - diagnosis, clues **198**
 - investigations 197, **197**
- periumbilical 193, 210
- recurrent 192–195
- causes **192**, 193, **193**
 - diagnosis, clues **195–196**
 - idiopathic (functional) **195**, 209, **209**
 - investigations **194**, 194–195
 - management 195, **195**
 - non-organic 193, **193**, 195, **195**, 209, 387
 - organic *vs.* non-organic 193, **193**
 - psychogenic **195**, 209
- abdominal reflexes 88
- abducens nerve, examination **90**
- ABO incompatibility 448
- abortion 466
- abscess
- peritonsillar 144
 - sub-periosteal **314**
- absence seizures **232**, 237, **239**, **243**, 261
- abuse, child *see* child abuse
- Abusive Head Trauma (AHT) 246
- acanthosis nigricans 288, 292, 305
- accessory nerve, examination **90**
- accidents 31, 460
- see also* trauma
- accommodation disorders 96–97
- acetone 114, 298
- acid–base balance 111–113
- normal ranges **111**
- acidosis 112, **112**
- metabolic **112**, 112–113, 167, 424
 - respiratory 112, **112**
- acne 462
- acrocyanosis 221, 438
- act of omission *vs.* commission 41
- activated charcoal 420
- activated partial thromboplastin test (APTT) 380
- acute abdomen 84, 197, 210
- acute chest syndrome 376
- acute illnesses 28
- see also* emergency paediatrics
- acute kidney injury (AKI) 333, 334–335
- acute lymphoblastic leukaemia **53**, **110**, 379, **379**
- Adie-Holmes pupil 96
- adipose tissue, growth **15**
- adolescence/adolescent 13, 455–467
- accidents 460
 - acne 462
 - changes occurring in 455, 456–457
 - physical 456, 458–459
 - psychological 456, 461
 - social 457
 - see also* puberty
- communication with 62, 68
- about chronic illness 47
- consent 42, 64, 458
- consultations 62, 68, 458
- contraception *see* contraceptives, for adolescents
- diabetes mellitus 303
- dieting and body shape 461, 462, 463
- drug abuse/misuse 419, 459–460, **460**
- epilepsy 242
- growth in 14, 459
- gynaecological problems 465–467
- health care for 457
- approach to adolescents 47, 69, 458
 - facilities/clinics 457, **457**
 - guidelines for relating to 458, **458**
 - HEADSS approach 458
 - seeing doctor alone 47, 458
- health-destructive behaviour 419, 456, 459–461, **460**
- health issues facing 456, 457–458
- independence, needed in disability 52
- intellectual development, disorder 269
- nocturnal enuresis 329
- nutrition 22
- nutritional obesity management 293
- palliative care 57
- physical activity levels 22, **23**
- pregnancy in 465, 466, 467
- psychological problems 462–465
- depression and suicide **464**, 464–465
 - eating disorders 461, 462–464, **463**
- refusal of treatment 57, 458
- sexual abuse 395
- sexual activity 70, 456, 460, 466
- sleep patterns 23, **23**
- smoking 161, 170, 460
- syncope 221, 227, 248
- tasks of 457, **457**
- unsafe sex 460
- vomiting 186
- vulnerable 457, **457**
- adrenaline 421
- aggressive behaviour 387
- AIDS **156**, 156–157, 400
- air enema 211, **211**
- airway 163
- neonates 429–430, 449
 - thermal injury 424
- airway obstruction
- acute upper tract 165, 166, 182, **405**, 407, **408**
 - at a glance **408**
 - management 407, **408**
 - in neonates 449
 - signs 165, 166, 407
- functional, in neonates 449
- partial 163
- stridor and 165
- wheezing and 163
- alcohol 130, 459
- alkaline phosphatase (ALP) 111
- alkalosis 112, **112**
- metabolic **112**, 113, 203, 417
 - respiratory 112, **112**, 113, 424
- all-immune thrombocytopenia 110
- allergens 163, 170, 351, 421
- allergic disorders, post-streptococcal 144
- allergic reactions
- rash **352**
 - severe 421, **422**
 - urticaria **352**, 360, **360**
- allergy
- history taking **68**
 - milk 164
 - testing 168
- allopurinol 54
- ambiguous genitalia 343
- amblyopia 234, 250, **250**
- amenorrhoea 465, **465**
- Ametop® 108
- ammoniacal dermatitis (nappy rash) 355, **355**, **356**, 362, **362**
- amoxicillin, otitis media 145

- anaemia 54, 108, 372
 breathing difficulty 167
 causes **372**
 blood loss 109, **109**, 109–110, 372, 373
 haemolysis **109**, 109–110, 200
 chronic haemolytic 376
 investigations **373**
 flow diagram **109**, **372**
 iron deficiency *see* iron deficiency anaemia
 microcytic 109, **109**, 373, 374
 hypochromic 108–109, **109**, 374
 observation for 76
 with reticulocytosis **109**, 109–110
 sickle cell *see* sickle cell anaemia
- anal atresia **444**
- anal examination 199, 200, 322
 neonates 432
- anal fissure 199, 200, 212, **213**
- anal sphincters 198
- anaphylactic reaction 421, **422**
- androgens 458, **458**
 precocious puberty 461, **461**
- anencephaly 451
- anger, punitive 383, 387
- angioneurotic oedema 360
- animal contacts, febrile child 135, 137, 141
- anion gap 113
- anismus 198
- ankle clonus 262, **265**
- ankle jerk 88, **88**, 91
- ankle oedema 77
- anorectal examination
 chronic diarrhoea 190
 recurrent abdominal pain 194
- anorexia nervosa 462, 463, **463**, 465
- anterior fontanelle, bulging 90, 235, 245
- anthropometric measures 281
- anti-infective agents, in breast milk **17**
- anti-reflux formulas 186
- anti-tissue transglutaminase (TTG) 207
- antibiotics
 adverse effects 124
 infective endocarditis 226–227
 meningitis in neonates 447
 meningococcal septicaemia 155, 351
 neonatal infections 447
 osteomyelitis 313
 otitis media 145
 prophylactic, VUR/recurrent UTIs 326, 328
 pyrexia of unknown origin and 142
 sepsis 421
 septic arthritis 315
 urinary tract infection 326
- anticholinergics 169, 330
- anticonvulsants **239**, 239–240, 422
 generalised seizures 413, **414**, **415**
 neonates 440
 side effects **240**, 242
- antidiarrhoeal agents 188, 192
- antiemetics 187, 188
- antiepileptic drugs *see* anticonvulsants
- antihistamines 356, 358, 360, 421
- antimuscarinics 169, 330
- antipyretics 136, 142
- antistreptolysin O (ASO) titre 325, 331
- anxiety 62, 388
 communication about procedures 63, 108
- aorta, overriding, Fallot tetralogy 226, **226**
- aortic flow murmur 222
- aortic stenosis 78, **220**, 223–224, **225**
- aortic valve 77, 78
- apex beat 77, 77, 80
- Apgar score 429, **430**
- apnoea 164, **231**, 404, 441
 central 441
 neonates 429, 441, **441**, 449–450
 obstructive 441, 449–450
 primary, or secondary 429
- apnoea of prematurity 436, 441
- appendicitis, acute 186, 196, **198**, 210, **210**
 at a glance **210**
- Argyll-Robertson pupil 96–97
- arms, assessment 94
- arousal system 11, 12
- arthritis
 juvenile chronic (JCA) 141, 310
 juvenile idiopathic *see* juvenile idiopathic arthritis (JIA)
 reactive 310–311
 septic *see* septic arthritis
- ascites 83–84
- asexuals **456**
- Asperger syndrome 261
- asphyxia, neonates 430
- aspiration
 foreign bodies *see* foreign bodies
 in gastro-oesophageal reflux 202
- aspirin 136
- asthma **46**, 112, 163, 168–174
 clinical features 168, **174**
 cough 160, 162, **162**, 168
 wheezing 160, 161, 163, 164, **165**, 168
 diagnosis 168
 diary 171, **172**, 173
 follow-up, checklist 171, **171–172**, 173
 at a glance **174**
 investigations 81, 162
 issues for family/at school 173
 management **168**, 168–171, **169**, 173, **174**
 of acute attack 170
 medication 168–169, **169**
 ‘relievers’ and ‘preventers’ 169
 monitoring 171, **171**
 peak expiratory flow rate 119, 162, 171, **171**
 prognosis 173
- respiratory failure 405
 triggers 163, 168, 170
- astigmatism 249
- asymmetrical tonic neck reflex (ATNR) **92**, **93**
- ataxia 87, 89
- athlete's foot (tinea pedis) **357**, **365**, 365–366, **366**
- atopic dermatitis 352, 354, **354**, 358–359
 advice **358**
 clinical features **353**, 358, **358**
 at a glance **359**
 management 358–359, **359**
- atopy 161, 168, 354
- atrial septal defect (ASD) 78, **220**, 222, **222**
- attachment 11
- attention deficit disorder (ADD) 261, 386, 388, 389–390
- attention deficit hyperactivity disorder (ADHD) 261, 386, 388, 389, 390
- auditory nerve, examination **90**
- aura, migraine 244
- auscultation 70, 77–78
 abdomen **82**, 84
 cardiovascular system **76**, 77–78
 respiratory system **79**, 81, 161
- authoritarian parenting style **12**, **12**
- authoritative parenting style **12**, **12**
- autism 49, **256**, 261
- automatisms 237
- AVPU score 411
- awareness, focal seizures 237
- axillae, examination 85

B

- babies *see* infants
- Babinski response 88, 262, **265**
- ‘baby-bottle tooth decay’ 202, **202**
- Baby Friendly Initiative 15
- back, examination, neonatal 432
- bacterial infection 110
 acute gastroenteritis **189**, 205–206, **206**
 meningitis *see* meningitis
 pyrexia of unknown origin 141, **141**
see also specific bacteria
- bad news, breaking 62
- bag and mask ventilation 429–430, **430**, 441
- ‘ballottement’ 83
- bariatric surgery 293, 305
- barium swallow **203**
- Barlow test 33, 432, **453**, 453–454
- barrel chest 79–80, **80**, 173, **175**
- basal ganglia, damage 262
- baths, tepid 136
- BCG (Bacille Calmette–Guérin), vaccine 37, 39
- bedtime problems 385
- bedtime routine, and struggles at 23
- bedwetting, night *see* nocturnal enuresis (NE)

- behaviour
 - aggressive 387
 - health-destructive, adolescence 419, 456, 459–461, **460**
 - high-risk, in adolescents 456, 457
- behavioural problems
 - advice and support 31, 383, **384**
 - attention deficit disorder 261, 386, 388, 389–390
 - autism **256**, 261
 - in chronic illnesses 46
 - headache due to 233
 - indicative of serious disturbance 382, **382**
 - intellectual development, disorder 269
 - management 383–384, **384**
 - in obesity 286
 - see also* emotional/behavioural problems
- benefits, financial 52
- benign paroxysmal vertigo **231**, 247–248
- benzodiazepines 240, 413, **414**, 422
- beta-agonists 169, **169**
- beta cells, failure 298
- bicarbonate **111**, 112, 113, 417
- bifidus factor, in breast milk **17**
- biliary atresia 215, 442, 449
- bilirubin 200, **443**
 - conjugated/unconjugated 200, **200**, 442, **443**
 - kernicterus 442
 - metabolism 200, **200**, **443**
 - urine **115**
- Bilirubin-Induced Neurologic Damage (BIND) 442
- binge drinking 459
- binge eating 463, 464, **464**
- birthmarks 368, **369**
- bites, child abuse 393, **393**
- bladder
 - control, lack of **321**, 321–322, **322**
 - emptying problems 322
 - expected capacity **322**, 323
 - neurogenic 321, 322, **323**
 - outlet obstruction 322, 450
 - overactive 198, 321, 322, 330
- bladder neck obstruction 322, 450
- blast cells 379, **379**
- bleach baths **358**, 359
- bleeding
 - with constipation 199, 200
 - haemophilia 380
 - idiopathic thrombocytopenic purpura 110, 351, 378
 - intracranial *see* intracranial bleeding
 - into joints 310
 - see also* blood loss; *specific haemorrhage types*
- blindness 274–276
- blood
 - in stool 187, 188, 196, **199**, 199–200, 212
 - in urine *see* haematuria
- blood chemistry investigations 110–111
 - normal ranges **111**
 - pathology, examples 113
- blood culture, infective endocarditis 227
- blood gases 111–113
 - in dehydration 113, 417
 - in diabetic ketoacidosis 113
 - interpretation **112**, 112–113, **113**
 - in neonatal respiratory distress 437
 - normal ranges **111**
 - pathology, examples 113
 - in respiratory failure 406, **406**
- blood glucose *see* glucose, blood
- blood loss 372
 - anaemia due to **109**, 109–110, 372, 373
 - see also* bleeding
- blood pH **111**, 112, 113
- blood pressure 78–79
 - haematuria and 324
 - measurement 78
 - raised 79
 - in shock 408
 - systolic, upper limit of normal **79**
- blood tests, samples 108
- blood transfusion 409, 442
- blood urea 11, **111**
- blood–brain barrier (BBB) 124
- body constitution 124, 416
- body fluids 416
- body image 461, 462
- body mass index (BMI) 73, 74, 287
 - boys, charts **75**
 - calculation 73
 - nutritional obesity **293**
- body size, calculation 124–125
- body surface area (BSA) 124
- bonding, maternal 12, **18**
- bone
 - non-accidental injuries 393, **394**
 - pain 379
 - scans 313
- bone age **281**
- bone marrow suppression 54
- bone marrow transplantation 54
- Bordetella pertussis* 37
- bottle(s), sterilization 18, **18**
- bottle feeding 17–18, **18**
 - optimal, ways to promote 18, **18**
 - overfeeding, vomiting and **18**, 186
 - see also* formulae, infant
- botulinum injections 264
- bow legs 312
- bowel movements 198, 213, **213**
- bowel obstruction 198, 199
 - neonates 432, 444, **444**
- bowel sounds 84, 186
- brachial pulse 76
- bradycardia 410
- Braille 274, 276
- brain
 - CT scan **120**, 411
 - development 10
 - abnormal, after neglect in early years **11**, **11**
 - growth **15**, 397, 435
 - injury, in shock 409
 - MRI scan 119, **120**, **121**, 238
 - tumours **53**
- brain death 412
- brainstem, herniation 235
- brainstem death 412
- breaking news
 - bad news 62
 - of disability diagnosis 50, 51
- breast
 - budding 459, **459**
 - development 458, 459, **459**
 - in boys 462
 - premature 461, 462
- breast-feeding **15**, 15–17
 - advantages 15, 16–17, **17**, 373
 - contraindications 17, 157
 - dehydration and 113, 417, 418
 - difficulties 16
 - prescribing for mothers 129–130
 - support for 15
 - technique 16
 - ways to encourage 15, **17**
 - WHO recommendation 15
- breast milk 15
 - anti-infective agents in **17**
 - benefits 15, 16–17, **17**, 373
 - drugs in 17, 130
 - pump 16
 - transitional 16
 - volume and flow 16
- breast-milk jaundice 449
- breast pump 16
- breath-holding spells **221**, **231**, 246–247, **247**
 - cyanotic 247, **247**
 - pallid 247, **247**
- breath sounds 81
- breathing
 - difficulty 167
 - neonates 429–430, 445
 - noisy 81, 163
- breathlessness 406
 - acute/severe, signs **401**
 - heart failure 219
- bricks, building, motor development **102**, 103
- brief, resolved, unexplained episode (BRUE) 230, **231**, 425–426
- British National Formulary for Children*® 124
- brittle bone disease 395
- bronchial breathing 81
- bronchial narrowing 81
- bronchiectasis 175, **176**, 181

bronchiolitis 160, 179, **179**, **180**, 406
 at a glance **180**
 wheezing 164, **165**, 179
 bronchitis 160
 bronchodilators 168, 170, 421
 bronchopneumonia 149
 bronchopulmonary dysplasia 446
 bronchospasm 164
 Brudzinski sign 235
 bruises/bruising **378**, 393
 birth trauma 439
 child abuse 393, **393**
 idiopathic thrombocytopenic purpura
 110, **350**, 378, **378**
 multiple 110, 378
 'bulge sign' 93
 bulimia 186, **463**, 463–464
 bullae **348**
 bullying 69–70, 286, 291, 388
 burns 424
 child abuse 393, **393**
 grading 424
 management 424, **425**
 strategies for reducing **31**
 surface area, estimation **425**
 buttocks, wasted 82

C

C's, three (in measles) 137, 149
 café-au-lait spots 368, **369**
 caffeine 130
 callus **394**
Campylobacter, acute diarrhoea **189**
 cancer, child with **46**, 52–55
 aetiology and pathophysiology 52–53
 cancer types 52, **53**
 diagnosis, support for family/child 52, 53
 at a glance **56**
 histology 52–53
 issues at school 55, **56**
 issues for family 54, 55
 leg pain, or limp 309, 315
 management 52, **56**
 of acute problems 54
 chemotherapy 54
 goals 53, **53**
 late consequences 55, **55**
 palliative care 54, 55
 radiotherapy 53–54
 supportive treatment 54, **56**
 surgery 53
 of symptoms 54
 monitoring 54, **56**
 presentation 52, **56**
 prevalence 52, **56**
 prognosis 54–55, 55–56, **56**
 relapses, management 54
 second cancers 55
 staging 52
 see also leukaemia

Candida infection
 dysuria 320
 nappy rash **355**, **356**, 363, **363**
 oral 363, **363**
 vaginal discharge 465, **465**
 candidal dermatitis **355**, **356**, 363, **363**
 cannabis 130, **460**
 capillary blood sampling 108
 capillary refill time 77, 408, **417**
 carbamazepine **239**, **240**
 carbohydrate counting 299
 carbon dioxide, partial pressure **111**,
 112, 406
 cardiac arrest **404**, 404–406, **405**, 425
 cardiac catheterization 220
 cardiac conditions 222–227
 see also specific conditions (as listed
 page 217)
 cardiac failure *see* heart failure
 cardiac massage **404**
 cardiac output, drugs improving 409
 cardiac symptoms/signs 218–221
 fainting/syncope 221, **221**
 see also cyanosis; heart murmurs
 cardiogenic shock **408**
 cardiomegaly 117
 cardiopulmonary resuscitation 407
 cardiorespiratory arrest 404–406
 causes **404**
 management 404–405, **405**
 cardiovascular system, examination **76**,
 76–79, 77, **78**, **79**
 Carer's Allowance 52
 case reports, written 3
 cataracts 33, 250, 259, 274, 431
 catch-up growth 14, 253, 397
 cellulitis, scrotal 338, **339**
 central venous pressure (CVP) 409
 cephalhaematoma 431
 cerebellar disease 89
 cerebellar signs **86**, 89
 cerebellum, damage 262
 cerebral lesions 233, 262
 cerebral oedema 411, **417**
 cerebral palsy **86**, 87, 259, 262–266
 aetiology/pathology 262, **262**, **265**, 448
 associated problems 263
 ataxic 262
 delayed walking 257, **258**, 262, 263
 dystonic (athetoid) 262
 gait 262, **262**, 312
 at a glance **265**
 holding a child with 263, **264**
 issues at school/for family 266
 management 263–264, **264**, **265**
 muscle tone examination 87, 263
 presentation and diagnosis 263, 265
 spastic 262, 264
 clinical features **262**, 262–263,
 263, **265**

cerebrospinal fluid (CSF) 114
 analysis 114, **114**
 in meningitis 114, **114**, 235
 normal ranges **114**
 cervical adenitis 147
 cervical cancer 40
 cervical lymph nodes 85, **85**, **139**
 see also lymphadenopathy, cervical
 CGH array (comparative genomic
 hybridisation) 121
 chemotherapy 54, **55**
 chest
 asymmetry 80
 barrel 79–80, **80**, 173, **175**
 describing location of signs 81, **81**
 examination 79–80, 161
 neonates 432
 expansion, assessment 80, **81**
 funnel (pectus excavatum) 80, **80**
 pain 167, **167**
 pigeon (pectus carinatum) 76, 80, **80**
 recession, respiratory distress 79, **79**,
 437, 445
 shape 79–80, **80**, 173, **297**
 signs, wheezing and 164
 chest wall, deformity 79–80, **80**, 173, **175**
 chest X-ray 116–118
 abnormal features **117**
 anterior–posterior (AP) 116
 heart murmur investigation 220
 lateral 116, **116**, **117**, 118
 normal 116, **116**
 posterior–anterior (PA) film 116,
 116, **117**
 reading, method 116–117, **117**
 specific conditions 118
 aspirated foreign bodies **180**, **181**
 asthma 168, 170
 bronchiolitis **179**
 cystic fibrosis 175, **176**
 lobar collapse/consolidation **117**, 118
 pleural effusion 118
 pneumonia 178, **179**
 respiratory distress syndrome 437,
 445, **445**
 chicken pox **153**, 153–154, **154**
 diagnostic patterns **138**
 at a glance **154**
 in immunosuppressed patients 54, 153
 rash 153, **153**, 351, **352**
 vaccine 153
 child abuse 64, 392–398
 clinical evaluation **392**
 emotional 40, 64, 259, 268, 397
 fabricated or induced illness 397
 forms/types of **392**, 396–398
 global developmental delay 259, **260**
 investigations 394–395, **394**
 long-term outcomes **25**
 management 395, 396

- medical neglect 397–398
- non-organic failure to thrive 283, 291, **292**, 397
- by parent, court case 42
- physical 246, 392, **392**, 396–397
- clinical features **393**, 393–394
- at a glance **396**
- physical examination **393**, 393–394
- prognosis 394, 397
- Red Flags **392**
- sexual 40, 64, 397
- signs 393–394, 397, 465
- see also* neglect
- child care 23–24
- child development *see* development, child
- child development team 49, **49**, 50, **50**, 65, 254, 264, 269
- child health promotion *see* health promotion, child
- child health service *see* health care services
- child-minders 23
- Child Protection Officers 395
- Child Protection Plan 40
- childhood absence epilepsy (CAE) **238**
- childhood epilepsy with central-temporal spikes **238**
- children at risk, identification 35, 393
- Children Centres 31
- Children's Glasgow Coma Scale **411**
- chlamydial infection 460
- chloride, in sweat 120
- choanal atresia 449
- choking 164, 202, 407, 425
- management 407, **407**
- strategies for reducing **31**
- cholestatic jaundice 82, 200, 201
- choreoathetosis 86–87
- chromosomal disorders 267, **268**
- chronic disease/illnesses 28, 46–48
- conditions included **46**
- effects on children 46, **46**, 48, **48**
- effects on family 46–47, **48**
- evaluation, key points 47, **47**
- factors affecting adjustment to **46**
- at a glance, summary **48**
- growth faltering 283
- identification, growth monitoring 35
- management, principles 47, 47–48, **48**
- paediatric care 47
- prevalence 46, **48**
- progress, monitoring 65
- respiratory system signs 79–80
- school and 46, 48, **48**
- short stature due to 280, **282**
- chronic kidney disease (CKD) 334–335, 372
- chronic lung disease 446
- chronology of problem 69
- cigarette burns 393, **393**
- cirrhosis, hepatic 201, **201**, 215
- classroom assistant 51
- cleft lip 255, 451, **451**
- cleft palate 432, 451, **451**
- clinical skills 3
- clinics, for adolescents 457, **457**
- 'drop-in' 457
- clonazepam **240**
- clonus 88
- closed questions 65, 68
- Clostridium tetani* 36
- clubbing, finger 75, **75**, **76**, 161, 164, 173
- clumsiness 257, 390
- cluster headaches 233, **234**
- coarctation of aorta 220, 225, **225**, 432
- heart murmurs **220**
- cocaine **460**
- coeliac antibodies 190, 207
- coeliac disease 190, **192**, 198, 207, **207**, **208**
- at a glance **208**
- weight faltering 207, **284**, **285**
- cognitive function
- adolescents 456
- development 10, **10**
- cold sores **356**, **357**, 367, **367**
- colic 204–205, **205**
- collagen vascular diseases 308
- collapsing pulse 76
- colleges 24
- colostrum 16
- colour, observation of child 75
- coma 410–412
- causes **410**
- at a glance **412**
- investigations 411, **411**
- comedones 462
- commission *vs.* omission 41
- communication 61–66, 255
- with adolescents 62, 68, 458
- with children 62–64, 68
- during examination 70
- for procedures 63, 108
- in chronic illness 47
- computers and medical information 64
- consent and 42, 64
- in consultations 62, 68
- diversity in 63
- ethical conflicts and 42–43
- in hearing loss 273
- need to understand and respond 62
- non-verbal, difficulties 256
- with other professionals 65–66
- in palliative care 56
- parent-led, goals 65
- with parents *see* parent(s)
- patient requirements from doctor 62, **62**
- 'problem-focused' approach 65
- problems/poor 62
- professional qualities/skills 62, 63
- setting/atmosphere for 62
- skills, and importance of 62
- 'solution-focused' approach 65
- support for families over time **64**, 64–65
- community paediatricians 30
- community therapists 50
- complement (C3, C4) 325, 331
- compliance, drugs 129
- computed tomography (CT) scan 119, **120**, 175
- cystic fibrosis 175, **176**
- of head, abuse investigation **394**
- head injury 423
- computer, 'fourth party' in consultations 64
- concentration, difficulties 388, 389
- conduct disorder 387
- conduct problems, early, outcomes **25**
- condylomata acuminata 366, **366**
- confidentiality, for adolescents 457, 458
- congenital adrenal hyperplasia 343, 432, 462
- congenital anomalies of the kidney and urinary tract (CAKUT) 334
- congenital dislocation, hips *see* developmental dislocation of the hips (DDH)
- congenital heart disease 164, 222–223, **224**
- cyanotic 221, 226, 438, **438**
- neonates 438, **438**
- family history 219
- at a glance **224**
- see also specific conditions*
- congenital hypothyroidism 32, 139, 258, **260**, 294, **295**
- congestive heart failure 223
- coning 235, 411
- consanguinity 69
- conscience, development 13
- consciousness changes, severe/acute **401**, 410
- consent 42, 64
- child/adolescent 42, 64, 458
- parental 42, 64, 108, 458, 467
- constipation 186, 198–199, **323**
- bleeding with 199, 200
- causes 186, **198**
- chronic 212–213, **214**
- functional **192**, 212–213, **214**
- at a glance **214**
- management/prognosis 213, **213**
- recurrent abdominal pain **195**
- soiling from 190, 198, 199, 212
- constitutional delay 280, 281, **282**, **285**, 291, 461
- consultations 68–70
- with adolescents 62, 68, 458
- child-friendly environment 62
- communication and 62, 68
- 'fourth party' (computer) 64
- with parent, without child present 62, 68
- 'triadic' 62

- contact dermatitis **353**, 354, **354**, 359–360, **360**
- continuous positive airway pressure (CPAP) 437, 441, 445
- contraceptives, for adolescents 42, 64, 241–242, 456, 458, 466–467
- methods, advantages/disadvantages **466**
- contractures, minimization 263, 264
- ‘controlled crying’ 23
- convulsions
- bacterial meningitis 235
 - neonatal **439**, 439–440, **440**
 - syncope *vs.* **221**
 - see also* seizures
- Coombs’ test 442
- coordination, examination 88, 89
- coordination of care, chronic illnesses 48
- cord clamping, delayed 429
- corneal light reflex 96
- corticosteroids
- in anaphylactic reaction 421
 - in asthma **169**, 170
 - in croup 181
 - excess, Cushing syndrome 296
 - inhaled, in wheezing 164
 - in juvenile idiopathic arthritis **317**
 - in nephrotic syndrome 332
 - surfactant production and 435, 445
 - topical 354, 358
- Corynebacterium diphtheriae* 36
- coryza 144, 165
- costochondral junction, pain 167
- costophrenic angle 117, 118
- cough 79, 160–162
- causes, by age **160**
 - characteristics 161, **161**, **162**
 - chronic **160**, 161
 - differential diagnosis **162**
 - foreign bodies causing 160, 161, **162**, 180
 - investigations 161, **162**
 - management 162
 - nocturnal 161, **161**, 405
 - persistent, or recurrent 161
 - productive/non-productive 161, **162**
 - psychogenic 162
 - recording 79
 - upper respiratory tract infection 144, 160
 - vomiting associated 186
- counselling 47
- genetic 50, 266, 269
- Court of Protection 458
- cover test 97, **97**
- cow’s milk
- protein intolerance **192**, 198, 199, 208
 - toddlers and preschool years 20
- Coxsackie virus 154
- crackles 81
- cradle cap 360, **361**
- cranial nerves 86
- examination 89, **90**
- cranial radiation 55
- cranosynostosis 290
- crawling, infants **101**, 103
- creatine kinase 266
- creatinine, serum 11, **111**
- creatinine clearance 11, 54
- cremasteric reflex 88, 338, 339
- crepitations 81
- cretinism 294
- critically ill children 400, 401, 403
- see also* emergency paediatrics
- Crohn disease 190, 208, 310
- croup 165, 166, **166**, 181–182, **182**
- at a glance **182**
- crusts, skin lesions **348**
- crying 247
- breathlessness on **219**, 223
 - colic 204, **205**
 - cyanosis 221
 - cyanotic breath-holding spell **231**, 247
 - excessive, pain in febrile child 135
 - hoarseness, in croup 181
 - response association 13
- cryptorchidism 339, **340**, 342
- cultural customs, communication and 62
- culture
- blood 227
 - CSF 114, **114**
 - urine 115, 116, 325, 326
- Cushing disease/syndrome 280, 296
- Cushing triad 233, 245, 410
- cyanosis 76, 220, 221, **224**
- central 76, 219, 221, 431, 438
 - in neonates **437**, 437–438, **438**
 - at a glance **439**
 - peripheral 219, 221, 438
 - persistent 221
- cyanotic breath-holding spell 247, **247**
- cyanotic congenital heart disease 221, 226, 438, **438**
- cystic fibrosis 175–176, **177**
- clinical features 175, 189–190, **192**
 - at a glance **177**
 - infections in 175
 - investigations **119**, 175, **176**
 - management/prognosis 175–176, **177**
 - prevalence, pathophysiology 175, **177**
 - screening test 32, 175
 - sweat test 119, 161, 175
 - weight/growth faltering **286**
- cystitis 326
- cytochrome P450 system 125
- cytomegalovirus (CMV) 258, 268, 434, 435
- D**
- day nurseries 24
- daydreaming **243**, 261, 389
- daytime wetting **321**, 321–322, **322**
- deafness *see* hearing loss
- death
- of child 57
 - omission *vs.* commission 41
- decision making
- consent by child, age and 42, 64, 458
 - medical ethics 42–43
- deep tendon reflexes
- assessment 88, 91, **92**
 - cerebral palsy 262, **265**
- defaecation, avoiding 198, 199, 386
- dehydration **111**, 125, 186, 187, 416–418
- in acute diarrhoea 187, 416
 - causes 416, **416**
 - clinical signs 186, 416
 - electrolytes and blood gases 113, 417
 - at a glance **419**
 - history and examination 416–417
 - hypernatraemic 113, 417, **417**
 - hyponatraemic 113, 416, 417
 - investigations 417
 - isonatraemic (isotonic) 113, 416, 417
 - management 187, 417–418, **418**
 - mild/moderate/severe 416, 417, **417**
 - severity, assessment 416, **417**
 - type, determining 417
 - in vomiting 186, 187
- delayed motor maturation 257, **258**
- dental care 31, 202
- dental caries 202, **202**
- dental development **14**, **15**
- depression, in adolescents **464**, 464–465
- dermatitis 352, 354
- ammoniacal (nappy rash) 355, **355**, **356**, 362, **362**
 - atopic *see* atopic dermatitis
 - candidal **355**, **356**, 363, **363**
 - contact **353**, 354, **354**, 359–360, **360**
 - seborrhoeic *see* seborrhoeic dermatitis
 - ‘sneaker’/‘trainer’ 360
- dermatological conditions 345, 358–369
- see also specific conditions (listed page 345)*
- dermatological symptoms/signs 345, 346–357
- acute/chronic rashes *see* rash(es)
 - infectious skin lesions 356, **356**, **357**
 - itching 356, **356**
 - lesion types *see* skin lesions
 - nappy rash *see* nappy rash
- desferrioxamine 374
- desquamation **157**, 157, **348**
- DESSCRIBE 237, **238**
- development, child 3
- abnormal 100, 102, 105, 253, **254**
 - assessment *see* developmental assessment
 - delays *see* developmental concerns/problems
 - early years **10**, 10–11, 12–13
 - history taking **68**, 69
 - child abuse history 392
 - failure to thrive 283
 - fits, faints and funny turns 231

- monitoring, health promotion 34–35, **36**
- physical growth *see* growth
- psychomotor 12–13
- quality and quantity aspects 102, 253
- school age 13
- social interactions 12–13
- developmental assessment 36, 99–105, 253, **254**
 - carrying out, tools for 100, **100**
 - cooperation lacking 253
 - fine motor skills **100**, 102, 103
 - in global developmental delay 259
 - gross motor skills 100, **100**, **101**, 102–103, 257
 - key components 100, **100**
 - major milestones 100, **100**, 105, 252
 - failure to meet 268
 - social skills 13, **100**, **104**, 104–105
 - special senses 105
 - speech/language skills **100**, **103**, 103–104, 255, 256
 - warning signs **102**, 105, **105**
- developmental concerns/problems 100, 105, 252–259
 - abnormal development 100, 102, 105, 253, **254**
 - aetiological factors 253, **253**
 - delay(s) 100, 102, 252, **254**, 259
 - global *see* global developmental delay
 - referral for 36
 - delay/difficulty in talking 102, **255**, 255–256, **256**, 389
 - delay in gross motor skills 257, 258
 - delay in motor maturation 257, **258**, 263
 - delay in walking 102, 257, **257**, **258**, 262, 263
 - detection 30, 49, 253
 - see also* developmental assessment
 - general issues (at a glance) **254**
 - global problems 255, 256, 257
 - history and examination 253
 - management 253–254
 - maturation delay 255, **256**
 - skills gained, then lost 253, 259
 - understanding *vs.* performance 100
 - warning signs **102**, **105**, **252**
- developmental conditions/disabilities 261–276
 - attention deficit disorder 261, 386, 388, 389–390
 - autism 49, **256**, 261
 - blind/partially sighted child 274–276, **275**
 - cerebral palsy *see* cerebral palsy
 - Duchenne muscular dystrophy 266, **267**
 - hearing impairment *see* hearing loss
 - intellectual development *see* intellectual
 - developmental, disorders of
 - pervasive 104, 261
 - developmental dislocation of the hips (DDH) 312, **453**, 453–454, **454**
 - examination for 32, 432, 453, **453**
 - factors increasing risk **453**
 - at a glance **454**
 - developmental learning disorder 389
 - dyslexia 255, 389
 - see also* learning disability
 - developmental paediatrics, skills required **253**
 - developmental screening 36
 - dextrocardia 80
 - diabetes insipidus 323, 324
 - diabetes mellitus **46**, 298–305
 - acute problems, management 302–303
 - see also* diabetic ketoacidosis (DKA)
 - aetiology/pathophysiology 298
 - brittle 302
 - clinical features 298, **298**, **304**, 323
 - complications 298, **304**, 305
 - diagnosis 298, **304**
 - diary **301**, 303
 - at a glance **304**
 - honeymoon period 303
 - initial presentation 298
 - management 299–302, **304**
 - goals **299**
 - medical **299**, 299–300
 - nutritional obesity and 293
 - prognosis and long-term issues **304**, 305
 - routine follow-up, checklist 303, **303**, **304**
 - type 1 (juvenile) 298–305
 - type 2 (adult-onset) 298, 305
 - diabetes nurse specialist 305
 - Diabetes UK 305
 - diabetic ketoacidosis (DKA) 113, 167, 298, 302, **304**
 - blood gases and pH 113
 - electrolyte abnormalities 111, 113, **302**
 - management **299**, **302**
 - metabolic cycle leading to 298, **298**
 - signs 167, 298, 410
 - diabetic team 299
 - diagnosis, ‘fishing for’ 108
 - diagnosis list 71
 - diaphragm, chest X-ray 117
 - diaphragmatic hernia 436, **437**, 450
 - diarrhoea 187
 - acute 187–188
 - causes **187**, 205, 207
 - differential diagnosis **189**
 - history, examination 187–188, 416
 - investigations 188, **188**
 - management 188, 418
 - bloody 199, 333
 - chronic, recurrent 189–192
 - causes **189**, **191**
 - differential diagnosis 189, **192**
 - history, examination 190
 - investigations 190, **191**
 - management 190, 192
 - non-infective causes 187
 - spurious 199
 - toddler 206
 - diary
 - asthma 171, **172**, 173
 - diabetic **301**, 303
 - headaches 233
 - symptom 190
 - diastolic murmurs 78
 - diet
 - in ADHD 390
 - balanced 20, **21**
 - chronic kidney disease 335
 - Crohn disease 208
 - cystic fibrosis 176
 - diabetes, management 300
 - gluten-free 207
 - low in fibre 198, 199
 - obesity and 286
 - school age children 20, **21**, 22
 - see also* food(s)
 - dietary supplements, cystic fibrosis 176
 - diets, in adolescence 461, 462, 463, 465
 - diphtheria 36, 144
 - vaccine 36, **37**
 - diplegia **262**, 262–263
 - spastic 87, **87**, 262
 - dipstick testing, urine 114–115, **115**
 - disability, child with **46**, 49–51
 - assessment 49, **52**
 - causes, school children **49**
 - education and schools 50–51, **52**
 - at a glance, summary **52**
 - issues for family/at school 52, **53**
 - learning *see* learning disability
 - management, principles **50**, 50–51, **51**
 - mild, impact on child 46
 - neural tube defects 451
 - physical, and multiple **49**
 - presentation 49
 - prevalence 49, **51**
 - see also* developmental conditions/disabilities
 - Disability Living Allowance 52
 - discharge letters 65
 - discipline, lack of 388
 - disease modifying drugs 318
 - diseases (childhood), new morbidities 28, **28**
 - dislocation of hips *see* developmental dislocation of the hips (DDH)
 - disorders of sex development (DSD) 339, 341, 343
 - disseminated intravascular coagulation (DIC) 110
 - distraction, strategy 88, 108
 - DMSA scan 326, **328**, 334
 - doctors, health care services for children **28**

- 'double bubble' sign 444, **444**
- Down syndrome 270–271, **271**, **272**
 - genetic tests 121
 - at a glance **271**
 - global developmental delay 258, **260**
 - intellectual development disorder 267
 - small head 289
- drawing skills, development **102**, 103
- "dream doctors" 63
- dressing, by child **104**, 105
- drinking, patterns, polyuria and 323
- drowning **31**, 425
- drowsiness, bacterial meningitis 235
- drug(s)
 - accidental poisoning 419
 - administration routes 125, 126–127, **129**
 - adverse effects 124, 129
 - in breast milk 17, 130
 - compliance 129
 - contraindicated in breast-feeding 130
 - formulations 126–128
 - gastrointestinal function effect 125
 - history taking **68**
 - mechanism of action 124
 - metabolism and clearance 125
 - overdosing 126–127
 - deliberate 419
 - protein binding 125, 130
 - skin permeability 125
 - spacing of doses 128
 - unlicensed use 129
 - see also* prescribing for children; *specific drugs and diseases*
- drugs of abuse
 - in adolescence 459–460, **460**
 - signs of taking **460**
 - in pregnancy/breast-feeding 130
- dry-powder inhaler (DPI) 169
- Duchenne muscular dystrophy 266, **267**
- ductus arteriosus 225, **225**, 226, **226**, 438, 449, **449**
 - closure 449
 - patent **220**, **225**, 449, **449**
- duodenal atresia 444, **444**
- dying child 57
 - palliative care *see* palliative care
 - support, in cancer 54
- dysarthria, jerking 89
- dysdiadochokinesis 89
- dysentery **137**, 199, 200
- dyslexia 255, 389
- dysmenorrhoea **196**, 465
- dysmorphic signs/features 75, 86, 259, 439
 - neonate examination 431
- dysmorphic syndromes 258, **260**
 - neonate examination 431
 - obesity in 288
 - small head 289
- dyspraxia 390
- dystonia 87, 124
- dystrophin 266, **267**
- dysuria **320**, 320–321
 - advice **321**, 465
- E**
- ear, examination 94–95, **95**, 145
- ear, nose and throat, examination 94–96, **95**
- ear drum 94, 95, **95**
- eating difficulties 283, 291, 385–386
 - parental guidelines 386, **386**
- eating disorders 22, 461, 462–464, **463**
 - growth monitoring 35
- eating habits
 - preschool children 20
 - school age children 22
- Eatwell Guide 20, **21**, 22
- ecchymosis **347**
- echocardiography 220, **224**
- ectopic testes 339, **340**, 342
- eczema 352, **353**, 354
 - acute/chronic 352
 - see also* dermatitis
- education
 - adolescents, on drug misuse 460
 - children 23–24
 - with asthma 173
 - with diabetes 299, 305
 - with disability 50–51
 - with epilepsies 241–242
 - with hearing impairment 273
 - with intellectual development disorder 269
 - of family, about chronic illnesses 47
 - health 30–31
 - parents, in diabetes 299
 - school involvement, in chronic illness 48
 - sex 466–467
 - see also* school(s)
- Education and Health Care Plan (EHCP) 51, 269
- educational problems 381–390
 - in chronic illnesses 46
- educational services, for child with disability 50
- egocentric infants 13
- Eisenmenger syndrome 222, 223
- elbow, pulled ('nursemaid's') 313, **313**
- electrocardiography (ECG) **118**, 118–119, 220, **239**
 - interpretation **118**, 118–119
- electroencephalography (EEG) 238, 413
- electrolytes 416
 - in dehydration 113, 417
 - in diabetic ketoacidosis 111, 113, **302**
 - in pyloric stenosis 113, 203
- emergency care orders 395
- emergency paediatrics 399–426
 - assessment and management 401, 403
 - conditions causing 400, 401, 421–426
 - anaphylactic reaction 421, **422**
 - brief, resolved, unexplained episode (BRUE) 230, 425–426
 - burns and scalds 424, **425**
 - drowning 425
 - febrile seizures *see* febrile seizures
 - head injury 423–424
 - paracetamol poisoning 424
 - salicylate poisoning 424
 - sepsis 421
 - stroke 424
 - SUDIC 425–426, **426**
- emergency treatment 401, 403, **404**
 - seizures 413, **415**
- factors predisposing **401**
- history and examination 403
- immediate assessment 401, 403, **404**
- management before history/examination 401, 403, **404**
- presentations 400–401, 400–420
 - by age 400
 - cardiorespiratory arrest *see* cardiorespiratory arrest
 - choking 407, **407**
 - coma *see* coma
 - dehydration *see* dehydration
 - infants 400, 403
 - Paediatric Early Warning Scores 403
 - poisoning 419–420, **420**
 - Red Flags, signs **403**
 - shock *see* shock
 - upper airway obstruction *see* airway obstruction
 - speed of deterioration 400, 401
- EMLA® 108
- emotional abuse 40, 64, 259, 268, 397
- emotional/behavioural problems 381–390
 - abused children 397
 - in adolescence 456
 - in cancer, for child and family 55
 - in chronic illnesses 46
 - common problems **382**
 - difficult/disobedient behaviour **387**, 387–388
 - eating difficulties *see* eating difficulties
 - factors contributing to 383, **383**
 - factors protecting from 383, **383**
 - headache due to 233
 - history 383
 - management 383–384, **384**
 - nightmares and night terrors **231**, 247, 385
 - in obesity 286
 - parental guidelines **384**, **385**, **386**, **387**
 - psychosomatic symptoms 387
 - recurrent abdominal pain and 193
 - Red Flags 382, **382**
 - sleeping difficulties 385
 - unwanted habits 386–387
 - see also* behavioural problems
- emotional changes in adolescence 456

- emotional deprivation 257
 emotional stress 385
 emotional support, in cancer 54
 empathy 62, 65
 emphysema 81, 180
 encephalitis
 post-measles 149
 subacute sclerosing (SSPE) 149
 encephalopathy 211, 410
 encopresis 198, 199, 212–213, 321,
 386–387
 management 213, **213**
 non-retentive 198
 endocarditis, infective 226–227
 endocrine disorders 291–305
 identification, growth monitoring 35
 obesity due to 287
 short stature due to 280, **282**
 see also specific disorders
 endometriosis 343
 enterobiasis (threadworms) 215, **215**, 320,
 321, 368
 enuresis *see* nocturnal enuresis (NE)
 enuresis alarm 330, **330**
 environmental factors
 control, in asthma 170–171
 delay in walking 257, **258**
 emotional/behavioural problems 383
 failure to thrive 283, 291, **292**
 health determinant 24, **24**
 ephedrine 144
 epididymo-orchitis 338, **339**
 epiglottitis, acute 165, 166, **166**, 182
 epilepsies **46**, **231**
 diagnosis 237–238, **238**, **243**
 gene panels, tests 121
 at a glance **243**
 issues at school 242, **243**
 issues for family 241–242
 low risk after febrile seizures 422
 management 238–241, **239**, **243**
 acute seizures 240
 general issues 240, 242
 medical **239**, 239–240
 surgery 240, **240**
 monitoring and follow-up 241, **242**
 prevalence 237, **243**
 prognosis 242
 syndromes 237, **238**
 terminology 237
 see also seizures
 epileptic seizures 237
 see also seizures
 epileptic spasms (West syndrome) **231**, 237,
 238, **239**, **243**
 Epstein–Barr virus (EBV) 147
 erosion, skin **348**
 erythema infectiosum *see* fifth disease
 erythrocyte sedimentation rate (ESR) **108**
 erythropoietin (EPO), supplement 335
Escherichia coli 205, 326, 401
 acute diarrhoea **189**
 neonatal infections 447
 Shiga-toxin (STEC) 333, 334
Escherichia coli O157:H7 333
 ethical dilemmas 42–43
 ethical issues 41–43
 ethics 41
 conflicts 42–43
 medical, principles **41**
 ethnic minorities, as health determinant 25
 ethosuximide **239**, **240**
 eustachian tube, dysfunction 145
 Ewing's sarcoma **53**
 examination of children 5, 70–97
 abdominal **82**, 82–84, **83**, **84**
 approach to 72–97
 cardiovascular **76**, 76–79, **77**, **78**, **79**
 developmental *see* developmental
 assessment
 diagnosis list 71
 ear, nose and throat 94–96, **95**
 flexibility in routine 70
 genitalia 85–86
 growth **72**, 72–74, **73**, **74**
 hospital notes 71
 musculoskeletal 93–94, **94**
 neurological *see* neurological examination
 notes, problem lists and action plan
 70–71
 observation (general) 68, 70, 75
 see also observation
 principles 70
 rectal 84, 197, 199, 200, 210
 respiratory system **79**, 79–81, **80**, **81**
 reticuloendothelial system **84**,
 84–85, **85**
 review of systems **68**, 70, **70**
 from right side 70
 systematic 70
 young children 70
 see also specific conditions/disorders
 examination of neonates 430–432, **431**
 examinations, student
 OSCE 3, **4**, **4–5**
 practice 4
 preparation 3–4, **4–5**
 technique and tips for **4**, **4**
 written 3
 exanthemata 137, 351
 differential diagnosis **137**
 exanthematous diseases 137
 exchange transfusion 442
 excoriation **348**
 expiratory noise *see* wheezes/wheezing
 extended matching questions (EMQs) 3, **4**
 extradural haematoma **120**
 eye(s)
 examination 96, **96**, 105
 neonates 431
 movements, assessment 96, **96**
 strain 232
 eye contact 13, 104, **104**, 275
F
 fabricated or induced illness (FII) 397
 facial nerve, examination **90**
 factitious fever **134**, 142
 factor VIII deficiency 380
 faecal impaction 213, 322
 faecal retention 198–199, 212, 386–387
 failure to thrive (FTT) 202, 280, 283–285, **285**
 cardiac failure 219
 chronic diarrhoea 190, **192**
 chronic liver disease 201, 215
 cirrhosis and 215
 coeliac disease 207, **208**, 284, **285**
 cystic fibrosis **177**, **286**
 differential diagnosis, clues **285–286**
 examination 284
 gastro-oesophageal reflux 202, **203**,
 283, **286**
 growth, faltering 283–285, **285**, 397
 history 283–284
 HIV infection 156, **156**
 investigations 285, **285**
 management 285, **285**
 neglect 284, **286**, 291, 397
 non-organic (environmental) 283,
 291, **292**, 397
 organic *vs.* non-organic 283
 psychosocial causes 283, **284**, **285**
 see also weight, faltering
 fainting 221, **221**, 227, 248
 see also fits, faints and funny turns
 Fallot tetralogy **226**, 226, 438
 falls, strategies for reducing **31**
 familial cold urticaria (FCU) **143**
 familial Mediterranean fever (FMF) **143**
 family
 chronic illness effect on 46–47, **48**
 education about chronic illness 47
 emotional/behavioural problems due to
 383, **383**
 internet and medical information access 64
 issues for, child with
 asthma 173
 cancer 52, 53, 55
 cerebral palsy 266
 epilepsy 241
 hearing impairment 273, **274**
 intellectual development disorder 269
 visual impairment 276
 problems, recurrent abdominal pain
 and 193
 reaction to diagnosis of child with
 disability 51
 relationships, in cancer 55
 structure, as health determinant 25
 support for

- family (*cont'd*)
- in cancer 53, 54, 55
 - in cerebral palsy 266
 - child with disability 51
 - child's death 57
 - in chronic illness 48
 - in emergency 403
 - in juvenile idiopathic arthritis 318
 - over time 64, 64–65
 - in palliative care for child 57
 - see also* parent(s)
- family history 68, 69, 69
- child abuse and 392
 - chronic skin rashes 354
 - failure to thrive 284
 - fits, faints and funny turns 231
 - global developmental delay 259
 - headaches 233
 - late walking 257
 - obesity 286
- family tree, history taking 69, 69
- Fanconi syndrome 323
- fat (body), pharmacology and 124
- fatty liver disease 215
- fears, in consultations, eliciting 68
- febrile child 133–158
- breathing difficulty 167
 - cervical adenitis 147
 - chicken pox 153, 153–154, 154
 - fever as symptom/sign 134
 - fifth disease (erythema infectiosum) 153, 153
 - flu-like viral infections 146
 - hand, foot and mouth disease 154
 - HIV infection and AIDS 156, 156–157
 - infectious mononucleosis 147, 147
 - Kawasaki disease 157, 157, 158
 - key points, acute fever 136
 - mastoiditis 149
 - measles 149, 149, 150
 - meningitis *see* meningitis
 - meningococcal septicaemia 154–155, 155
 - mumps 148, 148
 - otitis media 145, 145–146, 146
 - parotitis 148
 - periodic fevers 143, 143
 - pneumonia *see* pneumonia
 - roseola 151
 - rubella 150, 150, 151
 - scarlet fever 151–152, 152
 - tonsillitis 144, 144–145, 145
 - upper respiratory tract infections 144
 - UTI *see* urinary tract infection (UTI)
 - see also* fever
- febrile seizures 136, 412, 415, 422
- atypical 422
 - at a glance 423
- feedback
- from clinicians/course teachers 3
 - finger, by infant 102, 103
- feeding
- infants, eye contact during 13
 - self-feeding by infants 104, 105
 - small infants 435–436
 - see also* bottle feeding; breast-feeding
- feet, flat 312
- female genital disorders 343
- femoral anteversion 312, 312
- femoral epiphyses, slipped capital 309, 315, 316
- femoral head, avascular necrosis 315, 315
- femoral pulses, in neonates 432
- femur, chronic osteomyelitis 314
- ferritin 109, 373
- fever 135
- acute 135–136, 136, 351
 - causes 134
 - differential diagnosis 136–137
 - investigations 135, 136
 - management 136, 136
- factitious 134, 142
- hyperthermia 134
- infections causing 134, 135
- meningococcal septicaemia 154, 155
- non-infectious causes 134
- periodic 143, 143
- prolonged 141
- with a rash 137, 137–138, 138, 139, 351
- meningococcal septicaemia 154, 155, 236, 352
- stridor in 165
- with swelling in neck 139, 139–140, 140
- as symptom and sign 134
- temperatures in 135
- of unknown origin 141, 141–142, 142
- see also* febrile child
- fifth disease (erythema infectiosum) 153, 153, 351
- diagnostic patterns 138
 - rash 137, 153, 349, 351, 352
- Filatov–Dukes disease 153
- fine motor skills, assessment 100, 100, 102
- finger clubbing 75, 75, 76, 161, 164, 173
- finger feeding, by infant 102, 103
- finger foods 19
- FISH (fluorescence in situ hybridization) 121
- fissures 348
- anal 199, 200, 212, 213
- fits, faints and funny turns 230–231
- by age 230
 - differential diagnosis 231, 232
- flat feet 312
- floppy baby 90–91
- flu-like viral infections 146
- fluid(s)
- body compartments 416
 - losses 416
 - calculation 418
- prescribing for children 125, 127
- replacement/administration 416
- calculations 418, 418
 - in diarrhoea 188
 - for febrile child 136
 - in vomiting 187
 - see also* intravenous fluids
- focal motor seizures 232
- foetal alcohol syndrome 258, 260, 267–268, 268
- follicle-stimulating hormone (FSH) 458, 458
- fontanelle(s)
- anterior, bulging 90, 235, 245
 - closing 288
 - examination 431
- food(s)
- asthma associated 171
 - atopic dermatitis and 358
 - to avoid in babies/toddlers 19, 20
 - to avoid in migraine 244
 - groups, balanced diet 20, 21
 - child health/growth, effect on 22
 - portion numbers 21, 22
 - 'pickiness' 20
 - see also* diet
- Food Standards Agency 20
- foreign bodies
- aspiration 180, 180–181, 181, 407
 - airway narrowing 163
 - cough and 160, 161, 162, 180
 - stridor 165, 166
 - wheezing 163, 165, 180
 - chest X-ray 180, 181
 - vaginal 320
- foreign travel, febrile child 135, 137, 141
- formulae, infant 15, 17–18
- complementary, to breast-feeding 16
 - composition 17
 - cow's milk protein intolerance 208
 - in lactose intolerance 207
 - preparation of feeds 17–18, 18
 - soya milk 207, 208
- formulary 124
- formulations, drug 126–128
- forward parachute reflex 91, 93
- fractures
- of growth plate 313
 - non-accidental 393, 394, 395, 396
 - spiral 394, 395
- fragile X syndrome 258, 260, 267
- Fraser (Gillick) competence 42, 458
- frog position, hypotonic infant 91, 91
- 'frozen watchful' expression 393
- full blood count (FBC) 108–110, 394, 395
- fundoscopy 97
- fungal infections 54
- funnel chest 80, 80
- funny turns *see* fits, faints and funny turns

G

gait

- abnormal/unusual 87, 312, **312**
- assessment 94
- observation 87, 89, 94
- spastic cerebral palsy 262, **262**, 312
- waddling 87, **87**, 266

gastritis, *Helicobacter pylori* **195**, 210

gastro-oesophageal reflux **195**, 202, **203**, 283, 425

at a glance **203**

weight/growth faltering 283, **286**

gastroenteritis, acute 186

bacterial **189**, 205–206, **206**

dehydration due to 187, 416

at a glance **206**

viral **189**, 205, **206**

gastrointestinal disorders 202–215

in Down syndrome 270

see also specific disorders (as listed page 183)

gastrointestinal function, drug action and 125

gastrointestinal infections 205–206, **206**

bottle feeding and 15, **18**

gastrointestinal symptoms/signs 185–201

abdominal pain *see* abdominal pain

blood in stool 187, 188, 196, **199**, 199–200, 212

constipation and encopresis *see* constipation; encopresis

diarrhoea *see* diarrhoea

jaundice *see* jaundice

vomiting *see* vomiting

Gaucher disease 308, 310

gaze, positions 96, **96**

gene panels 121

general practitioners (GPs) 30

generalized tonic–clonic seizures 237, **239**, 240, **243**

genetic counselling 50, 266, 269

genetic syndromes, short stature due to **282**

genetic testing 121

genetics

cystic fibrosis 175

diabetes mellitus 305

Duchenne muscular dystrophy 266, **267**

growth influenced by 14

issues in chronic illnesses 48

genitalia 337–343

ambiguous 343, 432, 462

conditions affecting 341–343

see also specific conditions

daytime wetting and 322

development, puberty 458, 459, **459**

examination 85–86

neonates 432

symptoms 338–340

groin, swellings 85, 339, **339**

impalpable testes 339, **339**

scrotal swellings 338, **338**, **339**

germ cell tumours **53**

German measles *see* rubella

gestational age 433

respiratory distress syndrome and 445

Giardia lamblia and giardiasis 190, **192**, 215

Gilles de la Tourette syndrome 248

Gillick (Fraser) competence 42, 458

glandular fever (infectious mononucleosis) 110, 147, **147**

Glasgow Coma Scale (GCS) 410, **411**, 423

glioma, optic **121**

global developmental delay 257, 258–259, **260**

causes 258, **258**, 270

diagnosis, clues **260**

global intellectual developmental disorders 255, 256, 258, **258**, 259

glomerular filtration rate (GFR) 111, 125, 334

glomerulonephritis, acute 324, 325, 331, **331**

at a glance **331**

haematuria 324, **325**, 331

management 331, **331**

glossopharyngeal nerve, examination **90**

glucagon 302

glucose

blood 230

continuous monitoring 301, **301**

insulin levels and meals/

injections 299–300, **300**

monitoring 300–301, **301**

monitoring in small infants 435

raised 167, 298

CSF 114, **114**

metabolism **298**

in oral rehydration solutions 125

urine **115**

glucose-6-phosphate dehydrogenase

deficiency (G6PDD) 125

glue ear 94–95, **95**, 146, 272

gluten, intolerance 207

glycosuria 324

glycosylated haemoglobin (HbA_{1c}) 302, 303

‘going off their feet’ **401**

goitre 139, 140, 294, 295

‘golden hour’ 409

gonadal development **15**

gonadal dysgenesis (Turner syndrome) 280, 297, **297**, 461

gonadal tumours **53**

gonadotrophin-releasing hormone (GnRH) 458, **458**

gonorrhoea 460

Gower sign 87, 266, **266**

grasping, infants **102**, 103

Graves disease 294

grey baby syndrome 124

grief, parental 55, 56

groins

examination 85

swelling 85, 86, 339, **340**

grommets 273

gross motor development 100, **100**, **101**, 102–103

growing pains 309, 313

growth 13–14, **14**, **15**, **35**, 252

abnormal/problems 14, 35–36, **36**, 74, 161

in child abuse/neglect 35, 393

global developmental delay 259

assessment/examination **72**, 72–74, **73**, **74**

in chronic diarrhoea 190

in diabetes mellitus 303

in microcephaly 290

in obesity 287, **287**

in recurrent abdominal pain 194

catch-up 14, 253, 397

charts and centiles *see* growth charts

constitutional delay 280, 281, **282**, **285**, 291, 461

endocrine and metabolic disorders 277–306

factors affecting 14, **14**, **35**

failure 164

fall-off 35, 194, 259, 280, 281, 282, **287**, 303

causes **282**

faltering 283–285, **285**, 397

see also failure to thrive (FTT)

guidelines for concern **36**, 36

infancy 14, 73, **73**, 74, 280

monitoring, health promotion 34–36, **36** recommendations **29**, 35

normal 34, 35, 280

of organs 14, **15**

patterns, interpretation 74, 281

in obesity 287, **287**

plateauing *see* growth, fall-off

plotting by age **36**, 73–74, **74**, 284

proportional failure 283

Red Flags for concern **280**

retardation, intrauterine *see* intrauterine growth retardation (IUGR)

spurt, adolescents 14, 459

standards **35**, 35, 72–73, **73**

through life course 14

growth, endocrine and metabolic disorders 291–305

see also specific disorders (as listed page 277)

growth charts **34**, 72–73, **73**, **280**

crossing of centiles 74, 280, **280**, 283, 290

infants **73**, 284, **284**

intrauterine growth retardation **284**, 434, **434**

interpretation 74

nutritional obesity **293**

growth hormone, deficiency 296

grunting, expiratory 79, 161, 178

guidelines

NICE *see* NICE guidelines

Royal College of Paediatrics and Child Health 42–43

Guillain-Barre syndrome 167
gynaecological problems 465–467
gynaecomastia 462

H

habits, unwanted in children 386–387
haemangioma, superficial 368, **369**
haemarthrosis 310
haematocrit **108**, 109
haematological disorders 308, 373–380
 see also specific disorders (as listed page 371)
haematological indices/tests 108–111
 normal ranges **108**
haematological symptoms/signs 372–373
haematoma
 inguinal 339
 subdural 246, 397
haematuria 114, 115, 324–325
 benign familial 324
 causes **324**, 331
 diagnosis, clues to **325**
 investigations 114, 115, **115**,
 324–325, **325**
 macroscopic/microscopic 324
 urinalysis 114, 115, **115**, 324–325
haemodialysis 335
haemoglobin 108, **108**
 glycosylated (HbA_{1c}) 302, 303
 normal levels 108, **108**, 372
 sickle cell (HbS) 376
haemoglobinopathies 372
 screening test 32
 see also sickle cell anaemia; thalassaemia,
 beta
haemolysis 372
 ABO incompatibility 448
 anaemia due to **109**, 109–110, 200
 in fetus and neonates 448
 jaundice due to 200, **200**, **201**
 prehepatic jaundice in neonates 442
 raised potassium, artefact 111
haemolytic disease of the newborn
 448–449
haemolytic uraemic syndrome (HUS)
 333–334
haemophilia 308, 310, 380
Haemophilus (spp.) 175
Haemophilus influenzae 145, 177, 182, 313
Haemophilus influenzae type B 38, 165, 182
 vaccine **37**, 38, 182
haemorrhage *see* bleeding; *specific*
 haemorrhages
haemosiderosis 374, **375**
hand(s)
 dominance 103
 observation of child 75
hand, foot and mouth disease 154
‘happy wheezers’ 164
Harrison’s sulcus 80, **80**, 173

Hashimoto (autoimmune) thyroiditis 294
head
 circumference 14, 288
 measurement (occipitofrontal)
 72, **72**, 431
 normal increase, *vs.* hydrocephalus **289**
 control, infants 91, **101**, 102
 CT scan **394**, **423**
 examination, in neonates 431
 growth 245, 288, 289
 intrauterine growth retardation
 434, 435
 poor 289–290
 injury 246, 247, 423
 CT scan, indications **423**
 non-accidental **394**, 395, 397
 large **288**, 288–289, **289**
 small (microcephaly) 259, **289**, 289–290
head lag 91, **101**, 102, 266
head lice 367–368, **368**
headache(s) 232–234, **234**
 acute serious 232
 causes **232**, 245, 387
 cluster 233, **234**
 diagnosis, clues **234**
 diary 233
 history and examination 232
 management 233
 recurrent 232
 Red Flags 232, **233**
 ‘thunderclap’ **234**, 250, 424
 see also migraine; tension headaches
HEADSS approach 458
health
 adverse factors and long-term outcomes **25**
 in childhood, implications for adults 2, 54
 determinants **24**, 24–25, **25**
 guidance, in The Health Child
 Programme 28, **29**
 poor, long-term outcomes **25**
health care 27–43
 for adolescents 457
health care services 28
 for adolescents 457, **457**
 for child with disability 50
 professionals and agencies involved 28, **28**
 as pyramid of care 28, **28**
 safeguarding children 40, 41
health-destructive behaviour, adolescents
 419, 456, 459–461, **460**
health education 30–31
health promotion, adolescence 457
health promotion, child 27–43
 growth/development monitoring
 34–36, **36**
 Healthy Child Programme and 30–31, **31**
 medical/developmental problems
 detection 30
 professionals involved **28**, 30

 safeguarding children 40–41
 in school 31
 screening tests 32–34, **32**, **33**
health records, child 30, 63–64, **64**
 hospital notes 71
health visitors 30, 31, 40, **50**, 384
Healthy Child Programme 28–30, **29**,
 30–31
healthy eating **21**, 22, **22**
hearing
 development 10, **10**
 for language development 255, 256
 test/examination 255
 infants 93, 105
 neonates 32
 school age children 34
hearing aids 273, **273**
hearing loss **49**, 272–273, **273**, **274**
 causes **272**, **274**
 children at risk for **272**
 conductive 255, 272, **272**
 management 273
 delay/difficulty in talking 255, 256,
 256, 272
 fluctuating, secretory otitis media 273
 at a glance **274**
 issues for family/school 273, 274
 management 273, **273**
 mumps complication 148
 neurosensory 255, 272, 273
 sensorineural 34, 236, **272**, 435
 management 273
heart
 chest X-ray 117
 disease *see* cardiac conditions
heart failure **224**, 227
 congestive 223
 symptoms/signs 219, 220, 227
 wheezing 164, **165**
heart murmurs 78, **78**, 167, 218–221, **224**
 aortic flow 222
 causes **218**
 characteristics **220**
 continuous **220**
 history and examination 219–220
 innocent (functional) **218**, 219, **220**,
 222, 432
 sites **222**, **222**
 investigations 220
 management 221
 neonates 432
 pathological **218**, 219, **220**
 diagnosis, clues **220**, 432
 pulmonary flow 222
heart rate
 neonates 430, **430**
 normal, by age 76, **76**
heart sounds 77–78
heart valve, palpation, areas 77

- heel prick 32, **33**, 108
 - heel-toe walking 89
 - heel–shin test 89, **89**
 - height 14
 - discrepancy with parental height 280, **280**
 - final, prediction 14, 280
 - measurement 72, **72**, 280
 - target 74
 - weight discrepancies 14, **280**
 - see also* short stature
 - Heimlich manoeuvre 407, **407**
 - Helicobacter pylori* gastritis **195**, 210
 - hemiplegia 87, **87**, 262, **262**, **263**
 - spastic 91, 262, **262**
 - Henoch–Schönlein purpura 363, **364**
 - clinical features **198**, 363, **364**
 - rash 200, **350**, 351, **352**, **364**
 - swollen joints **198**, 310
 - at a glance **364**
 - hepatitis
 - infectious, jaundice **201**, 442
 - neonatal 442, 449
 - viral 214, **214**
 - hepatitis A 214, **214**
 - hepatitis B 214, **214**, 449
 - hepatitis C 214, **214**
 - hepatosplenomegaly 83, 85, 201, 259, 432
 - neonatal convulsions 439
 - hernia
 - diaphragmatic 436, **437**, 450
 - inguinal *see* inguinal hernia
 - umbilical 82
 - herpes simplex virus (HSV) 235, **357**
 - cold sore **356**, **357**, 367, **367**
 - hip(s)
 - developmental dislocation *see* developmental dislocation of the hips (DDH)
 - dislocatable, detecting in neonate **453**, 453–454
 - dislocation, in cerebral palsy 264
 - septic arthritis 315
 - ultrasound, transient synovitis **314**
 - Hirschsprung disease 198, 199, **444**, 450, **450**
 - histamine 163
 - history taking 65, 67, 68–70
 - method **68**, 68–70
 - notes, writing 70–71
 - sensitivity over fears 68
 - see also* specific conditions/disorders
 - HIV infection **156**, 156–157, 460
 - breast-feeding contraindication 17, 157
 - at a glance **156**
 - hives (urticaria) **352**, 360, **360**
 - hoarseness 181
 - Hodgkin's disease **53**
 - holistic approach 2, 47
 - homelessness **24**, 25
 - homosexuals **456**
 - hormones, growth influenced by 14
 - hospice care 56–57
 - hospital notes 71
 - hospitalization 28
 - household agents, poisoning by 419
 - housing, as health determinant **24**, 25
 - human papillomavirus (HPV) 40, 460
 - vaccine **37**, 40
 - human parvovirus B19 153
 - 'humanhood' 41
 - hyaline membrane disease *see* respiratory distress syndrome (RDS)
 - hydration, assessment 188
 - hydrocephalus 245–246, **246**, 288, **289**, 447
 - after intracranial haemorrhage, neonates 245, 448
 - hydrocoele 86, 338, **339**, 341
 - anatomical development **342**
 - hydronephrosis, ultrasound **119**
 - hygiene, poor, dysuria or vaginal discharge due to 320, 465
 - hyper IgD syndrome (HIDS) **143**
 - hyper-resonance 81, 83, 164, 170
 - hyperactivity 261, 269, 388
 - ADHD 261, 386, 388, 389, 390
 - hyperbilirubinaemia 200, **200**
 - conjugated 442
 - neonatal **442**, 449
 - unconjugated 442
 - hypercapnia 405
 - hyperglycaemia 167, 298
 - hyperinflation, lungs 175, **176**, 179, **179**
 - hyperkalaemia 111
 - hypermetropia **248**, 249
 - hypermobility of joints 309
 - hypernatraemia 111, **111**, 113
 - hypernatraemic dehydration 113, 417, **417**
 - hyperoxia test 438, **438**
 - hypersplenism 110
 - hypertension 232, 292, 305, 335
 - hyperthermia **134**
 - hyperthyroidism 294, **295**
 - hypertonia 87
 - clasp-knife 262, **265**
 - delayed walking **258**
 - infants 91, 432
 - hyperventilation 112, 113, **221**, **232**, 248
 - absence seizures, EEG **239**
 - hypoalbuminaemia 332
 - hypoglossal nerve, examination **90**
 - hypoglycaemia
 - coma due to 411
 - in diabetes 302–303
 - management **299**, 302–303
 - nocturnal **301**, 303
 - small for gestational age infants 435
 - symptomatic, in small infants 435
 - hypoglycaemic agents, oral 305
 - hypokalaemia 111
 - hyponatraemia 111, **111**, 113
 - hyponatraemic dehydration 113, 416, 417
 - hypopituitarism 342
 - hypospadias **342**, 342–343, **343**
 - neonates 432
 - hyposplenism 378
 - hypotension
 - postural **221**
 - shock 408
 - hypothalamic–pituitary axis 461, **461**, 462
 - hypothermia, small infants 435
 - hypothyroidism 280, **287**, 294, 295, **295**, **296**
 - acquired, at a glance **296**
 - congenital 32, 139, 258, **260**, 294, **295**
 - hypotonia 87, 257, 259
 - infants 91, 432
 - hypoventilation 112
 - hypoxia 404, 405, 406
 - neonates 429
- I**
- idiopathic thrombocytopenia purpura (ITP) 110, **350**, 351, 378, **378**
 - at a glance **379**
 - rash, petechiae 110, **350**, **352**, **378**
 - IgA nephropathy 331
 - illness
 - growth influenced by 14
 - homelessness and 25
 - long-term outcomes **25**
 - poverty and poor housing and 25
 - immigrants, health determinant 25
 - immune response, impairment 400, **401**
 - small infants 436, 447
 - immunizations 36–40
 - guidelines 36
 - high uptake level, importance 36
 - history taking **68**, 69
 - in immunosuppressed patients 54
 - routine, schedule in UK 36, **37**
 - uptake level reduced 36
 - see also* vaccines
 - immunodeficiency 400
 - HIV infection 156
 - vaccination guidelines 36
 - immunoglobulins
 - in breast milk **17**
 - maternal IgG 447
 - immunosuppression, cancer therapy causing 54, 380
 - impetigo **356**, **357**, 364–365
 - inborn errors of metabolism 258, **260**, 268, 269
 - incest 397
 - incontinence, urinary *see* urinary incontinence
 - indulgent parenting style 12, **12**

- inequality, as health determinant 24, **24**
- infant formulae *see* formulae, infant
- infantile spasm **231**, 237, **238**, **239**, **243**
- infants
- 0-2 months old 12-13
 - 5-8 months old 13
 - 8-18 months old 13
 - 18 months old and over 13
 - analgesia 108
 - atopic dermatitis 358
 - attachment 11
 - body composition 416
 - bonding 12, **18**
 - breast-feeding *see* breast-feeding
 - care, advice for parents 30
 - cerebral lesions 262, 263
 - colic 204-205, **205**
 - cough 160
 - dehydration 113, 417
 - development 10
 - assessment *see* developmental assessment
 - influences on 10-11, **35**
 - mobility 13
 - psychomotor 12-13
 - ECG **118**, 118-119
 - emergency presentation 400
 - fits, faints and funny turns 230, **230**, **231**
 - foods to avoid 19, **20**
 - growth 14, 35, 73, **73**, 74, 280
 - normal 34, 35
 - growth charts **73**
 - hand use/movement **102**, 103
 - The Health Child Programme **29**
 - heart rate **76**
 - immunization programme (UK) , **37**
 - large for gestational age **284**
 - length measurement 72, **72**, 280
 - mortality rates 428
 - neurological examination 90-93, **91**, **92**, **93**
 - nutrition 10, 15
 - physical activity **23**
 - posture 12, **101**, 102
 - relationships 10, 11
 - respiratory failure 406
 - rooting at nipple 16
 - seizures 237, **238**
 - sepsis 401, 403, 421
 - sleep patterns (by age) **23**
 - sleep problems 385
 - sleep training 23
 - small 433-436, 435
 - see also* prematurity/premature infants; small for gestational age (SGA) infants
 - social interactions 12-13
 - urinary tract infection 326, **328**
 - vision, assessment 91, 96
 - vocalization 13
 - weight measurement 72
 - wheezing 164, 168, 179
- infections
- acute, shock 409
 - acute pyrexia due to **134**, 135
 - coma due to 410, 411
 - emergency presentations 400, 401
 - in neonates with respiratory distress 437
 - prenatal 435
 - pyrexia of unknown origin 141, **141**
 - recurrent 143, **143**
 - sepsis 378, 401, 403, 421
 - small infants 436
 - see also* fever; *specific infections*
- infectious diseases, childhood 138, **138**, 349, **352**
- infectious mononucleosis 110, 147, **147**
- infectious skin lesions 356, **356**, **357**, 364-368
- infective endocarditis 226-227
- inflammatory bowel disease 190, 208-209
- abdominal pain **195**, 208
 - chronic diarrhoea 190, **192**, 208
- inflammatory markers 190
- influenza 138
- vaccination 146
- infratentorial tumour 233, 245
- inguinal haematoma 339
- inguinal hernia 86, 338, **339**, 341, **342**
- bilateral 341
 - development, anatomy **341**, **342**
 - at a glance **341**
 - management 341
- inguinal lymph node, enlarged 339
- inhalers 169, **170**, 173
- injections, by children/families 127
- injuries, strategies for reducing 31, **31**
- inspiratory noise *see* stridor
- insulin
- deficiency 298
 - levels, blood glucose relationship 300, **300**
 - pens, injecting 300, **300**
 - preparations, short-/long-acting 299, **300**
 - pumps 127, 300, **300**
 - regimens, basal-bolus 299
 - resistance 288, 305
 - therapy **299**, 299-300
 - blood glucose monitoring and 300-301, **301**
 - in diabetic ketoacidosis **302**
- intellectual developmental, disorders of 100, **256**, 267-269
- aetiology/pathophysiology 267-268, 270, **270**
 - autism 49, **256**, 261
 - clinical features and severity 267, 268, **270**
 - diagnosis of cause 269
 - at a glance **270**
 - global 255, 256, 258, **258**, 259
 - idiopathic **260**
- issues for family/school 269
- management 268-269, **269**, **270**
- profound 267
- routine reviews 269, **270**
- severe 267, 268, 269
- vision deficits 274
- intensive care, ethical issues and withdrawal 41-42
- intention tremor 89
- interferon, in breast milk **17**
- interpreters 63
- intestinal obstruction 186
- congenital 444, **444**
- intestinal tract, in cystic fibrosis 175
- intoeing 312, **312**
- intracranial bleeding 114, 245, 378
- in neonates 448
- intracranial pressure, raised 114, 233, 245, 289
- headaches 233, **234**, 245, 379
 - idiopathic 114, 245
 - large head 288
 - signs 114, 410, 411
- intrauterine growth retardation (IUGR) **282**, 283, **284**, **286**, 434-435
- asymmetrical **434**, 435, **435**
 - catch-up growth 14, 292
 - causes 292, 434, **435**
 - at a glance **436**
 - growth/weight faltering 283, **284**, **286**, 292
 - neonatal convulsions 439
 - problems found **433**
 - short stature **282**
 - symmetrical 434, **434**, **435**
 - see also* small for gestational age (SGA) infants
- intrauterine infections 258, **260**, 267, 268
- intravenous fluids 125, **127**
- in dehydration 125, 418, **418**
 - calculations 418, **418**
 - in shock 409, **409**
- intravenous medications 127
- intraventricular haemorrhage **120**, 448
- intussusception 200, **211**, 211-212, **212**, 334
- abdominal pain 196, **198**, 200
 - diarrhoea 187
 - at a glance **212**
 - recurrence 212
 - vomiting 187
- investigations 107-121
- painful, consent for 63, 108
 - performing tests in children/infants 108
 - see also specific investigations and diseases*
- iodine, deficiency 139
- iridocyclitis, chronic 319
- iron
- deficiency 109, 372, 373
 - dietary requirements 373
 - overload 375

iron chelating agents 375
 iron deficiency anaemia 20, 109, **109**, 207,
 372, 373
 clinical features and investigations 109,
 109, 373
 at a glance **374**
 management, prevention 373
 irritability, infants/neonates 90, 431
 irritable bowel syndrome **195**, 209–210
 isolation, in chronic illness 47
 itching, conditions causing 356, **356**
 of anus 215, 320, 368
 of scalp 367
 see also pruritus
 itch–scratch–itch cycle 358

J

jargon development 104
 jaundice 82, 200–201
 breast-milk **449**
 causes 200, **200**
 cholestatic 82, 200, 201
 differential diagnosis **201**
 history and examination **200**, 200–201
 investigations **201**
 neonatal 431, 442, **443**, **444**
 causes **442**
 at a glance **443**
 of prematurity 448
 prolonged, investigations 442, **443**
 obstructive 200
 jejunal atresia **444**
 jejunal biopsy 207, **207**
 jerking movements 87, 237
 jitteriness, in neonates 431
 joints
 effusion 93, 313
 large, examination 93
 stiffness 311
 swollen 310–311, **311**
 causes **310**, 313, 315
 trauma 313, **313**
 juvenile absence epilepsy (JAE) **238**
 juvenile chronic arthritis (JCA) 141, 310
 juvenile idiopathic arthritis (JIA) 308, **316**,
 316–318, **317**
 at a glance **317**
 management 318, **317**
 pauciarticular **316**, 316–317, **317**
 polyarticular 316, **316**, **317**
 systemic 316, **316**, **317**
 juvenile myoclonic epilepsy (JME) **238**

K

karyotype 121
 Kawasaki disease 141, **157**, 157–158
 kernicterus 442
 Kernig's sign 235, **236**
 ketoacidosis *see* diabetic ketoacidosis (DKA)
 ketone bodies 114, **115**
 ketones 114, 298, 301

ketosis 298
 kidneys
 congenital anomalies 324, **325**
 drug excretion 125
 enlargement, neonate 432, 450–451
 horse-shoe 334
 palpation 83
 ultrasound **119**
Kingella kingae 313, 315
 knee, effusion 93
 knock-knees 292, 312
 Koplik spots 137, 149, **149**
 Kussmaul breathing 113, 167, 410

L

labial adhesions 343
 laboratory tests 108
 lactation, physiology 16, **16**
 lactic acidosis 429, 430
 lactoferrin **17**, 373
 lactose intolerance **192**, 206–207
 lamotrigine **239**, **240**
 language 255
 assessment 103–105, 255–256
 delay/difficulty 102, 104, **255**,
 255–256, **256**
 diagnosis, clues **256**
 development **10**, **100**, **103**, 103–105, 255
 word number 103, 104, 255
 disorders 49, 255, 256, **256**
 understanding of, assessment 104
 language barriers 63
 laryngomalacia 165, **166**
 laryngotracheobronchitis, acute *see* croup
 larynx, floppy 165
 'late developers' 291
 lateral ventricles, MRI scan **120**
 laxatives 213, **213**
 'lazy eye' 250, **250**
 lead poisoning 109, **196**, 374
 learning
 additional needs **46**
 paediatrics 2, 3
 learning disability **46**, **49**, 267, **270**, 389
 obesity and 286
 see also intellectual developmental,
 disorders of
 left to right shunt, defects causing **222**,
 222–223, **223**
 left ventricular hypertrophy 223
 leg
 bow 312
 inspection 94, 309
 trauma 308
 leg pain 308–309, **309**, **310**
 causes **308**, 308–309, 315
 differential diagnosis, clues to **310**
 growing pains 309, 313
 investigations 309, **309**
 organic *vs.* non-organic 309, **310**
 legal records 71
 Legg–Calvé–Perthe disease 309, 315, **315**
 length
 intrauterine growth retardation **434**, 435
 measurement 72, **72**
 let-down reflex 16
 leucocytes
 in CSF **114**
 in urine **115**
 leucocytosis 110
 left shift 110, **142**, 147, **162**, **178**,
 311, 313
 leucopenia 110
 leukaemia 110, 310, 315, 372, 379–380
 acute lymphoblastic **53**, **110**, 379, **379**
 at a glance **380**
 leukotriene receptor antagonist (LTRA) **169**
 levetiracetam **239**, **240**
 liaison 65
 in chronic illnesses 48
 professional 65–66
 lichenification 352
 life-sustaining treatment, forgoing/refusal 57
 lifestyles
 healthy 292
 unhealthy 22
 light-accommodation discordance 96–97
 light touch, sensory assessment 90
 limbs, examination, in neonate 432
 limp 308–309
 causes **308**, 314
 listening 62, 65, 383
 liver
 chronic disease 201, 215
 drug metabolism 125
 palpation 77, 82–83, **83**
 transplantation 215
 see also hepatitis
 lobar collapse **117**, 118
 local anaesthetic creams 108
 logbooks, student 3
 long-acting β_2 -agonist (LABA) **169**
 long QT syndrome 119
 long-term medical conditions *see* chronic
 disease/illnesses
 'loop' wiring system 273
 low birthweight infant **429**, 433
 lower motor neurone lesion 87, 88
 lower respiratory tract disease **160**, **405**
 lubricants 358
 lumbar puncture 110, 114, 235, 411
 contraindications 235
 lung
 chest X-ray **116**, 117, **117**, 118, **179**
 collapse, aspirated foreign body 180
 consolidation 81, 118, **179**
 CT scan (high-resolution) **120**
 fetal 445
 hyperinflation 175, **176**, 179, **179**
 hypoplasia 334
 lobar collapse **117**, 118
 luteinizing hormone (LH) 458, **458**

- lymph nodes
 - cervical 85, **85**, **139**
 - enlargement *see* lymphadenopathy
 - inguinal 339
 - occipital, enlargement 85
 - 'shotty' 84, **85**, 339
 - lymphadenopathy 84, **85**
 - cervical 85, 139, **139**, **140**
 - cervical adenitis 147
 - tonsillitis 144
 - inguinal 339
 - lymphocytes, in breast milk 17
 - lymphocytosis 110, 147
 - lymphoid tissue, growth 15
 - lymphoma 339
 - non-Hodgkin's **53**
 - lysozyme, in breast milk 17
- M**
- macrogol 3350 213
 - macules **347**
 - magnetic resonance imaging (MRI)
 - scan 119, **120**, **121**, 238
 - make-believe play 13
 - malabsorption 190, 215, 283
 - in cystic fibrosis 175, 176
 - sugar 190
 - male genital disorders 341–343
 - malnutrition, growth influenced by 14
 - manipulation, infants **102**
 - Mantoux testing 39
 - Marcus-Gunn pupil 96
 - mastitis 17
 - mastoid process, swelling 139, **140**, 149
 - mastoiditis **140**, 149
 - masturbation 386
 - maternal bonding 12, **18**
 - maturational delay 255, **256**
 - mealtime, family **22**, 386
 - mean cell haemoglobin (MCH) **108**, 109
 - mean cell volume (MCV) **108**, 108–109, **372**
 - measles 137, 149, **149**, **150**, 351
 - diagnostic patterns **138**
 - at a glance **150**
 - rash 137, 149, **149**, **349**, 351, **352**
 - recurrence, MMR uptake reduction 36
 - vaccine (MMR) 36, **37**, 39, 137, 150, 351
 - meconium, failure to pass 444
 - meconium ileus 175, **444**
 - mediastinal deviation 80
 - medical clowns 63, **63**
 - medical neglect 397–398
 - medical problems, detection 31
 - medication overuse headache 233
 - medium-chain acyl-CoA dehydrogenase
 - deficiency (MCADD) 32
 - megacolon 212
 - melaena 200
 - menarche 459
 - delayed **459**, 461, **461**, 465
 - meningismus 235
 - meningitis 90, 235–236
 - bacterial 235, **235**, 236, 351
 - CSF analysis 114, **114**, 235
 - management 236, **236**
 - causes **235**, **236**
 - clinical features 235, **236**
 - headache 232, **234**
 - complications, prognosis 236
 - diagnosis 114, 235
 - differential diagnosis **137**, **236**
 - at a glance **236**
 - management 235–236, **236**, 351
 - meningococcal **137**, 235, 236
 - neonates 447
 - viral **114**, 235, **235**, 236
 - meningococcaemia *see* meningococcal septicaemia
 - meningococcal septicaemia 154–155, **155**, 235, 236, 351
 - differential diagnosis **137**
 - at a glance **155**
 - investigations 138
 - management 138, 154–155, **155**
 - rash 135, 137, 154, 236, **350**, **352**
 - meningococcal vaccine **37**, 39, 155
 - meningococci (*N. meningitidis*) 39, 154, 236, 421
 - meningocoele 452, **452**
 - meningoencephalitis 148, 235, 236, 411, 413
 - menstrual problems, adolescents 465, **465**
 - mental capacity 42, 64, 458
 - mental health problems/disorders 28
 - early, long-term outcomes **25**
 - mental retardation 258, 267
 - see also* intellectual developmental disorders of
 - mesenteric adenitis **198**, 211
 - metabolic acidosis **112**, 112–113, 167, 424
 - metabolic alkalosis **112**, 113, 203, 417
 - metabolic disorders 291–305
 - fits, faints and funny turns 230
 - screening tests 32
 - see also specific disorders*
 - metabolism
 - drugs 125
 - effects of cancer and therapy 54
 - metatarsus adductus 312, **312**
 - metered-dose inhaler (MDI) 127, 169
 - metoclopramide 124
 - microcephaly (small head) 259, **289**, 289–290
 - microcytosis 373
 - micrognathia 449
 - microthrombi 333
 - micturating cystourethrogram (MCUG) 326–327, **327**, 328, 334
 - micturition *see* urination
 - midazolam, buccal 240, **240**, **241**, 422
 - migraine 233, **234**, 244
 - abdominal **196**
 - at a glance **244**
 - milk 15
 - allergy 164
 - consumption by infants 19, **19**
 - see also* breast milk; formulae, infant
 - consumption by toddlers 20
 - see also* cow's milk
 - mitral valve 77
 - MMR vaccine **37**, 39, 137, 150, **153**, **349**, 351, **352**
 - mobility
 - development in infants 13, **101**, 103
 - training, in visually impaired 275
 - molluscum contagiosum **356**, **357**, **366**, 366–367
 - Mongolian spots 368, **369**
 - morals 41
 - morbidities, new, in child health 28, **28**
 - Moro reflex **92**, **93**, 432
 - mother and toddler groups 24
 - motor examination 87–88
 - motor maturation, delayed 257
 - motor skills
 - fine, assessment 100, **100**
 - gross, assessment 100, **100**, **101**
 - see also* walking
 - mouth
 - examination 82
 - neonates 432
 - in Kawasaki disease 157, **157**
 - movements
 - abnormal 86–87
 - range, assessment 93
 - spontaneous, in infants 90, 431
 - Muckle Wells syndrome (MWS) **143**
 - mucocutaneous lymph node syndrome (Kawasaki disease) 141, **157**, 157–158
 - mucus, oversecretion 163
 - multi-source feedback (MSF) 3
 - multidisciplinary team
 - in cerebral palsy 264
 - child development team 49, **49**, 50, **50**, 254, 264, 269
 - in chronic illnesses 48
 - communication in 65–66
 - diabetic team 299, 305
 - palliative care 56
 - multiple-choice questions (MCQs) 3, 4
 - mumps **139**, 148, **148**
 - diagnostic patterns **138**
 - at a glance **148**
 - vaccine **37**, 39
 - murmurs, heart *see* heart murmurs
 - muscle power, examination 88
 - muscle tone, examination 87, **88**
 - in babies 90–91
 - muscle wasting, examination 87

muscular dystrophy 257, **258**
 musculoskeletal disorders 307, 313–318
 see also specific disorders (as listed page 307)
 musculoskeletal pain, chest 167
 musculoskeletal system
 examination 93–94, **94**, 311
 problems in obesity 286
 symptoms/signs 308–312
Mycobacterium tuberculosis 17, 39
Mycoplasma pneumoniae 177, 178
 myelocoele 451
 myelomeningocele 451, **452**
 myoclonic seizures **232**, 237, **239**, **243**
 myoclonus 237
 myopia 34, **248**, 249

N

naevi
 pigmented 368, 369
 spider 82, **347**
 strawberry 368, **369**
 naevus flammeus 368, **369**
 nail bed angle 75, **75**
 nail-biting 386
 nappy rash **354**, **355**, **356**
 ammoniacal 355, **355**, **356**, 362, **362**
 Candida **355**, **356**, 363, **363**
 at a glance **362**
 psoriatic **355**, **356**, 361, **362**
 seborrhoeic dermatitis 355, **355**,
 356, 360
 nasal obstruction 144
 National Child Measurement Programme
 (NCMP) **35**
 National Institute for Health and Care
 Excellence (NICE) *see* NICE
 nature and nurture 9–25
 see also development, child
 nebulizers 169–170, **170**
 neck
 anterior/posterior triangles 84–85
 asymmetrical tonic reflex **92**, **93**
 examination 219
 examination of lymph nodes 84–85
 stiffness, meningitis 235
 swelling in, fever with **139**,
 139–140, **140**
 webbing 297, **297**
 necrotizing enterocolitis 448
 neglect 40, 259, 392, 397
 abnormal brain development after
 11, **11**
 child, long-term outcomes **25**
 examination 393
 failure to thrive 284, **286**, 291, 397
 global developmental delay 259,
 260, 268
 investigations 394–395
 medical 397–398
 weight/growth faltering **286**
 see also child abuse

neglectful parenting style 12, **12**
Neisseria meningitidis 39, 154, 236, 421
 neonatal onset multi-system inflammatory
 disease (NOMID) **143**
 neonates 427–454
 asphyxia 430
 breast engorgement 462
 breathing 429–430, 445
 conditions 428, 445–454
 acute kidney injury 335
 biliary atresia 449
 breast-milk jaundice 449
 cleft palate and lip 432, 451, **451**
 DDH *see* developmental dislocation of
 the hips (DDH)
 diaphragmatic hernia 450
 haemolytic disease of newborn
 448–449
 hepatitis 449
 Hirschsprung disease 450, **450**
 hydronephrosis 450–451
 infections 400, 436, 447, **447**
 intracranial haemorrhage 448
 jaundice of prematurity 448
 meningitis 235, 236, 447
 necrotizing enterocolitis 448
 neural tube defects 451–452, **452**
 obstructive apnoea 449–450
 patent ductus arteriosus 449, **449**
 pneumonia 447
 respiratory distress *see* respiratory
 distress syndrome (RDS)
 retinopathy of prematurity 454
 septic arthritis 315
 cranial ultrasound **120**
 examination 428, 430–432, **431**
 for developmental dislocation of hips
 33, 432, 453, **453**
 The Health Child Programme **29**
 heart rate 430, **430**
 hypoxia 429
 maturity, assessment 433
 measurement 431
 mortality rates 428, **429**
 resuscitation 428, **429**, 429–430,
 430
 screening tests **32**, 32–34, **33**, **34**, 175
 signs and problems 433–444
 apnoea 441, **441**
 bowel obstruction 444, **444**
 convulsions **439**, 439–440, **440**
 cyanosis **437**, 437–438, **438**, **439**
 jaundice *see* jaundice
 respiratory distress **433**, **435**, **436**,
 436–437, **437**
 small infants **433**, 433–436, **434**,
 435, **436**
 see also intrauterine growth retardation
 (IUGR); prematurity
 neoplastic disease *see* cancer, child with
 nephromegaly 450, 451

nephropathy, diabetic 298
 nephrotic syndrome 116, 325, 332,
 332, **333**
 minimal change 332
 neural tube 451, **452**
 neural tube defects 432, 451–452, **452**
 neuroblastoma **53**
 neurocutaneous syndromes 259, **260**, 271
 neurodegenerative conditions 258, **260**,
 268, 290
 neurological behaviour, abnormal in
 neonates 432
 neurological disorders 229, 235–250
 see also specific disorders (as listed page 229)
 neurological examination 253
 in babies 90–93, **91**, **92**, **93**
 of children **86**, 86–90, **87**
 cerebellar signs 89
 cranial nerves 89, **90**
 gait **87**, **87**
 motor 87–88, **88**
 sensation 89
 in global developmental delay 259
 large head 289
 neurological symptoms/signs 230–234
 fits, faints and funny turns **230**,
 230–231, **231**, **232**
 headaches *see* headache(s)
 squint (strabismus) 234, **234**
 neuromuscular disease 266, **267**
 neuronal circuits, development 10, **10**
 neutropenia 110
 febrile 54, 110
 ‘new morbidities of childhood’ 382
 newborn infants *see* neonates
 NICE
 traffic light system, serious illness
 400–401, **402**
 TV/screen time recommendation 22
 NICE guidelines
 asthma 168, 173
 atopic dermatitis 359
 attention deficit disorder 262
 autism spectrum disorder 261
 bedwetting 331
 child maltreatment 395
 constipation 199, 214
 diabetes mellitus 305
 diarrhoea and vomiting 189
 epilepsies 242
 feverish illness in children under 5 years
 400–401, **402**, 421
 head injury 423
 meningitis 237
 UTI diagnosis/management 115, 328
 night terrors **231**, 247, 385
 nightmares 385
 nipples, development, and trauma 16
 Nissen fundoplication 202
 nitrites **115**
 nitrogen wash-out test 438, **438**

- nits (head lice eggs) 367–368, **368**
 ‘no tears’ approach 23
 nocturnal enuresis (NE) 321, 322, 329–330, 386
 causes **322**, 329, 386
 daytime wetting with 321, **321**, 329, 330
 definition 321, 329
 encopresis with 198, 321
 at a glance **330**
 management 329–330
 see also wetting
 nodules, skin **347**
 non-accidental injuries 40, 64, **392**, 393, **393**, 396–397
 see also child abuse
 non-Hodgkin’s lymphoma **53**
 non-steroidal anti-inflammatory drugs (NSAIDs) 335
 normal ranges, investigations 108
 acid–base and blood gases **111**
 blood chemistry **111**
 CSF 114, **114**
 haematological indices **108**
 normoglycaemia 298
 nose, examination 95
 nose–finger test 89
 nosocomial infections, neonates 447
 notes 70–71
 hospital 71
 writing-up 71
 nursemaid’s elbow 313, **313**
 nurseries, day 24
 nursery school 24
 nurses
 health care services for children **28**, 30
 school 30
 nutrition 15
 adolescence 22
 breast-feeding *see* breast-feeding
 in cancer 54
 in cerebral palsy 266
 early years 10, 15–19, **19**, **20**, 31
 formula feeds *see* formulae, infant
 growth influenced by 14
 health promotion and 31
 infant, principles **19**
 iron deficiency 372, 373, **374**
 poor, long-term outcomes **25**
 preschool years 20
 school age children 20, **21**, 22, **22**
 weaning 19, **19**, **20**
 nutritional history 68, 69, 283
 nutritional obesity **287**, 292–293, **293**, **294**
 nystagmus 89
- O**
 obesity 22, 286–288
 assessment 74, **75**, **293**
 causes **286**
 genetic/hypothalamic **287**
 examination **287**, 287–288
 growth patterns 287, **287**
 history 286
 identification, growth monitoring 35
 investigations 288, **288**
 management 288, **288**, 292–293
 nutritional **287**, 292–293, **293**, **294**
 prevention 293
 prognosis 293
 secondary **287**
 type 2 diabetes mellitus 305
 Objective Structured Clinical Examination (OSCE) 3, 4
 practice for 5
 preparing for 4–5
 observation 68, 70, 75
 abdomen 82, **82**
 cardiovascular system 76, **76**
 in emergency presentation 403
 genitalia 85
 musculoskeletal system 93
 nervous system **86**, 86
 in infants 90, **91**
 respiratory system **79**, 79–80
 urinalysis 114
 occupational therapist **50**, 264, 318, 390
 oculomotor nerve, examination **90**
 oedema
 ankle 77
 generalized 325, 332
 haematuria and 324
 observation for 82
 sacral 167
 oesophageal atresia **444**
 oesophagitis 202, 283
 oestrogen
 in mother 16
 secretion, precocious puberty 461, **461**
 off-label prescribing 129–130
 olfactory nerve, examination **90**
 oligohydramnios 334
 oliguria 408
 omission *vs.* commission 41
 open questions 65, 68
 ophthalmoscopy, red reflex 32–33, **33**, 97, 105, 274, 431
 opiates, abuse **460**
 opisthotonos 91, **91**, 202
 optic glioma **121**
 optic nerve, examination **90**
 oral rehydration solutions (ORS) 125, 417–418
 orchitis 148
 organ growth 14, **15**
 organomegaly, neonates 432, 450–451
 orthopaedic surgery, in cerebral palsy 264
 Ortolani test 33, 432, 453, **453**
 osteogenesis imperfecta 395
 osteomyelitis 308, 313, **314**
 osteosarcoma **53**
 otitis media 94, **95**, **145**, 145–146, **146**, 149
 differential diagnosis **136**
 at a glance **146**
 secretory 95, 146, 272, 273
 oto-acoustic emission testing 34
 otoscopic examination 94–95, **95**, 145
 ovarian cancer 343
 ovarian cysts 343
 ovarian torsion 343
 overfeeding, avoidance **18**, 19, 186
 overnutrition, growth influenced by 14
 ovulation 465
 oxybutynin 330
 oxygen, partial pressure **111**, 112, **406**
 oxygen therapy 164, 406, 445
 oxygenation, emergency 404
 oxytocin 16
- P**
 P wave 118, **118**
 Paediatric Early Warning Scores 403
 paediatric Gait, Arms, Legs and Spine (pGALS) assessment 93, 311
 paediatric rotation 2
 getting the most out of 2–3
 paediatric services 28
 paediatricians
 communication skills 62
 community 30
 developmental **50**
 paediatrics 2–5
 assessment methods 3
 tips to performing well **4**
 see also examinations, student
 ethical issues in 41–43
 preparation for examinations 3–4, 4–5
 progress and changes of approach 2
 skills needed 3
 pain
 abdominal *see* abdominal pain
 acute/severe, signs **401**
 assessment 88
 febrile child 135
 growing 309, 313
 leg *see* leg pain
 menstrual cramps 465
 on micturition (dysuria) **320**, 320–321
 withdrawal of intensive care, ethical issue 41
 pain relief
 for investigations/tests 108
 in palliative care 57
 palivizumab 179
 palliative care 54, 55–57
 child with cancer 54, 55
 communication, principles 56
 organization 56–57
 principles 55–56
 symptom control 57, **57**
 palliative care plan 57
 palliative care team 56, 57
 pallid spells 247, **247**
 pallor 196, 372, 373

- palmar erythema 82
- palmar grasp reflex **92, 93**
- palpation 70
 - abdomen 82, **82**, 197
 - cardiovascular system **76**, 76–77
 - chest/respiratory system **79**, 80
 - genitalia 85
 - musculoskeletal system 93
 - neurological examination of infants 90
- pancreatic insufficiency, exocrine 175, 176, 189–190
- pancreatic supplements 176
- pancytopenia 54
- pansystolic murmurs **78, 220**, 223
- papilloedema 411
- papules **347**
- paracetamol 124, 125, 136
 - poisoning 424
- parachute reflex 91, **93**
- parainfluenza virus 181
- parasitic infections 190, **196**, 215
- parasternal heave 76, 77
- parasuicide attempt 420
- parenchymal haemorrhage 448
- parent(s)
 - ability to cope 65
 - advice on baby care 31
 - advice on cleft palate/lip 451
 - advice on febrile seizures **422**
 - breaking news of child's disability to 50, 51
 - child abuse by 396
 - child health promotion involvement 30
 - child's growth, discussions 35
 - chronic illness effect on 47
 - communication with 62–64
 - about chronic illness 47
 - approach to support 65
 - at examination of child 72
 - exploring concerns **64**, 65
 - goal identification/achievement 65
 - plan of action, development 65
 - progress review 65
 - questioning, helping to talk **64**, 65
 - without child present 62, 68
 - concerns over adolescents 458
 - concerns over behavioural problems 383
 - consent 42, 64, 108, 458, 467
 - education about chronic illness 47
 - education about diabetes 299
 - failure to act in child's best interests 42, 64
 - feelings/response to child's chronic illness 47
 - grief 55, 56
 - guidelines for managing
 - behavioural problems 383, 384, **384**
 - eating difficulties **386**
 - sleeping problems 385, **385**
 - temper tantrums **387**
 - hostility and defensiveness 65
 - reassurance, in seizure 413
 - response to cancer in child 54, 55
 - rights of 42
 - sleep deprivation 23
 - support, over time **64**, 64–65
 - see also* family
- parent-held child health records 30, 63–64
- parent–child relationship 11–12, 13
- parenteral therapy, at home 127
- parenting 11–12
 - factors influencing 12
 - single parents 25
 - skills, lack of 30
 - styles and influences 11–12, **12**
- parotid gland, swelling **139, 140**, 148, **148**
- parotitis 148
- partial sight 274–276, **275**
- passive smoking 31, 160, 161
- past medical history **68**, 69
 - in emergency presentations 403
 - rash in febrile child 137, 351
- patches, skin **347**
- 'patellar tap' sign 93
- patent ductus arteriosus **225**, 449, **449**
 - heart murmurs **220**, 449
- patient notes 70
- peak expiratory flow rate (PEFR) 119, 162, **171**
 - chart, asthma monitoring 171, **171**
- peak flow *see* peak expiratory flow rate (PEFR)
- peanuts, aspiration 180
- pectus carinatum 76, 80, **80**
- pectus excavatum 80, **80**
- pediculosis capitis 367–368, **368**
- 'peek-a-boo' 13, **104**, 105
- pelvic inflammatory disease **196**
- pelvic masses 322
- pelviureteric junction (PUJ)
 - obstruction 450
- pencil skills, development **102**, 103
- penicillin, prophylactic 376, 378
- penis, curved 342, 432
- peptic ulceration **198**, 210
- percussion 70
 - abdomen **82**, 83–84
 - chest **79**, 80–81
 - dullness and stony dullness 81
 - hyper-resonance 81, 83, 164, 170
 - shifting dullness 83
- perinatal history **68**, 69
- perinatal mortality rates 428, **429**
- perinatal statistics 428, **429**
- periodic fever, aphthous stomatitis, pharyngitis, adenitis (PFAPA) **143**
- periodic fevers 143, **143**
- periodic review 65
- periods (menstrual)
 - absence 465, **466**
 - heavy 465
 - painful 465
 - starting *see* menarche
- periosteal bleeds **394**
- peripatetic teacher 273, 275, 276
- peripheral neural disease, signs **87**
- peristalsis, visible 444
- peritoneal dialysis 335
- peritoneal irritation (peritonism) 197
- peritonitis 210
- peritonsillar abscess (quinsy) 144
- periventricular haemorrhagic infarction 448
- periventricular leucomalacia (PVL) 448
- 'permanence of objects' 104–105
- Personal Child Health Record (PCHR) 30, 63–64, **64**
- pertussis (whooping cough) 38–39, **38**
 - diagnostic patterns **138**
 - at a glance **38**
 - vaccine **37**, 38
- petechial rash 137, 138, 154, 235, **347**, **350**, 351, **352**
- Peyer's patch 211
- pGALS assessment 93, 311
- pH
 - arterial **111**, 112, 113
 - urine **115**
- pharmacodynamics 124
- pharmacogenetics 124
- pharmacokinetics 124
- pharmacology 124–125
- pharyngitis, acute 144
- phenylketonuria 32, 268
- phenytoin 241
- phimosis 343
- phototherapy 361, 442, 448
- physical activity 22–23
 - by age, recommended levels **23**
 - epilepsies and 240–241, 242
 - nutritional obesity management 292, 293
- physiotherapist **50**
 - cerebral palsy, role 263, 264, 266
- pica 109, 373, 374
- pigeon chest (pectus carinatum) 76, 80, **80**
- pilocarpine iontophoresis 119
- pincer grip **102**, 103
- pinworms (threadworms) 215, **215**, 320, 321, 368
- plan of action 71
- plantar reflex 88, **93**
- plaques **347**, **361**
- plasticity, brain 11
- platelets
 - normal range **108**
 - reduced count *see* thrombocytopenia
- playgroups 24
- playing
 - active 22–23
 - lack of safe areas for 25
 - make-believe 13
 - observation, delay/difficulty in talking 255, 256
 - with other young children 13
 - school age children 13
 - with toys 13

- pleural effusion 118
- pneumococcal disease 376
- pneumococcal vaccine 37, 39
- pneumonia 81, 177–178
 - causative organisms 177, 178
 - chest X-ray 178, 179
 - cough in 162
 - differential diagnosis 136, 178
 - at a glance 178
 - management and prognosis 178, 178
 - in neonates 447
 - viral 177, 179
- poikilocytes 374, 376, 378
- poisoning
 - at a glance 420
 - poisons 419
 - strategies for reducing 31
- Poisons Reference Unit 419
- polio, vaccine 37, 38
- poliomyelitis virus 38
- polycystic ovarian syndrome (PCOS) 305, 343
- polycythaemia 109
- polydipsia 298, 298, 305, 323
 - psychogenic 324
- polymerase chain reaction (PCR) 114, 235
- polyuria 298, 298, 305, 323, 323–324
- popliteal angle, assessment 91, 92
- port-wine stain 368, 369
- Portage system 269
- possetting 186, 202, 283
- postural hypotension 221
- posture
 - examination 87
 - infants 12, 101, 102
- potassium 416
 - normal/abnormal levels 111, 111
- Potter syndrome/sequence 334
- poverty 11
 - as health determinant in children 24, 24–25
 - long-term outcome 25, 25
- Prader-Willi syndrome 121
- praecordium, examination 76–77, 219
- pregnancy
 - in adolescents 465, 466, 467
 - breast changes 16
 - in diabetes mellitus 305
 - infections during 258, 260, 269
 - perinatal history, taking 68, 69
 - prescribing in 129–130
 - rubella in 150
 - teratogenicity 130
- pregnancy test 394, 394
- prematurity/premature infants 428, 429, 433
 - airway obstruction 449
 - apnoea of 436, 441
 - developmental delays 253, 259
 - disorders of 433, 433, 434
 - at a glance 434
 - infections 447, 447
 - intracranial haemorrhage 448
 - jaundice of 448
 - patent ductus arteriosus 449
 - problems for infants 435–436
 - respiratory distress syndrome *see* respiratory distress syndrome (RDS)
 - retinopathy 454
- prenatal infections 435
- prepuce, irretractable 343
- preschool children
 - atopic dermatitis 358
 - cough 160
 - fits, faints and funny turns 230, 231
 - growth 14
 - The Health Child Programme 29
 - immunization programme (UK) , 37
 - nutrition, and milk consumption 20
 - physical activity levels 22, 23
 - psychomotor development 12–13
 - sleep patterns 23, 23
 - social interactions 12–13
 - wheezing 163, 164
 - see also* toddlers
- prescribing for children 123–130
 - abbreviations used 128, 129
 - dose writing guidelines 126–127, 127
 - errors 124
 - of fluids 125
 - importance 124
 - off-label 129–130
 - personalized 125
 - pharmacology and physiology 124–125
 - safe, guidelines 129
 - see also* drug(s)
- prescriptions, writing 126, 126–128, 127, 128
 - abbreviations used 128, 129
 - PRN (as needed) 127, 129
- presenting complaint, history of 68, 69
- preterm infants 428, 429, 433
 - see also* prematurity/premature infants
- primitive reflexes 91, 92, 93, 263
- pro-drugs 125
- probiotics 188, 205
- problem list, in examination 70–71
- processus vaginalis 341, 341, 342, 342
- professional qualities/skills, communication 62
- professionals
 - ethical conflicts, withdrawal of care 42–43
 - health care services for children 28, 30
- prognosis, withdrawal of intensive care 41
- prolactin 16, 16
- prolactin-inhibiting factor 16
- proprioception, assessment 89
- protein
 - binding to drugs 125, 130
 - CSF 114
 - intolerance 190, 192, 198
 - in urine 115
- proteinuria 116, 332
 - persistent 327
- pruritus 82, 351
 - atopic dermatitis 358
 - cirrhosis 215
 - jaundice 201
 - scabies 367
 - see also* itching, conditions causing
- pseudo-paralysis 315
- pseudo-tumour cerebri 114, 245
- Pseudomonas aeruginosa* 175
- pseudoseizures (psychogenic non-epileptic seizures) 221, 232, 248
- pseudosquint 249, 249
- psoriasis 310, 353, 354, 354, 361, 361
 - guttate 361
 - nappy rash 355, 356, 361, 362
- psychiatric problems, adolescence 456
- psychogenic non-epileptic seizures 232, 248
- psychological changes in adolescence 456
- psychologist 50
- psychomotor development 12–13, 252
- psychosocial factors/issues
 - asthma 173
 - chronic illness, impact 46, 47
 - epilepsy 242
 - failure to thrive 283, 284, 285
 - growth affected by 14, 280, 282
 - suicide attempt in adolescents 464–465
- psychosomatic symptoms 387
- puberty 458
 - boys/girls 459, 459
 - delayed 459, 461, 461
 - constitutional 291, 461
 - growth 280
 - hormonal changes 458, 458
 - key ages 458–459, 459
 - parental onset 280
 - physical changes at 456–457, 458–459
 - precocious 459, 461, 461–462
 - ‘true’ 461, 461, 462
 - problems of 461, 461–462
- pubic hair, development 458, 459, 459
 - precocious 461, 462
- public health issues, growth monitoring 35
- pull to sit 101, 102
- pulmonary flow murmur 222
- pulmonary hypertension 222, 223
- pulmonary valve 77, 78
 - stenosis 220, 225–226, 225
- pulse 76, 76
 - cardiorespiratory arrest 404
 - character 76
 - in coarctation of aorta 225
 - in dehydration 417
 - femoral, in neonates 432
 - rate and rhythm 76
 - volume 76

pulse oximetry 445
 pulse rate 76
 punishment 383
 punitive anger 383, 387
 pupil
 unilateral dilated 411
 white 33, 97, 105, 274
 pupillary reflex 96–97, 105, 411
 purpura **347**
 pustules **348**
 pyelonephritis 326, 327
 pyloric stenosis 113, 186, 203, **204**, 416
 blood chemistry 113, 203
 at a glance **204**
 pylorus, hypertrophy 203
 pyramid of care 28, **28**
 pyrexia *see* fever
 pyrexia of unknown origin (PUO) **141**,
 141–142, **142**

Q

Q wave 118, **118**
 QRS complex 118, **118**
 QT interval **118**
 calculated (QTc) 119
 quality of life 41, 42
 quinsy (peritonsillar abscess) 144

R

R wave 118, **118**
 radiofemoral delay 76, **78**
 radiotherapy 53–54
 late consequences 55, **55**
 Ramstedt procedure 203
 rash(es)
 acute 349–351
 causes **349**
 generalized, diagnostic clues **352**
 management 351, **351**
 centrifugal 351
 centripetal 351
 in childhood infectious diseases **138**,
 349, **351**, **352**
 see also specific infections
 chronic 352–354
 causes **352**
 diagnosis, clues to **354**
 description 346, 351, **352**
 examination and characteristics 137
 in febrile child **137**, 137–138, **138**, **139**,
 351
 itchiness 351
 macular **137**, **138**, **150**, **347**, **349**, **352**
 maculopapular **137**, **138**, **150**, **152**,
 347, **349**, 351, **352**
 measles **137**, **138**, **149**, **347**, **349**,
 351, **352**
 meningococcaemia 135, 137, 154, 236,
 350, **352**
 nappy *see* nappy rash

papular **352**
 petechial 137, 138, 154, 235, **347**, **350**,
 351, **352**
 polymorphic 137, **138**, 158
 purpuric 137, **137**, **138**, 154, **349**, **350**,
 351, **352**
 ‘slapped cheek’ 137, 153, **153**, **349**,
 351, **352**
 vesicular **137**, **138**, 153, **153**, **349**, **352**
 reaching, by infants **102**, 103
 reactive arthritis 310–311
 reciprocations, concept 13
 records
 parent-held child health 30, 63–64
 professionals, of child 30
 see also health records, child
 recovery position **413**
 rectal examination 84, 197, 199, 200, 210
 rectal hyposensitivity 199, 212, 213
 ‘red book’ 63–64, **64**
 Red Flags
 chronic lower respiratory tract
 disease **160**
 developmental warning signs **252**
 growth concerns **280**
 headaches 232, **233**
 indicative of serious disturbance 382, **382**
 neonatal infections **447**
 neonatal resuscitation **429**
 non-accidental injury **392**
 signs of severe illness **403**
 vomiting **186**
 red reflex 32–33, **33**, 97, 105, 274, 431
 redcurrant jelly stools 187, 196, 200, 211
 reflex anoxic seizures 247, **247**
 reflex anoxic spells **231**
 reflexes
 examination 88
 in infants 91, **92**
 primitive 91, **92**, **93**, 263
 see also specific reflexes
 refractive errors **248**, 248–249
 refusal of treatment 57, 458
 registers, special 30
 regurgitation 186
 rehydration **416–417**, **417**
 in dehydration 416–417, **417**
 in diabetic ketoacidosis **302**
 protocol 417
 see also fluid(s)
 relationships
 early years 10, 11
 parent–child 11–12, 13
 renal biopsy 331, 332
 renal function tests 111
 renal mass 324
 renal replacement therapy (RRT) 335
 renal scarring 327, 328, 334
 renal stones 324, **325**
 renal symptoms/signs 320–321

renal transplantation 335
 renal tubular acidosis 323
 renal tubular disorders 323
 renal tumours 324, **325**
 renal/urinary tract disorders 320, 326–335,
 332–335
 acute glomerulonephritis *see*
 glomerulonephritis
 acute kidney injury 333, 334–335
 chronic kidney disease 334–335, 372
 congenital 334
 haemolytic uraemic syndrome 333–334
 nephrotic syndrome 116, 325, 332,
 332, **333**
 see also urinary tract disorders
 resources, scarce 42, 43
 respect 62
 respiration, failure, in neonates 429, 430
 respiratory acidosis 112, **112**
 respiratory alkalosis 112, **112**, 113, 424
 respiratory depression 413
 respiratory disorders 168–182
 in neonates, cyanosis 438
 see also specific disorders (as listed page 159)
 respiratory distress 79, 112
 in bronchiolitis 179
 in neonates 435, **436**, 436–437, **437**
 causes, cyanosis and **438**
 management 437
 observation for 79, **79**
 severe, signs 164, 406
 signs 161, 164, 437
 wheezing and 164
 respiratory distress syndrome (RDS) **438**,
 445–446
 chest X-ray 437
 complications **446**
 at a glance **446**
 management/prognosis 445–446
 preterm infants **433**, 435, 436, 437
 respiratory failure 405–406
 causes 405, **405**
 at a glance **406**
 investigations, management 406, **406**
 respiratory rate 79
 neonates **430**, 431
 normal, by age **80**
 respiratory support, in neonatal respiratory
 distress 437
 respiratory symptoms/signs 160–168
 breathing difficulty 167
 chest pain 167, **167**
 see also cough; stridor; wheezes/wheezing
 respiratory syncytial virus (RSV) 163, **165**,
 168, 179
 respiratory system
 in Duchenne muscular dystrophy 266
 examination 79, 79–81, **80**, **81**
 respite care 52
 responsive feeding, principle 19, **20**

- resuscitation 403, 404, **404**
 ABCD 403, **405**
 cardiopulmonary 407
 in drowning 425
 neonates 428, **429**, 429–430, **430**
 reticulocytes **108**
 reticulocytosis, anaemia with **109**, 109–110
 reticuloendothelial system 84
 examination **84**, 84–85, **85**
 retina, normal focusing **248**
 retinal haemorrhage 393, **394**
 retinoblastoma **53**
 retinopathy, diabetic 298
 retinopathy of prematurity 454
 review of systems **68**, 70, **70**
 Reye syndrome 136
 rhabdomyosarcoma **53**
 rhesus incompatibility 448
 rhonchi 81, 163
see also wheezes/wheezing
 ribs
 callus around **394**
 missing, on chest X-ray 117
 right ventricular hypertrophy 76, 118–119
 Fallot tetralogy 226, **226**
 rigors 135
 ringworm (tinea corporis) **356**, **357**,
 365, **365**
 road traffic accidents, prevention **31**
 rolandic epilepsy **238**
 Romberg's sign 89, **90**
 roseola 151, 351
 diagnostic patterns **138**
 rash 137, 151, **352**
 rotavirus 188, **189**, 205
 vaccine **37**
 Royal College of Paediatrics and Child
 Health, guidelines, withdrawal of
 treatment 42
 rubella 137, 138, 150, **150**, **151**, 268, 351
 diagnostic patterns 85, 137, **138**
 at a glance **151**
 rash **138**, 150, **150**, **151**, **349**, **352**
 vaccine (MMR) **37**, 38, 137, 150, **153**,
349, 351, **352**
 rumination 186
 running, gait 87, **87**
- S**
 S wave 118, **118**
 safeguarding children 40–41, 395, **395**
 child health service, role 40, 41
 salbutamol **126**
 salicylate poisoning 424
 salmon patch (naevus flammeus) 368, **369**
Salmonella, acute diarrhoea **189**
 Salter-Harris fracture 313
 sanctity of life 41
 satellite lesions, impetigo **357**, **365**
 savants 261
 scabies 354, 367, **367**
 scalds 393
 child abuse 393, **393**
 management 424
 scales, skin **348**
 scarlet fever 137, 151–152, **152**
 diagnostic patterns **138**
 at a glance **152**
 rash 151–152, **152**, **349**, **352**
 school(s)
 adolescents at 457, 464
 aggressive behaviour and 387, 388
 asthma and 173
 attention deficit disorder and 261,
 388, 389
 cancer and 55
 cerebral palsy and 266
 chronic illnesses and 46, 48, **48**
 concerns/difficulties of children in 46, 69
 developmental disorder and 261
 diabetes and 299, 305
 disability management 50–51
 medical 50
 emotional/behavioural problems and
 388–390
 emotional/behavioural problems due to
 383, **383**
 epilepsy and 242, **243**
 failure at 389, **389**
 health promotion in 31
 hearing impairment and 273, **274**
 intellectual development disorder and 269
 involvement, in chronic illness 48
 mainstream, child with disability 51
 non-attendance **388**, 388–389, 464
 phobia 388–389
 primary/secondary 24
 problems based 388–390
 refusal 388–389
 special, child with disability 51
 visual impairment and 275, 276
see also education
 school age children
 aggressive behaviour 388
 atopic dermatitis 358
 cough 161
 development 13
 education 24, 51
see also education; school(s)
 emergency presentations 400, 401, **401**
 fits, faints and funny turns **230**,
 230–231, **232**
 growth 14
 The Health Child Programme **29**
 hearing screening 34
 immunization programme (UK) **37**
 nutrition 20, **21**, 22, **22**
 physical activity 22–23, **23**
 seizures 237, **238**
 sleep patterns 23, **23**
 visual acuity testing 34
 wheezing 163, 164
 school nurses 30
 scissoring, lower limbs 91, **92**
 scoliosis 94, **94**
 screen time 22, 451–452, **452**
 screening 32–34, 451
 developmental 36
 Healthy Child Programme **29**
 questions, musculoskeletal system 93–94
 timeline **32**
 screening tests 32–34, **32**, **33**
 scrotal swellings 338, **338**, **339**, 341
 seborrhoeic dermatitis **353**, 354, **354**,
 360, **361**
 nappy area 355, **355**, **356**, 360
 seizures 237
 absence **232**, 237, **239**, **243**, 261
 causes **412**
 classification and terminology 237
 coma and 410, 411
 febrile *see* febrile seizures
 focal 237, **239**, **243**
 focal motor **232**, 237
 generalized 237, 412–415
 at a glance **415**
 history, examination 413
 investigations 413, **413**
 management 413–415, **414**, **415**
 tonic-clonic 237, **239**, 240, **243**
see also status epilepticus
 management **239**, 238–239, **240**,
 413–415, **414**, **415**
 myoclonic **232**, 237, **239**, **243**
 in neonates **439**, **439–440**, **440**
 psychogenic non-epileptic **232**, 248
 reflex anoxic 247, **247**
 sensory 237
 solitary 412
 temporal lobe **232**, **243**
 visual 237
see also convulsions; epilepsies
 self-confidence 11
 self-esteem, low 389, 466
 self-feeding by infants **104**, 105
 self-help groups 48
 self-respect 11
 sensation, testing in children 89
 sensory loss 89
 sepsis 378, 421
 infants 401, 403, 421
 management 421
 septic arthritis 308, 310, 315
 differential diagnosis **137**
 septicaemia
 meningococcal *see* meningococcal
 septicaemia
 temperature chart in **155**
 'setting sun' sign 245
 sex education 466–467

- sex hormones 14, 458
- sexual abuse *see* child abuse, sexual
- sexual activity, in adolescents 456, 460, 466
 unsafe sex 460
- sexual characteristics, secondary 458,
 458–459, 461
- sexuality
 awareness, in adolescence 456
 variance, medical issues 456
- sexually transmitted disease 460, 465
- ‘shaken baby syndrome’ 186, 393, 394
- shapes, recognizing 13
- shifting dullness 83
- Shigella*, acute diarrhoea 189
- shock 401, 408–409
 cardiogenic 408
 causes 408
 in dehydration 417
 at a glance 410
 hypotensive 408, 408, 409
 hypovolaemic 408
 investigations 409, 409
 management 409, 409
 poor skin perfusion 77, 408
- short stature 279–281, 280, 281, 287
 adolescents 461
 causes 280, 296, 297, 435, 461
 concerns 280, 280, 461
 diagnosis, clues to 282
 examination, investigations 281, 281
 familial (constitutional) 281, 282,
 283, 291
 management 281
- siblings
 chronic illness effect on 47
 issues in cancer 55
- sickle cell anaemia 308, 310, 372, 376–378
 at a glance 377
 investigations 376, 378
 screening test 32, 376
- sickle cell trait 376
- sickled cells 376, 378
- sign language 273
- sinus arrhythmia 78, 118
- sitting, infants 101, 102
- sixth form college 24
- skeletal dysplasia 282
- skeletal growth 15
- skeletal maturity 281
- skeletal survey 394, 395
- skin conditions *see* dermatological
 conditions
- skin lesions
 abdominal, observation 82
 description 346
 desquamation 157, 157, 348
 infectious 356, 356, 357, 364–368
 non-accidental injury 393, 393
 permeability, to drugs 125
 types 346, 347–348
- skin turgor 417, 417
- skull, growth 290
- ‘slapped cheek’ rash *see* fifth disease
 (erythema infectiosum)
- sleep 23
 deprivation (parents) 23
 difficulties, habits 23, 385, 385
 patterns, by age 23, 23
 training 23
- sleep and wake cycles, infants 12
- sleep apnoea 144, 167, 286
- slipped capital femoral epiphyses 309,
 315, 316
- small for gestational age (SGA) infants 280,
 283, 429, 434
 asymmetrically small 434, 435
 at a glance 436
 management, outcome 435
 problems for 435–436
 respiratory distress syndrome risk reduced
 435, 445
 symmetrically small 434, 434
 see also intrauterine growth retardation
- smile
 failure to, age 104
 first 13, 104, 104
- smoke inhalation 424
- smoking 130
 adolescents 460
 asthma and 170, 173
 cough and 160, 161, 162
 passive 31, 160, 161
- ‘sneaker’ dermatitis 360
- Snellen chart 34, 34, 96
- snoring 167, 286
- “SOAP” method, case information 65, 71
- social aspects
 changes in adolescence 457
 chronic illness and school 46
 health-destructive behaviour in
 adolescents 459, 460
 school involvement, in chronic illness 48
- Social Care 40
 in child abuse 395
 for child with disability 50
- social development 13
 assessment 100, 104, 104–105
- social disadvantage, as health determinant
 24, 24, 25
- social history 68, 69–70, 392
- social interactions
 autism and 261
 child development 12–13
- social media
 abuse/shaming 70, 388
 adolescents and 457
- social paediatrics 391–398
 see also child abuse; neglect
- social pragmatic communication
 disorder 261
- social skills, development, assessment 100,
 104, 104–105
- social workers 48, 50, 395
- socialization, school age children 13
- socioeconomic factors 14
 health determinant 24, 24
 language delay 255
- sodium 416
 excess intake 111
 loss 111, 416, 417
 normal/abnormal levels 111, 111
- sodium valproate 239, 240
- soiling 190, 198, 199, 212, 386–387
- solvent misuse, in adolescence
 459–460, 460
- sounds, observation of child 75, 103
- spacer device 169, 169
- spastic diplegia 87, 87, 262
- spastic hemiplegia 91, 262, 262
- spasticity 87, 262, 263, 264
- special educational needs and disabilities
 (SEND) 50–51
- special needs, children with 50, 51, 269
- special needs teacher 50
- speech 255
 assessment 255–256
 baby response to 105
 carer’s, for infants 13
 cerebellar lesion 89
 development 100, 103, 103–105, 255
 delay 102, 255, 255–256, 256
 disorder 256
 therapy 255, 264
- speech and language therapist 50
- spider naevi 82, 347
- spina bifida 451–452, 452
- spina bifida occulta (SBO) 321, 322, 432,
 452, 452
- spinal irradiation 55
- spine, examination 90, 94
 in neonate 432
- spleen, enlarged 83, 83
- splenectomy 378
- splenic infarction 376, 378
- splénomegaly 201
- sponging, febrile child 136
- sputum 161
- ‘squatting’ 226
- squint *see* strabismus (squint)
- stairs, climbing 103
- stammering 255, 256
- standing 101
- staphylococcal infection, impetigo 364
- Staphylococcus aureus* 175, 313
- star charts 329, 384, 384
- ‘statement’ of needs of child 46, 389
- status epilepticus 237, 240–241, 410,
 412–413, 422
 investigations 413, 413
 management 413, 414

- steatorrhoea 201, 207
 stem questions 3
 stepping reflex **93**
 sterility, infant formulae preparation 18
 sternal recession 437, 445
 stethoscope, child's concern 70
 sticky-tape test 215, **215**
 stiffness, abnormal gait 87
 Still disease 141, 316, **316**
 stitch (pain) 167
 stool softeners 213, **213**
 stools
 blood in 187, 188, 196, **199**, 199–200, 212, 333
 changing, in neonates 444
 investigations in diarrhoea **188**
 normal patterns **189**
 'stork mark' (naevus flammeus) 368, **369**
 strabismus (squint) 234, **234**, **249**, 249–250
 convergent squint **249**
 cover test for 97, **97**
 examination check list **97**
 false 249, **249**
 management 250
 non-paralytic 249, **249**
 paralytic 249
 stranger anxiety **104**, 104–105
 strawberry naevus 368, **369**
 streptococcal infections
 acute glomerulonephritis 324, 325, 331
 group A haemolytic, impetigo 364
 tonsillitis 144
Streptococcus, group B 401, 421, 447
Streptococcus pneumoniae 145, 177, 315
Streptococcus pyogenes 313
 stress
 in adolescents 464
 diabetes management 303
 effects in early years 11
 positive 11
 tension headaches and 244, 245
 tolerable 11
 toxic 11
 stress response, over-sensitive 11
 stridor 81, 163, 165–166, 407
 causes **165**, 181
 differential diagnosis **166**
 management 166
 stroke 250, 424
 Strycar rolling ball 96
 students *see* examinations, student; paediatrics
 stupor 410
 Sturge–Weber syndrome 368
 stuttering 255
 subacute sclerosing encephalitis (SSPE) 149
 subdural haematoma 246, 397
 subglottic stenosis 165, **166**
 substance abuse, in adolescents 459–460, **460**
 suckling, infant 16, 435
 sucrose drops 108
 sudden unexplained death in infancy and childhood (SUDIC) 15, 130, 425–426, **426**
 risk factors **425**
 suffering, withdrawal of intensive care, ethics 42
 sugar malabsorption 190
 suicide, adolescents **464**, 464–465
 suicide attempt 420, **464**, 464–465
 sumatriptan 244
 support groups 48
 supratentorial tumours 245
 surfactant 435, 445
 administration 446
 deficiency 445
 surgery, cancer 53
 sweat, collection and analysis 119–120
 sweat test 119–120, 161, 175
 Sweep audiometry tests 34
 swollen joints *see* joints, swollen
 synapses 10, **10**
 syncope 221, **221**, 227, **232**, 248
 see also fits, faints and funny turns
 synovitis, transient 308, **314**, 314–315
 systems, review of **68**, 70, **70**
 systolic ejection murmurs **78**, **220**, 222, 223
 systolic murmurs 78, **220**, 222, 225
 systolic pressure, abnormal 79, **79**
- T**
 T wave 118, **118**
 tachycardia 220, 227, 408, 421
 tachypnoea 161, 431
 tactile vocal fremitus 81
 talking, delay/difficulty **255**, 255–256, **256**, 389
 see also language; speech
 tall children **280**
 Tanner stages 459, **459**
 teasing 388
 telangiectasis **347**
 television, time 22
 temper tantrums 387, **387**
 temperature
 body
 normal 135
 in septicaemia **155**
 taking 135, **135**
 chart, pyrexia of unknown origin 141
 sensory assessment 89
 temporal lobe seizures **232**, **243**
 tendon reflexes *see* deep tendon reflexes
 tension headaches 232, 233, **234**, 244–245
 at a glance **245**
 testes
 ectopic 339, **340**, 342
 examination in neonates 432
 impalpable 339, **339**
 palpation 85–86
 puberty, changes 459, **459**
 retracted 85
 retractile 339, 342
 undescended 339, **340**, 342, 432
 testicular descent **341**, 342
 palpation for 32, **34**, 340
 testicular torsion 338, **339**, 342
 testicular tumour **339**, 342
 tetanus 37
 vaccine 36, **37**
 thalassaemia, beta 372, 374–375, **375**
 homozygous, at a glance **376**
 screening test 32
 thalassaemia trait 109, 374
 thelarche 461
 premature 462
 theophylline 125
 therapeutic relationship 62
 thermal injuries 424
 Thin Basement Membrane Disease (TBMD) 324
 thirst 323
 threadworms (enterobiasis) 215, **215**, 320, 321, 368
 thrills 77, **77**, **78**
 fluid, abdomen 83–84
 throat
 examination **95**, 95–96
 sore 144
 thrombocytopenia 54, 110, 378, 379
 all-immune 110
 thrush, oral 363, **363**
 thumb-sucking 386
 'thunderclap' headache **234**, 250
 thymus gland **116**
 thyroid gland
 palpation **295**
 swelling 139, **140**, **295**
 thyroiditis **140**, 294–295, **295**
 tibial torsion, medial 312, **312**
 tics **232**, 248
 time out, strategy 384, 387
 tinea capitis **357**, 365, **365**
 tinea corporis **356**, **357**, 365, **365**
 tinea pedis (athlete's foot) **357**, **358**, **365**, 365–366
 TNF-receptor associated periodic fever (TRAPS) **143**
 toddlers
 abdomen 82
 aspirated foreign bodies 180, 407
 diabetes mellitus 303
 diarrhoea **192**, 206
 foods to avoid 19, **20**
 The Health Child Programme **29**
 immunization programme (UK) **37**
 nutrition 20
 poisoning 419
 see also preschool children

toewalking 312
 toilet training **104**, 105, 321
 tongue, strawberry **157**
 tonsil(s)
 enlargement 144
 examination 95–96
 tonsillectomy 144
 tonsillitis **144**, 144–145, 147
 differential diagnosis **136**
 at a glance **145**
 tooth decay 202, **202**
 avoidance, bottle feeding **18**
 topical calcineurin inhibitors (TCIs) 359
 topiramate **239**, **240**
 TORCH infection 435, 439
 total body impairment **262**, 263
 toxicity, acute/severe, signs **401**
 toxoplasmosis 268
 trachea, position, examination 80, **80**
 ‘trainer’ dermatitis 360
 transcutaneous bilirubinometry 442
 transexuals **456**
 transgender **456**
 transient synovitis 308, **314**, 314–315
 transillumination 86, 338
 transitional milk 16
 transplantation
 bone marrow 54
 liver 215
 renal 335
 transposition of great vessels 226, **226**,
 438, **438**
 trauma
 abdomen 324
 head 246, 247
 joint pain/swelling 313, **313**
 leg 308
 loin/flank 324
 traumatic tap 114
 tremor, examination for 89
 tricuspid valve 77
 tricyclic antidepressants 330
 trigeminal nerve, examination **90**
 trisomy 18 121
 trisomy 21 *see* Down syndrome
 trochlear nerve, examination **90**
 troponins, cardiac 409
 truancy 389
 trust, building 65, 68
 tuberculin sensitivity 39
 tuberculosis 39–40
 at a glance **40**
 vaccine **37**, 38
 tuberous sclerosis 238
 tumour lysis 54
 Turner syndrome 280, 297, **297**, 461
 tympanic membrane
 bulging, otitis media **95**, 145, **145**
 examination 94, **95**
 perforation 145

U
 UK Child Growth Standards (1990) 73, **74**
 ulcerative colitis 190, 208–209, 310
 ulcers **348**
 ultrasound 119, **119**
 cranial, neonate **120**
 hips, transient synovitis **314**
 kidney **119**
 pyloric stenosis 203, **204**
 umbilical hernia 82
 underachievers 46
 undernutrition, in cerebral palsy 266
 understanding of language, delay in
 talking 255
 undressing child, for examination 70
 UNICEF, breast-feeding support 15
 unintentional injury 31
 unsafe sex 460
 upper motor neurone lesion 87, 88
 signs **86**
 upper respiratory tract infection (URTI) 144
 acute pyrexia **134**
 cough in 160, **162**
 enlarged glands in neck 139, **139**
 urea 11, **111**
 ureter, ectopic 334
 urethra, abnormal siting **342**, 342–343
 urethral valves, posterior 334, 450
 uric acid 54
 urinalysis 114–116
 in dehydration 417
 dipstick testing 114–115, **115**
 haematuria 114, 115, **115**, 324–325
 pathology, examples 115–116, **332**
 urinary frequency 298, **298**, 305, 323–324
 urinary incontinence
 ‘avoidance manoeuvres’ 321, 322
 congenital anomalies causing 334
 daytime **321**, 321–322, **322**
 urge 321, **321**
 see also wetting
 urinary tract disorders 326–330
 congenital **323**, 326, 334
 obstruction, in neonates 450–451
 see also specific disorders (as listed page 319)
 urinary tract infection (UTI) 326–327
 atypical 326, **328**
 causes 326, 327
 clinical features 320, 326
 abdominal pain **196**, **198**
 haematuria 324, **325**
 diagnosis 115, 116, 326
 differential diagnosis **137**
 at a glance **327**
 investigations 326–327, **327**, **328**
 urinalysis results 115, 116, 326
 management 326, **326**, **327**
 NICE guidance 115, 328
 prognosis 327
 recurrent 326, 327, **328**, 334

wetting and 321, 322, **323**
 see also specific disorders (as listed page 319)
 urinary tract symptoms/signs 320–321
 see also specific signs (as listed page 319)
 urination
 ‘avoidance manoeuvres’ 321, 322
 daytime wetting *see* wetting
 pain (dysuria) **320**, 320–321, 465
 pattern 323
 whilst sleeping *see* nocturnal enuresis (NE)
 urine
 blood in *see* haematuria
 colour and odour 114, 324
 culture 115, 116, 325, 326
 dark-coloured (‘coca-cola’) 200, 201,
 324, 331
 reflux *see* vesicoureteric reflux (VUR)
 specific gravity **115**
 specimen collection 114, 326
 urobilinogen **115**, 200, **443**
 urticaria (hives) **352**, 360, **360**

V

vaccines
 BCG **37**, 39
 chicken pox 153
 diphtheria 37, **37**
 DTaP 37, **37**
 Haemophilus influenzae type B (HiB) **37**,
 39, 182
 hepatitis B 39
 HPV **37**, 40
 influenza 146
 IPV (inactivated polio vaccine) **37**, 38
 live attenuated 36
 meningococcal **37**, 39, 155
 MMR 36, **37**, 39, 137, 150, 351
 pertussis (whooping cough) **37**, 38
 pneumococcal **37**, 39
 polio **37**, 38
 rotavirus **37**
 rubella **37**, 39, 150
 schedule **37**
 tetanus **37**, **37**
 see also immunizations
 vaginal discharge 465, **465**
 vagus nerve, examination **90**
 varicella *see* chicken pox
 vaso-vagal syncopal attacks **221**, 248
 vasopressin 330
 venous hum 222
 ventilation, in neonates 437, 441, 445–456
 ventricular hypertrophy
 left 224
 right *see* right ventricular hypertrophy
 ventricular septal defect (VSD) 78,
 222–223, **223**, **224**
 Fallot tetralogy 226, **226**
 at a glance **219**
 heart murmurs **220**, 223

ventriculoperitoneal shunt 246
 verruca (plantar warts) **357**, 366
 vertigo, benign paroxysmal **231**, 247–248
 very low birthweight infants **429**, 433
 vesicles **347**
 vesicoureteric reflux (VUR) 326, **327**, 328, **329**, 334
 severity, grading **328**
 vigabatrin **239**, **240**
 Vincent's curtesy 321, 322
 viral infection
 asthma triggered by 163
 febrile child 146
 febrile child with rash 138, 351
 hepatitis 214, **214**
 leucocytosis 110
 meningitis **114**, 235, **235**, 236
 pneumonia 177, **179**
 pyrexia of unknown origin 141, **141**
 tonsillitis **144**, 144–145
 wheezing 163, 164, **165**
 vision/visual system
 development 10, **10**, 13
 examination 96, **96**
 infants 91, 96, 105
 visual acuity 250
 subnormal (amblyopia) 234, 250, **250**
 testing 34, **35**, 96
 visual defect/deficits
 amblyopia 234
 blindness 274–276, **275**
 at a glance **275**
 management **275**, 275–276
 partial sight 274–276, **275**
 refractive errors **248**, 248–249
 visual evoked response (VER) testing 275
 visual fields, assessment 96, **96**
 visual reflexes, assessment 96–97, 105
 vital signs, neonates 431, 437
 vitamin
 deficiency, in cirrhosis 215
 supplements, infants **19**
 vocal fremitus, tactile 81
 vocal resonance 81
 vocalization, development 13, **103**, 103–105
 voluntary organizations 48, 50, 51
 volvulus **444**

vomiting **185**, 185–187, **186**, 283
 after taking medication 126–127
 bile-stained 186, **186**, 432, 444
 blood-stained 186, **186**, 203
 causes **185**, 186, 202
 dehydration 416, 417
 examination 186, **187**
 inducing, in poisoning 420
 projectile 186, 203, 416
 Red Flags **186**
 Von-Willebrand disease 380

W
 waddling gait 87, **87**
 waist, circumference, boys **75**
 waking in night 385
 walking, infants **101**, 103, 257
 delay 102, 257, **257**, **258**, 262, 263
 ward of court, child as 42, 64, 395
 warts
 common **356**, **357**, 366, **366**
 plantar **357**, 366
 venereal (condylomata acuminata) 366, **366**
 water, body 416
 excess **111**
 intra-/extracellular compartments 124
 loss 113
 waterhammer pulse 76
 Waterhouse–Friderichsen syndrome 154
 weaning 19, **19**, **20**
 weight
 assessment 72
 control, type 2 diabetes 305
 dehydration assessment 416, 417, **417**
 in diarrhoea 188, 190
 failure to gain 283
 faltering 283, **284**, **285**, 291, 397
 differential diagnosis, clues **285–286**
 management 285, **285**
 fluid requirements based on 418, **418**
 gain, excessive
 avoidance, in bottle feeding **18**
 identification, growth monitoring 35
 height discrepancies **280**
 intrauterine growth retardation **434**, 435
 loss

 in anorexia nervosa 463
 in diabetes mellitus 298, **298**
 in nutritional obesity 292
 pharmacology and 124
 West syndrome (epileptic spasms) **231**, 237, **238**, **239**, **243**
 wetting **321**, 321–322, **322**
 diagnosis, clues to **323**
 at night *see* nocturnal enuresis (NE)
 psychogenic **323**
 wheals **348**, **349**, **352**
 urticaria **352**, 360, **360**
 wheezes/wheezing 81, 163–164, **164**
 causes 163, **163**
 differential diagnosis **165**
 foreign bodies 163, **165**, 180
 infants 164, 168, 179
 multi-trigger 163, 164
 recurrent, asthma 160, 161, 164, 168
 respiratory failure, history 405
 viral 163, 164, **165**
 whey 17
 white cell count **108**
 increased 110, 379
 reduced 110
 whole exome sequencing 121
 whole genome sequencing 121
 whooping cough *see* pertussis (whooping cough)
 'wiggly finger' test 96, **96**
 Wilm's tumour **53**, 324, **324**
 withdrawal of treatment
 ethical issues 42
 of intensive care, ethics 41–42
 professionals' ethical conflicts 42–43
 workplace-based assessments (WPBA) 3
 World Health Organization (WHO) 15, 19
 growth charts 73, **73**
 written case reports 3
 written examinations 3

X

X-ray, chest *see* chest X-ray
 xanthine derivatives 436, 441

Z

zidovudine 157
 zinc deficiency 111

