

Contents

Preface — V

1 Introduction — 1

- 1.1 Background of the problem — 1
- 1.2 Polaron and fundamental problems of nonrelativistic quantum field theory — 4

2 Pekar's ansatz and the strong coupling problem in polaron theory — 12

- 2.1 Introduction: Pekar's ansatz — 12
- 2.2 Coordinate-free Hamiltonian: weak coupling — 16
- 2.3 Coordinate-free Hamiltonian: general case — 17
- 2.4 Weak coupling limit in Tulub's theory — 20
- 2.5 Strong coupling — 21
- 2.6 Induced charge of translation-invariant polarons and bipolarons with broken translational symmetry — 24
- 2.7 Phonon interaction of electrons in the translation-invariant theory — 26
- 2.8 Intermediate coupling bipolarons — 29
- 2.9 Strong coupling bipolaron — 30
- 2.10 Phonon interaction in translation-invariant theory of strong coupling — 33
- 2.11 Ground state functional: Tulub's ansatz — 35
- 2.12 Discussion of the completeness of Tulub's theory — 40
- 2.13 Consequences of the existence of translation-invariant polarons and bipolarons — 42
- 2.14 Quantum field theory methods and TI polarons — 44
- 2.15 Translation-invariant excitons — 45
 - 2.15.1 Introduction — 46
 - 2.15.2 Hamiltonian of an exciton in a polar crystal — 47
 - 2.15.3 The ground state of an exciton in a polar crystal in the case of weak and intermediate electron–phonon interaction — 48
 - 2.15.4 The ground state of an exciton in a polar crystal in the case of a strong electron–phonon interaction — 49
 - 2.15.5 Spectrum of a TI exciton — 51
 - 2.15.6 Peculiarities of absorption and emission of light by TI excitons — 53
- 2.16 Conclusion — 54

3	Large-radius Holstein polaron and the problem of spontaneous symmetry breaking — 56
3.1	Introduction — 56
3.2	Holstein polaron in the strong coupling limit: broken translation invariance — 57
3.3	Translation-invariant theory — 58
3.4	The case of weak coupling — 59
3.5	The case of strong coupling — 60
3.6	Holstein TI polaron and the problem of quantization in the neighborhood classic solution — 62
3.7	Translation-invariant bipolaron in the Holstein model — 64
3.8	Translation-invariant bipolaron theory — 67
3.9	Variational calculation of the bipolaron state — 69
3.10	On the possibility of bipolaron states in discrete chains — 71
4	Translational-invariant bipolarons and superconductivity — 77
4.1	Weak EPI: BCS theory — 77
4.2	Pekar–Fröhlich Hamiltonian: canonical transformations — 80
4.3	Energy spectrum of a TI bipolaron — 84
4.4	Nonideal gas of TI bipolarons — 86
4.5	Statistical thermodynamics of a low-density TI bipolaron gas — 90
4.6	Statistical thermodynamics of 1D low-density TI bipolaron gas — 96
4.7	Current states of a TI bipolaron gas — 101
4.8	Thermodynamic properties of a TI bipolaron gas in a magnetic field — 104
4.9	Translation-invariant bipolarons and a pseudogap phase — 110
4.9.1	Temperature of a pseudogap phase — 111
4.9.2	Isotope coefficient for the pseudogap phase — 114
4.9.3	Isotope coefficient for pseudogap phase in magnetic field — 115
4.9.4	Discussion — 116
4.10	Scaling relations — 117
4.10.1	Alexandrov formula — 117
4.10.2	Homes’ law — 118
5	Comparison with experiment — 120
5.1	Thermodynamic experiments — 120
5.2	Spectroscopic experiments — 127
5.2.1	Tunnel characteristics — 128
5.2.2	Angle-resolved photoelectron spectroscopy (ARPES) — 130
5.2.3	Neutron scattering — 136

5.2.4	Combination scattering —	138
5.3	Isotope effect —	139
5.4	Conclusive remarks —	144
6	Moving bipolaron Bose condensate —	146
6.1	Introduction —	146
6.2	Moving Bose condensate of TI bipolarons —	146
6.3	Bose condensate in a magnetic field —	149
6.4	Little–Parks effect —	150
7	Translation-invariant bipolarons and charge density waves —	154
7.1	Translation-invariant bipolarons and charge density waves in high-temperature superconductors —	154
7.1.1	General relations for the spectrum of a moving TI bipolaron —	154
7.1.2	TI bipolarons and charge density waves —	155
7.1.3	Comparison with the experiment —	157
7.2	Translation-invariant bipolarons and CDW pinning —	158
7.3	Strange metals —	159

Afterword — 161

Acknowledgments — 163

Appendices

Appendix A Hamiltonian H_1 — 167

Appendix B To solution of equation (2.3.10), Chapter 2 — 169

Appendix C Analytical properties of the function $D(s)$ — 171

Appendix D Calculation of recoil energy ΔE — 173

Appendix E Squeezed states — 177

Appendix F On the “incompleteness” of the translation-invariant polaron theory — 181

Appendix G Transition from discrete to continuum Holstein Hamiltonian — 185

Appendix H On the screening interaction of TI bipolarons — 189

Appendix I Kohn anomaly — 191

Appendix J Some comments and suggestions for future work — 193

Appendix K The problems to be solved — 203

Abbreviations — 205

References — 207

Index — 231