

Index

a

- absolute refractory period 72, 73
- acetic acid 53
- acetylcholine 53, 54, 69
- acetylcholinesterase 53
- acoustic tubercle 278
- actin 47, 49
- action potential 49, 64–67, 70–75, 305
- acupuncture 130, 131
- adenohypophysis 188–190
- ADH *see* antidiuretic hormone (ADH)
- adrenergic vesicles 52
- aggression 115, 187, 190
- alar plate 216, 217
- algebraic summation 142
- alimentary centres 194
- allocortex 115, 298
- all-or-none principle 73
- alpha neuron 135, 137–143, 148, 156, 157, 160, 170, 172, 173
- alveus 300
- Alzheimer's disease 59, 188
- amino acids as transmitter substances 53
- Amphioxus 60, 61
- amputation neuroma 57
- amygdaloid body 115, 116, 188, 192–193, 204, 222, 283, 287, 292, 298–301
- anaesthesia, general 23, 239, 263, 305, 322
- anastomoses of arteries of neuraxis 11–12
- anastomosing ramus of maxillary 2–5, 7
- angularis oculi vein 26, 261
- annulospiral receptor 121, 135–140
- anomalous atlanto-occipital region in horse 42
- anterograde transport 48, 49, 51
- antidiuretic hormone (ADH) 189, 190, 196
- antigrowth substances 58
- anulus fibrosus 36–38, 266
- anxiety 205
- aortic arch endothelium 217
- apneustic centre 194
- aqueduct of Sylvius 18
- arachnoid 13–17, 19–21, 34
- arachnoid villi 19–20, 37
- arbor vitae 293
- archicortex
 - amphibian 208
 - bird 221
 - mammal 220
 - reptile 220
- archipallium 218
- archistriatum, bird 222
- arcuate fibres 94, 95, 297
- areflexia 143, 167, 168, 171, 172
- arousal 128, 187, 192, 290
- arterial obstruction in neuraxis 30
- artery or arteries
 - anastomosing ramus of
 - maxillary 2–5, 7
 - of basal nuclei 12
 - basilar 1–5
 - of brain 1–8, 11, 177–178
 - caudal cerebellar 1, 2
 - caudal cerebral 1, 2
 - of cerebellum 16, 177–178
 - deep of neuraxis 10, 11
 - dorsal root 8–10
 - dorsolateral spinal 9

- artery or arteries (*cont'd*)
 - external ophthalmic 3
 - internal carotid 1–5, 7, 8
 - maxillary 2–5, 7, 8
 - middle cerebral 1, 2, 12, 151
 - radial of spinal cord 11
 - rostral cerebellar 1, 2
 - rostral cerebral 1, 2
 - spinal 8–12
 - striate 12
 - ventral root 8–10
 - ventral spinal 1–3, 8–11, 29, 272
 - vertebral 1–7, 10
 - vertical of spinal cord 10–11
 - ascending degeneration 55, 56
 - ascending reticular formation
 - in brain 127
 - constituent neurons 124
 - functions 128–132
 - input 124
 - phylogeny 127–128
 - site of cells in neuraxis 127
 - in spinal cord 124–126
 - association
 - cortex 199, 204, 206, 299
 - fibres 204, 208, 297, 321
 - astrocyte 22, 58, 75, 76, 217
 - asynergia 185, 212
 - ataxia 95, 185, 186, 231, 247, 251, 254, 265, 266, 314–316, 322–324
 - atlanto-axial subluxation 42, 265, 324
 - atlanto-occipital anomaly in horses 42
 - atonus 141, 151, 167, 171, 192
 - auditory area 106, 107, 199, 201, 202, 211, 292, 298, 299
 - auditory cortex 104, 109, 305
 - auditory radiation 104, 106, 211, 292, 298
 - autonomic nervous system
 - ascending pathways 195
 - brainstem lesions 88, 196
 - cortical components 187
 - hindbrain components 193–194
 - hippocampus 188
 - hypothalamic functions 190–192
 - lesions 195–197
 - nuclei of hypothalamus 190
 - reflex arc 59–60, 196
 - spinal cord pathways 194–195
 - axis cylinder 46–48, 50, 57
 - axo-axonal bulb 44
 - axodendritic bulb 44
 - axolemma 47, 48, 52, 71–73
 - axon
 - actin 47, 49
 - axolemma 47
 - axonal transport 48–49
 - axoplasm 46, 48
 - cisternae of smooth endoplasmic reticulum 47
 - contractile proteins 49
 - degeneration in peripheral nerves 55–57
 - hillock 45, 46, 49, 55, 56, 65, 68, 71
 - initial segment 49, 65, 68, 71
 - lysosomes 46–48
 - membrane-bound organelles 47, 48
 - membrane glycoproteins 47
 - mitochondria 47
 - myosin 49
 - specific receptors on axolemma 48
 - sprouting 58
 - terminals 43–48, 51–54, 57, 60, 66, 69, 70, 72, 141, 189, 190
 - transport 48–49
 - vesicles 48
 - axosomatic bulb 44
- b**
- Babinski reflex 251, 256
 - BAEP *see* brainstem auditory evoked potential (BAEP)
 - BAER *see* brainstem auditory evoked response (BAER)
 - balance pathways 117
 - baroreceptors 74, 195, 326
 - basal ganglia 12, 162
 - basal lamina in regeneration 57
 - basal nuclei, amphibian, bird, definition, feedback, lesions, mammal, reptile
 - amphibian 218
 - bird 221
 - definition 154, 155
 - feedback 164

- lesions 165, 166
 - mammal 220
 - reptile 219
 - basket cells 182
 - behaviour 116, 193, 200, 204, 205, 207, 323
 - biceps tendon reflex 250, 256
 - bipolar cell of retina 103, 108
 - bird, archicortex
 - archistriatum 222
 - basal nuclei 221
 - cerebellum 225
 - cerebral cortex 223–224
 - colliculi 224
 - corpus striatum 221
 - cuneate and gracile fascicles 226–227
 - ectostriatum 222
 - external striatum 221–224
 - hyperstriatum 222
 - motor spinal pathways 227
 - neocortex 221
 - nucleus mesencephalicus lateralis pars dorsalis 222
 - nucleus opticus principalis thalami 222
 - nucleus ovoidalis 222
 - olfaction 224–225
 - optic lobe 222, 224
 - paleocortex 221
 - paleostriatum augmentatum 222
 - paleostriatum primitivum 222
 - sensory modalities 223
 - size of brain 223
 - spinocerebellar pathways 226
 - vision 224
 - bitemporal hemianopia 318
 - bladder contraction 190
 - bladder reflex control 196
 - blindfolding 233, 247, 256, 312, 319
 - blood-brain barrier 21–22, 76, 261
 - body of corpus callosum 289, 291
 - body of the fornix 285, 286, 291, 292, 300
 - botulinum toxin 54
 - brachial plexus 197, 319
 - brachium of caudal colliculus 90, 104, 283, 284
 - brachium of rostral colliculus 90, 283, 284
 - brainstem 28, 53, 79–83, 85, 87–90, 92, 108, 114, 119, 124, 126, 127, 129, 157, 164, 183, 187, 191, 195–197, 206, 208, 212, 213, 223, 225, 229, 235, 272, 274, 277–279, 281, 283, 284, 286, 288, 293, 294, 297, 305, 318
 - brainstem auditory evoked potential (BAEP) 303, 305–306
 - brainstem auditory evoked response (BAER) 240, 255, 303
 - branchial efferent 80
 - bunny hopping gait 143
 - buoyancy of brain 21
- C**
- calcium ions 54
 - cardiac accelerator neurons 280
 - cardiac arrest 12, 318
 - cardiovascular centres 191, 193–195, 280
 - carotid body type 1 cell 52
 - carotid sinus reflex 74
 - case sheet 254–256
 - catecholamine 48, 53
 - cauda equina 29, 33–36, 41, 269, 320
 - caudal cerebellar peduncle 110, 112, 120–123, 163, 164, 178, 179, 185, 225, 240, 274, 278, 284, 295, 322, 323
 - caudal colliculus 90, 104, 106, 109, 126, 127, 155, 222, 224, 239, 281, 283, 284, 286, 295, 306
 - caudal commissure 283, 285, 286, 288–290
 - caudal crus of internal capsule 298
 - caudal lobe of cerebellum 293
 - caudal medullary velum 276, 293
 - caudal perforated substance 283
 - caudal vertebrae 16, 33
 - caudolateral fissure 180, 293
 - cavernous sinus 7, 25–28, 261
 - venography 26, 261
 - Centaurea toxicity 166
 - central canal of spinal cord 18, 265, 275
 - central canal position in brain stem 79, 270
 - central grey matter 130, 280, 286, 287

centre(s)

- alimentary 193, 194
 - apneustic 194
 - cardiovascular 193–194
 - expiratory 194
 - hunger 190
 - inspiratory 194
 - lateral medullary motor reticular 153, 154, 156, 163–164, 178, 280
 - medial medullary motor reticular 153, 154, 156, 157, 163–164, 170, 178, 280
 - medullary respiratory 194
 - pneumotaxic 67, 194, 282
 - pontine motor reticular 153, 154, 156, 163–164, 170, 178, 282
 - respiratory 194
 - ruminoreticular 194
 - sleep 132
 - thirst 190
 - vasomotor depressor 193
 - vasomotor pressor 193
 - waking 132, 192
- cerebellar cortical abiotrophy 186
- cerebellar disease 111, 112, 185–186, 231
- cerebellar hypoplasia 186
- cerebellar peduncle or peduncles
- caudal 110, 112, 120, 122, 123, 163, 164, 178, 179, 185, 225, 240, 274, 278, 284, 294, 295, 322, 323
 - in extrapyramidal feedback 163, 164, 286
 - middle 147, 149, 178, 179, 206, 225, 280–282, 284, 294, 295
 - rostral 122, 123, 149, 163, 178, 179, 294
- cerebellomedullary cistern 22, 268
- cerebellovestibular projections 170
- cerebellum
- arteries 177–178
 - cortex 175–177
 - disease in domestic mammals 185–186
 - disease in man 185–186
 - feedback components 161
 - feedback input 175–177
 - fissures 180, 293
 - folia 182, 322
 - functions 180–182
 - granular cell layer 182, 183
 - gross structure 293
 - histology 182–184
 - hypertonus 184
 - hypotonia 185
 - internal structure 293–294
 - ipsilateral function 181
 - lobes 180
 - lobules 293
 - nodules 179
 - nuclei 293–294
 - nystagmus 111, 184
 - output 177–178
 - peduncles *see* under cerebellar peduncle
 - piriform cell layer 182
 - pontocerebellar lesions 175, 184
 - proprioceptive areas 179–180
 - Purkinje cell layer 182
 - spinal afferents 175–177
 - spinocerebellar lesions 124, 175, 184
 - sulci 293
 - syndromes 184–185
 - vestibular areas 179
 - vestibular projections 163, 177
 - vestibulocerebellar lesions 184
 - white matter 293
- cerebral aqueduct 18, 284
- cerebral arterial circle 1–4, 6, 7
- cerebral arteries 1
- cerebral crus 145–147, 149, 281, 283, 287
- cerebral hemisphere, multiform layer
- amphibian 218–219
 - association areas 204–205
 - bird 225, 226
 - in cat and dog 206
 - cognitive association area 202–203
 - commissural fibres 298
 - cortex 149
 - C-shape 296
 - definition 295
 - evolution 295
 - granular cells 182, 208
 - granular layers 182, 183
 - gross structure 295–296
 - gyri 296, 297
 - histology 208–210
 - internal structure 295, 297–301
 - lesions 212
 - lobes 296

- in man 107
- molecular layer 182, 183
- occipital lobe 296
- parietal lobe 296
- in primitive mammals 200
- projection areas 107, 299
- projection fibres 208, 297
- pyramidal cells 208, 209
- pyramidal layers 208, 209
- reptile 219–220
- sulci 107, 296, 297
- temporal lobe 296
- ventricular system 296–297
- cerebral peduncle 164, 283, 287
- cerebrocortical necrosis 318
- cerebrospinal fluid
 - circulation 17–19
 - collection 22–23
 - drainage 19–20
 - formation 16
 - functions 20–21
 - volume 20
- cerebrum definition 145–146
- cervical enlargement 168, 269
- cervical spondylolisthesis 41, 265
- cervical spondylopathy 265
- cervical stenosis 41, 265
- cervical sympathetic trunk lesions 197
- cervical vertebrae 6, 41, 265, 266
- chemoreceptor 71, 73, 74, 128, 326
- Chiari-like malformation 23, 265, 323
- chloride ions 64, 66, 67
- choline 53
- cholinergic vesicles 52, 53, 70
- chondrodystrophia 38
- choroid plexus
 - fourth ventricle 16
 - lateral ventricle 16
 - papilloma 186
 - third ventricle 16
- chromatolysis 56, 57
- cingulate gyrus 116, 204, 281, 283, 291, 297, 300
- cingulum 116, 297
- circle of Willis 1
- circling 206, 231, 247, 255, 256, 312, 315, 319, 325
- circulation 17–19, 28–30, 41, 115, 188, 191
- cisterna magna 268
- Clarke's column 120, 122, 272
- classification of nerve fibres 46
- claustrum 291, 299
- climbing fibres 176, 182, 183
- coccygeal vertebrae 14, 33
- Coenurus cysts 206, 319, 323
- cognitive association area in carnivores 203
- cognitive association area in man 202–203
- coiling reflex 60–62
- collateral branches of axon 43
- collateral sprouting 58
- colliculi
 - caudal 155, 159, 283, 284
 - rostral 104, 105, 284, 318
- colliculus axonis 49
- columns of the fornix 301
- coma 30, 132, 212, 230
- comatose 229, 305
- commissure of caudal colliculi 284
- commissure of rostral colliculi 284
- complex laminated receptor 92
- computed tomography (CT), Hounsfield units 259
- conditioned reflexes 200–201
- conduction velocity 50, 137, 172, 303, 304, 316, 324, 344
- conjugal ligament 40
- consciousness 6, 7, 90, 132, 207, 212, 229, 230, 291, 321, 324
- conscious sensory modalities 89–94
- consensual reflex 105, 232, 236
- contralateral reflex arc 60
- conus medullaris 269
- convergence 54
- convulsions 207
- cooling blood to brain 7
- corneal reflex 7, 83, 85, 87, 233, 236, 238, 255
- corona radiata 297, 298
- corpus callosum 143, 189, 205, 259, 281, 285, 286, 289, 291, 292, 295, 297, 298, 300, 301
- corpus striatum
 - bird 221
 - definition 154

corticobulbar pathways 277
 corticonuclear pathways 169
 corticopontine pathways 281
 corticopontocerebellar pathway 147–149,
 170, 175, 179, 206, 281–282
 corticorubrospinal pathway 150
 corticospinal pathways 101, 146, 147, 149,
 208, 224, 281–282
 cranial nerves
 clinical examination 232–243
 in clinical neurology 88, 232–243
 craniofacial cartilage 217
 crista of ampulla 107
 crossed extensor reflex 251, 256
 crossing over of axon pathways 87
 crus cerebri 275, 280
 crus of fornix 291
 cuneate fascicle 92, 93, 95, 99, 101, 122,
 129, 130, 273, 274, 277, 284
 cuneate fasciculus 272
 cupula 107
 curare 54
 cutaneous reflex 250–251, 256, 321, 322

d

Dale's hypothesis 53
 Dandy-Walker syndrome 23
 decerebellate rigidity 230
 decerebrate rigidity 159, 230
 decremental potentials 70–71, 74
 decussation
 dorsal tegmental 287
 pyramids 277
 rostral cerebellar peduncles 178, 286
 trochlear nerve 283
 deep arcuate fibres 94, 95, 277
 deep arteries of neuraxis 10
 deep pain 96–97, 101, 102, 117, 119,
 128–133, 144, 314, 324
 dementia 188
 dendrite 43–47, 54, 55, 67, 68, 70, 71, 182,
 183, 199, 208
 dendritic field 43, 182, 183
 dendritic potentials 71
 dense-cored vesicles 52, 53
 denticulate ligament 13, 21
 depolarisation 53, 54, 64, 65, 68, 69, 72,
 304, 305

depression 73, 205
 descending degeneration 56, 57
 descending reticular formation 108, 110,
 127, 128, 153, 154, 164, 170
 diabetes insipidus 196, 312
 diencephalon
 cranial nerves 289
 gross structure 288–289
 internal structure 290–292
 ventricular system 289
 digestive disturbances 242
 dilation of pupil 108
 direct reflex 105, 232
 discospondylitis 42, 266
 disc protrusion
 radiology 38–40
 regional distribution 39–41
 type 1 38
 type 2 38
 disinhibition 68, 156, 164
 divergence 54
 dopamine 53, 165, 287
 dopaminergic pathways 165
 dorsal commissure of fornix 301
 dorsal funiculus 92–96, 101, 122, 150,
 169, 226, 227, 272, 273, 277, 317, 320
 dorsal funiculus, lesions 92–96
 dorsal grey commissure 271
 dorsal horn 79, 82, 84, 92, 93, 95, 97, 100,
 120, 122, 123, 129, 131, 148, 158, 217,
 271, 317
 dorsal longitudinal fasciculus 290
 dorsal longitudinal ligament 37
 dorsal root ganglion 43–45, 60, 85, 92,
 97, 100, 102, 114, 117, 120, 122, 123,
 137, 195
 dorsal septum 272, 274
 dorsal sulcus of spinal cord 272
 dorsal tegmental decussation 287
 dreams 192, 204
 drunken gait 186
 dural tube 34–36, 269
 dura mater 13–16, 19, 21, 25, 34, 269, 295
 dyesthesia 101
 dysmetria 185, 212
 dysphagia 241–243, 255
 dyspnoea 313, 320
 dysraphism 143

e

- ectostriatum, bird 222
- Edinger-Westphal nucleus 86, 286
- EEG *see* electroencephalography (EEG)
- effector organ, definition 60
- electroencephalogram 7, 291
- electroencephalography (EEG) 7, 192, 303–305
- electromyography (EMG) 239, 303–305, 322
- electroretinography (ERG) 303, 307
- emboli 41
- EMG *see* electromyography (EMG)
- emissary veins 28
- emotion 115, 116, 187, 188, 190, 204, 218, 220, 292
- encapsulated receptor 92, 139
- endocytosis of solutes 48
- end of spinal cord 16, 35, 159, 269
- endolymph 107
- endoneurium 47, 50–51, 57
- endorphins 53, 130, 131
- end-plate potential 69–71
- enkephalinergic pathways 130
- enkephalins 53, 131
- ensheathing cell 58–59
- ependymal cells 76, 217, 269, 270, 275
- epidural abscess 36
- epidural anaesthesia 33–36
- epidural injection 33, 35
- epidural space 13–15, 25, 35, 36, 268, 307
- epidurography 267–268
- epilepsy 204, 207, 208, 305, 323, 324, 346
- epileptic fits 132
- epineurium 14, 34, 50–51
- epithalamus 288, 290, 292
- epithelioidocytus tactus 91
- ERG *see* electroretinography (ERG)
- E-substance 53
- euchromatic nucleus 46
- evolution of sensory modalities 223
- evolution of vertebrate forebrain 218–222
- excitable cells 64, 71
- excitatory neurons 67
- excitatory postsynaptic potential 63–68, 71
- excitatory potentials 71
- exocytosis 52
- exogenous opiates 53
- expiratory centre 194
- expiratory neurons 194, 280
- extensor postural thrust 184, 245, 256
- extensor rigidity 12, 142, 168
- external capsule 75, 299
- external hydrocephalus 20, 23
- external striatum, bird 221
 - reptile 221
- extrapyramidal system
 - basal nuclei feedback 164
 - cerebellar peduncles 179–180
 - cortical motor centres 153–156, 165–166
 - definition 153
 - disease, domestic animals 165
 - disease, in man 165
 - facilitatory components 164, 165
 - feedback centres 161
 - feedback circuits 161–164
 - function 171
 - inhibition and facilitation 164
 - inhibitory components 164
 - motor centres 165–166
 - phylogeny 170
 - tracts 159–160
- eyeball movements 105

f

- facial paralysis 239, 310, 323
- facilitation 66, 164, 165, 173
- falling over 16, 21, 186, 207, 231
- falx cerebri 16, 20, 21, 27, 31, 258, 260, 295
- fasciculus longitudinalis dorsalis 193
- fasciculus proprius 144, 168, 230, 242, 250, 274, 321, 322
- fasciculus retroflexus 193, 290
- fast adapting receptor 75
- fast transport 48, 49
- feedback from cerebellum to
 - cortex 175–176
- feedback of extrapyramidal
 - system 161–168
- feedback of pyramidal system 148, 175–176
- fibre classification 290
- fibre diameter 50
- fibrocartilaginous embolism 41
- filum of dura mater 34
- filum terminale 14, 16, 33, 35, 269

fimbria 116, 188, 297, 300
 final common path 142–144, 160, 173
 fits 207, 316
 fixating response 233–234, 254, 310
 flaccidity 141, 142, 167
 flaccid paralysis 143, 151, 167, 168, 171, 172, 312, 319
 flaccid paresis 143, 172
 flexor reflex 247–249, 314, 321
 flocculonodular lobe 110, 112, 179, 180, 240, 293
 flocculus 112, 293, 322, 323
 fontanelle 262, 323
 forebrain 25–27, 90, 106, 114–116, 143, 153, 161, 187–189, 193, 218–222, 224, 289, 291, 321
 fornix 115, 116, 188, 189, 292, 296–298, 300, 301
 fourth ventricle 16, 18, 19, 23, 80, 87, 192, 260, 275–277, 279–284, 286, 293, 294
 free interval 141
 free nerve endings 91
 frequency coding 74
 frontal association area in carnivores 205
 frontal association area in man 204–205
 frontal leucotomy 24, 187, 188, 192, 202–205, 210–212, 291, 296, 297, 299, 321
 frontal lobe lesions 296
 functional end arteries 11
 funiculi of white matter 272–273
 fusimotor neuron 135, 138–141, 156, 159, 160, 165, 167, 173
 fusus neurotendineus 139

g

GABA 53, 67
 gadolinium 261
 gag reflex 83, 88, 241, 242, 255, 311
 gamma aminobutyric acid 53
 gamma neuron 110, 135–139, 146, 148, 156, 160, 165, 170–173
 ganglion
 dorsal root 43–45, 60, 85, 92, 97, 100, 102, 114, 117, 120, 122, 123, 137, 195
 glossopharyngeal 88
 jugular 131

nodose 131
 otic 88
 spiral 106
 trigeminal 87, 252, 277
 vagal 195
 vestibular 107
 gastric motility 115
 gastric secretion 114, 193
 gate mechanism of true pain 129–130
 gating mechanism of ion channels 63
 generator potential 64, 68, 73
 genu of corpus callosum 281
 genu of facial nerve 279
 glial scar 58, 76
 glioma 76
 globus pallidus 154, 157, 162–164, 166, 170, 178, 210, 211, 222, 287, 299, 300
 Golgi tendon organ 95, 119–122, 132, 135, 139–140, 142, 173, 175, 272
 gracile fascicle 89, 92, 95, 96, 100–102, 158, 226–227, 273, 274, 317, 320
 gracile fasciculus 272
 graded potentials 64, 67
 granular cells 182, 183, 208, 209
 granular vesicles 52
 grass staggers 54, 208
 grey matter of spinal cord 79, 87
 growth of the human brain 212–213
 gut motility 190
 guttural pouch infection 197
 gyri 296, 297

h

habenular stria 115, 193, 290, 301
 hallucinations 204
 handclap reflex 238, 239, 255
 head aversion 111, 206, 319
 head tilt 111, 112, 185, 206, 230, 240, 255, 310, 315, 322, 323
 head turning 106
 hearing pathways 106–107
 hemianopia 207, 212, 233, 318
 hemiballismus 165, 292
 hemiparesis 167, 231
 hemiplegia 167, 231
 hemispheres of cerebellum 295–301

- hemiwalking 184, 206, 246, 256, 312, 316, 319, 323
 - Hering-Breuer reflex 74
 - herpes virus 186
 - hibernation 192
 - hindbrain 89, 90, 153, 163, 164, 170, 178, 187, 188, 191, 193–194, 196, 197, 221, 260, 282, 292
 - hippocampal-hypothalamic projections 188
 - hippocampal lesions 188
 - hippocampus 115, 116, 187–188, 191, 192, 197, 199, 200, 203–205, 218, 220, 221, 232, 291, 292, 295–298, 300, 301
 - homeostasis 188, 190, 197
 - homonymous hemianopia 207
 - hopping 143, 184, 185, 245, 256, 314
 - Horner's syndrome 196, 197, 253
 - humane slaughter 5–7
 - hunger 190
 - hydrocephalus 23, 24, 184, 206, 207, 323
 - hyperactivity 205
 - hyperkinesia 165, 166, 171, 287
 - hyperpolarisation 67
 - hyperreflexia 151, 165–167, 171, 173, 249, 250, 313, 319, 320
 - hyperstriatum, bird 222
 - hyperthermia 196, 253
 - hypertonus 141, 151, 165–168, 171, 173, 184, 311–313, 318, 320
 - hypnosis 130
 - hypocalcaemia 54
 - hypomagnesaemia 54, 207
 - hypophysis 1, 190, 197, 217, 259, 288, 289
 - tumour 1, 217, 259
 - hyporeflexia 143, 167, 172
 - hypothalamus
 - autonomic functions 190–192, 319
 - lesions 195–196
 - hypothermia 196
 - hypotonus 141, 167, 172, 313
- i**
- idiopathic epilepsy 208, 323
 - incontinence 196, 265
 - inferior longitudinal fasciculus 297
 - inferior olive 278
 - infundibular recess 289
 - inhibitory components of extrapyramidal system 160, 164
 - inhibitory neurons 67–68, 140
 - inhibitory postsynaptic potential 63, 64, 67–68
 - initial segment 49, 65, 68, 71
 - insomnia 132, 192
 - inspiratory centre 194
 - instinct 115, 118, 200
 - insula 299
 - integration of left and right sides of neuraxis 143
 - intention tremor 111, 185, 186, 315, 317, 323, 324
 - interarcuate ligament 33
 - intercapital ligament 40
 - interest 5, 16, 188, 204, 209, 280, 287, 292
 - internal capsule 12, 106, 112, 145, 151, 281, 288, 297–299, 321
 - internal hydrocephalus 18
 - internal striatum, bird 219
 - reptile 222
 - interneurons, number of 304
 - interpeduncular fossa 283
 - interpretative association area in carnivores 204
 - interpretative association area in man 204
 - intersegmental reflex arc 60
 - interspinous ligament 33
 - interthalamic adhesion 259, 288, 289
 - interventricular foramen 17, 18, 116, 286, 289, 296, 297
 - intervertebral disc
 - blood supply 38
 - components 36–38
 - fibrocartilaginous embolism 41
 - nerve supply 38
 - radiography 41
 - senile changes 39
 - intracranial tumours 76, 206
 - intrafusal muscle fibre 135–140
 - intralaminar nuclei 127, 290, 291
 - intrasegmental reflex arc 60
 - ion channel 46, 47, 63–66, 73
 - iopamidol (iohexol) 260, 267
 - ipsilateral reflex arc 60

ischaemic necrosis of cerebral cortex 12
I-substance 53, 67, 68

j

joint capsule receptors 91, 92
joint proprioceptive deficits 95, 320
joint proprioceptors 90, 91, 95, 96, 119,
127, 320
joint sensibility 90, 95
juxtarestiform body 112, 294

k

kinaesthesia 55, 84, 90, 91, 95–97, 100,
123, 124, 211, 212, 243, 317, 320
knuckling the paw 243

l

laminae of Rexed 271, 272
lamina terminalis 289, 298, 301
laryngeal paralysis 242, 255
lateral apertures of fourth ventricle 18, 276
lateral funiculus 95, 96, 100, 120, 122, 129,
159, 252, 271–273, 277, 319–321
lateral geniculate body 103, 155, 281, 283,
284, 288
lateral horn 79, 82, 85, 194, 196, 197, 271,
272, 319
lateral lemniscus 106, 239, 278, 282,
285, 306
lateral medullary motor reticular
centres 153, 154, 156, 163, 164,
178, 280
lateral recess of fourth ventricle 276–277, 294
lateral rhinal sulcus 275, 276, 296
lateral ventricle 16, 17, 115, 218–221, 223,
224, 260, 286, 289, 292, 295–301, 323
learning 58, 115, 188, 191, 200, 204, 205
lesions of spinal cord 41, 196
ligamentum flavum 33, 41, 42
limbic components of
rhinencephalon 115, 298, 300
limbic lobe 116
limbic system 116, 193, 204, 229, 232, 291,
292, 297, 300
lipofuscin 46
locomotor tests 243–247
locomotory deficits 171, 206, 312, 319

locus ceruleus 192, 282, 283
longevity of neurons 58
longitudinal cerebral fissure 295
long-term memory 188
lower motor neuron (LMN) 41, 142–143,
167, 172–173, 207, 230, 231, 247, 252,
270, 303, 318–321, 323, 324
lower motor neuron disorder 41, 142, 143
lumbar enlargement 269
lumbar puncture 33–36
lumbar subarachnoid space 35
lumbar vertebrae 23, 265
lumbosacral puncture 23, 35
lymphatics of cranial and spinal nerves 20
lysosomes 46–48

m

macula of saccule 107, 110
macula of utricle 107, 110
magnesium ions 53, 54
magnetic resonance imaging (MRI) 18,
19, 21, 22, 24, 31, 39, 40, 42, 151,
254, 257–262, 264, 266, 277, 305,
321–323
gadolinium 261
radiowaves 258
T1 relaxation 258
T2 relaxation 258
malarticulation of vertebrae 41–42
malformation of vertebrae 41–42
mamillary bodies 116, 287, 301
mantle layer 217
marginal layer 217
maxillary vein 26–28
mechanoreceptor
complex laminated 74, 75
simple 73, 74
medial forebrain bundle 113–116, 193,
292, 301
medial geniculate body 90, 106, 155, 281,
283, 284, 295
medial lemniscal system
species variations 100–101
summary 101–102
medial lemniscus 94, 95, 97, 99–102, 117,
123, 126, 146, 195, 211, 277, 282
medial longitudinal bundle 274

- medial longitudinal fasciculus 104, 109, 110, 158, 159, 206, 274, 278, 279, 282, 285, 286
- medial medullary motor reticular
 - centres 153, 154, 156, 157, 163, 164, 170, 178, 280
- median aperture of fourth ventricle 18, 19
- medulla oblongata
 - cranial nerves 274–275, 280–281
 - gross structure 280
 - internal structure 277–280
 - ventricular system 275–277
- medullary cardiovascular centre 193, 195
- medullary respiratory centre 67, 194, 195
- medullary reticular formation 68, 126, 127, 130, 193, 194, 196, 290
- Meissner's corpuscle 92
- melanocyte 217
- membrane potential 64–67, 72, 75
- memory 115, 116, 188, 191, 200, 204, 205
- menace reflex 238, 255
- meninges 3, 13–24, 35, 265, 269
- meningioma 186, 206, 261
- Merkel cells 91
- mesencephalic aqueduct 18, 260, 280, 284–286, 289, 294
- mesencephalic pretectal nucleus 105, 108, 232
- mesencephalic tectum 155, 224, 283, 285, 286
- mesencephalic trigeminal nucleus 60, 85, 114
- mesencephalon 89, 90, 212, 215, 216, 233
- metathalamus 209, 288, 291–292
- metencephalon 215, 216, 233
- microfilaments 46–48
- microglia 75, 77, 217
- micturition 115, 196
- midbrain
 - cranial nerves 283–284
 - gross structure 283
 - internal structure 284–287
 - reticular formation 127, 129, 130, 154, 155, 163, 166, 170, 178, 188, 197, 203, 287, 292
 - ventricular system 284
- middle cerebellar peduncle 147, 149, 179, 206, 225, 280, 281, 284, 295
- middle ear infection 197
- milk fever 54
- miosis 196, 253
- mitochondria in neuron 46
- modality
 - conscious sensory 89–94
 - joint proprioception 89, 91–94
 - kinaesthesia 90
 - pinprick pain, heat, and cold 89, 100, 101
 - of special senses 90
 - touch, pressure and joint
 - proprioception 89, 91–94
 - true pain 90, 101, 272
- modiolus of inner ear 51
- molecular layer of cerebellum 182
- molecular layer of cerebrum 208
- monoparesis 167, 231
- monoplegia 167, 231
- monosynaptic reflex arc 59, 136, 173
- morphine 53, 131
- mossy fibres 175, 177, 182–184
- motivation in recovery 58
- motoneuron 49, 51, 60, 87, 135, 136, 139, 143, 159, 167, 170, 272, 322
- motor end-plate 51
- motor felunculus 94
- motor homunculus 94
- motor unit 141–142, 322
- MRI *see* magnetic resonance imaging (MRI)
- multiform layer of cerebrum 208
- muscle or muscles 143
 - chewing 82, 235
 - ciliary body 86
 - cricopharyngeus 88
 - dorsal oblique of eyeball 87, 318, 319, 325
 - eyeball 85, 141, 185
 - iris 86, 232, 234, 235, 325
 - laryngeal 82, 84, 86, 242
 - lateral rectus of eyeball 87, 238, 319, 325
 - levator palpebrae 87
 - orbicularis oculi 87, 236, 239
 - orbital 86, 238, 252
 - pharyngeal 82, 84, 86, 242
 - recti of eyeball 87, 146, 238
 - retractor bulbi 87, 238, 325
 - stylopharyngeus 86, 326
 - tongue 87, 243, 255, 309, 325, 326
 - ventral oblique of eyeball 87

muscle proprioceptors, in kinaesthesia 91
 muscle spindle
 mode of operation 137–139
 posture and movement 139
 structure 137
 muscle tone 140–141, 151, 165, 167,
 184–186, 254, 256, 315, 316, 323, 324
 clinical assessment 252
 muscle wasting 167, 171, 172, 318–320
 mydriasis 235
 myelencephalon 215, 216
 myelin sheath 45, 49–50, 56, 57, 65, 68,
 69, 74, 77, 213
 myelography 23, 260, 267–268
 myotatic reflex 60, 137, 140

n

Na/K pump 72
 naloxone 53, 130, 131
 narcolepsy 132
 nausea 111
 NCV *see* nerve conduction velocity (NCV)
 negative feedback 142, 194
 neocerebellum 180
 neocortex
 bird 223
 mammal 223, 224
 reptile 219, 220, 222, 223
 neostriatum
 bird 222
 mammal 222, 300
 nerve conduction velocity (NCV) 303–304,
 316, 324
 nerve fibre 46, 47, 50, 51, 55–57, 128, 143,
 271, 293, 294
 definition 46
 nerve impulse 43, 49, 50, 63–77, 213, 303
 nerve or nerves
 abducent 87, 108, 148, 225, 255,
 274–276, 279, 281, 285, 317
 accessory, cranial component 275
 accessory, spinal component 275
 axillary 236, 237
 definition 46
 facial 82, 86, 87, 105, 106, 109, 148,
 236, 238–239, 251, 255, 274, 275, 279,
 318, 322
 femoral 143, 249, 270, 320
 glossopharyngeal 86–88, 225, 226,
 240–241, 255, 274–276, 279
 hypoglossal 87, 148, 225, 226, 243, 255,
 274–276, 281, 317, 318
 median 317, 319, 321
 musculocutaneous 250, 317, 319
 oculomotor 81, 83, 86, 105, 108, 148,
 225, 234–235, 238, 254, 274, 281, 283,
 286, 287, 318, 319
 olfactory 59, 114, 218, 225, 226,
 232, 254
 optic 14, 21, 55, 62, 103, 104, 224–226,
 232–234, 238, 254, 275, 276, 281, 284,
 289, 306, 317, 318
 pelvic 194–196, 270, 320
 peroneal 249
 phrenic 191, 194
 pudendal 35, 131, 251
 radial 250, 317, 319, 328
 saphenous 320
 sciatic 36, 130, 249, 320, 321
 tibial 249
 trigeminal 7, 8, 80, 82, 84–88, 94, 97,
 99, 126, 148, 225, 226, 235–238, 254,
 260, 274–277, 279–284, 286, 319
 trochlear 87, 148, 225, 235, 254, 275,
 281, 283–286, 318
 ulnar 319
 vagus 80, 85–87, 113, 114, 225, 226,
 241–242, 255, 274–276, 279, 281
 vestibulocochlear 45, 82, 225, 226,
 239–240, 260, 275, 276, 281, 284, 326
 neural crest 82, 85, 86, 215–217
 neurectoderm 75, 215, 217
 neurite 44
 neurite-receptor cell complexes 91
 neuroepithelial cell
 balance 107–112
 hearing 106–107
 olfactory 58, 85, 113–117
 retina 103–106
 neurofibrae ascendentes 182
 neurofibrae muscoideae 182
 neurofilaments 46–48
 neuroglia 47, 58, 75–76, 217, 271, 272, 289
 neurohypophysis 188–190, 292

- neurolemmocyty 49
- neurolocalisation 229, 230
- neuron or neurons
 - alpha 135, 137–143, 148, 156, 157, 160, 170, 172, 173
 - bipolar 45, 103
 - branchial efferent 80
 - cardiac accelerator 191, 280
 - cell body 45
 - cell membrane 46, 47, 49, 52, 64, 65, 67, 69–71, 73
 - enkephalinergic 129, 130
 - expiratory 194, 280
 - fusimotor 135, 138–141, 156, 159, 160, 165, 167, 173
 - gamma 110, 135–139, 146, 148, 156, 157, 160, 165, 170–173
 - general structure 43–46
 - inhibitory 67, 68, 140
 - longevity 58
 - membranes 52
 - multipolar 45
 - phylogenetically advanced 54
 - phylogenetically primitive 54–55
 - protein synthesis 46
 - pseudounipolar 44, 45, 85
 - serotonergic 130, 280
 - skeletomotor 135, 137, 138, 140–142, 156, 159, 160, 168, 173
 - synthesis of membranes 48
 - total length 45
 - total number 44
 - upper motor 41, 42, 151, 161–168, 171, 230, 250, 251, 265, 319–321, 324
- neuropeptides 53
- neuroplate 215
- neurosecretory granules 46
- neurotropic viruses 48
- neurotubules 46–48
- nictitating membrane 196, 238, 253
- nictitating reflex 238, 255
- nigrostriatal projections 165, 300
- Nissl substance 45, 46, 55, 56
- nociceptor 90, 91, 129, 252
- node of Ranvier 43, 45, 49, 68, 71, 72, 74, 77
- nodulus 112, 179, 180, 240, 293, 322, 323
- nodus neurofibrae 49
- non-specific pathways 54–55, 97, 128, 129
- noradrenaline 53
- noradrenergic vesicles 53
- nuclear bag fibre 136, 137
- nuclear chain fibre 136, 137
- nucleolus 45, 46
- nucleus / nuclei
 - accumbens 115, 229, 300
 - ambiguus 80, 82–84, 86, 88, 148, 242, 279, 318
 - arcuate 278
 - autonomic motor 85
 - basal 12, 153–155, 157, 162, 164–166, 170, 171, 178, 206, 208, 210–212, 218–222, 287, 291, 296, 298, 299, 320
 - basolateral 301
 - caudal salivatory 279
 - caudate 147, 154, 166, 206, 291, 292, 295–297, 299–301
 - centralis thalami 290
 - centrum medianum 290
 - cerebellar 149, 161, 163, 177–179, 182–184, 186, 282
 - cochlear 106, 107, 109, 239, 278, 282
 - corticomedial 301
 - cranial nerves 79–88
 - cuneate 92, 94, 99, 121–123, 277, 278
 - dentate 147, 149, 161, 177
 - dorsal motor of vagus 86
 - dorsal of Clarke 120, 122
 - Edinger–Westphal 86, 105, 286
 - emboliform 294
 - fastigial 110, 178, 282, 294
 - geniculate 103, 106, 108, 109, 116, 117, 209, 211, 212, 222, 233, 289, 291, 292, 298, 318
 - gigantocellular reticular 280
 - globose 294
 - gracile 85, 92, 94, 95, 99, 123, 126, 277
 - habenular 115, 116, 188, 193, 287, 290, 301
 - hypothalamic 189, 190, 292
 - inferior olivary 278
 - interpeduncular 193, 287, 290
 - interpositus 178, 282, 294
 - intralaminar 127, 290, 291

nucleus / nuclei (*cont'd*)

lateral cerebellar 175, 278
 lateral cervical 100, 271
 lateral cuneate 94, 121–123, 278
 lateral geniculate 103, 104, 108, 155,
 212, 222, 233, 281, 283, 284, 288, 289,
 291, 295, 298, 318
 lateral vestibular 107, 110, 159, 278, 315
 lentiform 99, 146, 147, 154, 189,
 297, 299
 medial cuneate 92, 94, 99, 146, 277
 medial geniculate 90, 106, 109, 155,
 209, 211, 222, 281, 283, 284, 291, 292,
 295, 298, 318
 mesencephalic tract of trigeminal 84,
 85, 286
 mesencephalicus lateralis, pars dorsalis,
 bird 222, 224
 motor of abducent nerve 84
 motor of facial nerve 84
 motor of hypoglossal nerve 84
 motor of oculomotor nerve 84
 motor of trigeminal nerve 84
 motor of trochlear nerve 84
 non-cerebellar reticular 280
 nucleus VPL 290
 nucleus VPM 290
 nucleus X 123
 nucleus Z 123
 olivary 80, 99, 126, 161, 163, 170, 176,
 180–182, 278
 opticus principal is thalami, bird 222
 ovoidalis, bird 222
 parasympathetic of facial nerve 279
 parasympathetic of glossopharyngeal
 nerve 279
 parasympathetic of oculomotor
 nerve 286, 896
 parasympathetic of vagus 86, 279
 paraventricular 189, 190, 291, 292
 parvicellular reticular 280
 pontine 147, 149, 161, 170, 175, 181,
 182, 278, 281
 pontine sensory of trigeminal nerve 282
 precerebellar reticular 279
 principal sensory of trigeminal
 nerve 282

raphe 130, 131, 192, 280
 raphe magnus 130, 280
 red 155, 163
 rostral salivatory 279
 sensory of trigeminal nerve 82, 84
 septal 113–115, 188, 192–193, 204, 290,
 292, 298, 300, 301
 of solitary tract 84, 85, 88, 97, 115, 195,
 241, 279, 318
 somatic afferent 82–85
 somatic efferent 82, 86–87
 special visceral efferent 80–82, 86
 spinal tract of trigeminal nerve 282, 284
 subthalamic 165, 287, 289, 292
 superior olivary 87
 supraoptic 189, 190, 291
 thalamic 209–210
 thalamic central 127, 210
 thalamic dorsomedial 115, 210,
 291, 292
 thalamic, input pathways 210–211
 thalamic intralaminar 210, 289, 291
 thalamic lateral 2, 209, 210
 thalamic, output pathways 211
 thalamic rostral 116
 thalamic ventral 209–210
 thalamic ventrocaudal 209, 212
 thalamic ventrocaudal lateral 290
 thalamic ventrocaudal medial 290
 thalamic ventrolateral 290
 thoracic 95, 120, 122, 123
 of trapezoid body 106, 239, 278, 306
 vestibular 107–110, 112, 153, 156, 159,
 163, 164, 170, 176–179, 181, 182, 206,
 240, 278–279, 282, 318, 319, 322
 visceral afferent 84, 85, 87, 88
 visceral efferent 82, 84–86
 nucleus pulposus 36–40, 217, 266
 nystagmus 109, 111, 184–186, 240, 243,
 255, 310, 315

O

OAE *see* otoacoustic emission (OAE)
 obtunded 229
 occipital lobe 103, 201, 202, 291, 297–299
 odontoblast 217
 olfaction 90, 113–117, 119, 188, 210

- olfactory area
 - bulb 113, 114, 232, 292, 296–298
 - components of rhinencephalon 115, 296
 - neuroepithelial cell 58, 85, 313
 - neuroepithelial cell regeneration 58
 - pathways 113, 117, 301
 - peduncle 114, 296
 - tracts 114, 115, 232, 296
 - tubercle 113–115, 275, 296
 - olfactory glial cell (OEG) 59
 - oligodendroglial cells 49
 - oligodendroglial sheath 46
 - olivary nucleus 99, 126, 161, 163, 170, 176, 278
 - olive 275, 278
 - one-to-one pathways 55
 - opioid peptides 53
 - optic chiasma 103–105, 189, 190, 261, 275, 285, 288, 289, 291, 292, 318
 - optic lobe, bird 222, 224
 - optic nerve 14, 21, 55, 62, 103, 224–226, 232–234, 238, 254, 275, 276, 281, 284, 289, 306, 317, 318
 - optic radiation 103, 104, 108, 292, 298
 - optic tract 103–105, 108, 207, 281, 284, 288, 289, 295, 317, 318
 - orbital muscles 86
 - organic ions 64
 - organ of Corti 51, 73, 104, 106, 326
 - osmoregulation 292
 - otitis media 253
 - otoacoustic emission (OAE) 240, 255
 - overshooting during feeding 185
 - oxygen consumption of brain 10
 - oxygen consumption of neurons 10
 - oxytocin 189, 190
- p**
- pacemaker region 71
 - Pacinian corpuscle 74, 75, 92
 - pain
 - afferents from larynx 84, 97
 - afferents from pharynx 84, 97
 - pathways 96–97, 101, 129–131, 247, 321
 - pathways, visceral 195
 - receptors 96, 125, 135
 - responses 252, 256, 313, 317, 320
 - paleocerebellum 179, 180
 - paleocortex
 - amphibian 218
 - bird 221
 - mammal 220
 - reptile 219
 - paleopallium 218
 - paleostriatum
 - augmentatum, bird 222
 - definition 222
 - primitivum, bird 222
 - reptile 222
 - pallium definition 298
 - palpebral reflex 236–239, 255, 315
 - panniculus reflex 250–251, 309, 317
 - papilloedema 21
 - paradoxical embolism 30
 - paradoxical sleep 132, 192, 283
 - paradoxical vestibular syndrome 112, 185, 240, 294, 322
 - parahippocampal gyrus 116, 297, 300
 - paralysis 39, 41, 143, 151, 167, 168, 171, 172, 196, 230, 231, 239, 242, 254, 255, 309, 310, 312, 317, 319, 323
 - paraparesis 167, 231, 314, 322
 - paraplegia 167, 231, 268
 - paraterminal gyrus 281, 301
 - paraventricular nucleus 189, 190, 291
 - paresis 143, 151, 167, 171, 172, 185, 231, 246, 254, 265, 266, 312, 313, 320, 321, 323
 - parietal lobe 202
 - Parkinson's disease 59, 165, 166, 186, 287
 - patellar reflex 60, 137, 138, 249, 256, 313, 314, 316, 320, 322
 - pathways of touch, pressure, and joint proprioception 92–94
 - pedal reflex 205
 - periaqueductal grey 130, 131, 280, 287
 - perineal reflex 251, 256, 313, 321
 - perineurial sheath 57
 - perineurium 47, 50–51
 - periventricular fibres of hypothalamus 290–291
 - personality
 - cat and dog 200, 205
 - man 200

- pharyngeal arches 82, 85
 - muscles 80, 274
- phylogenetic age and vascularity 10
- pia-arachnoid 17, 21
- pia mater 13–17, 19, 76, 272, 276, 298
- piloerection 115
- pineal gland 284, 286, 288–290
- pineal recess 289, 294
- pinprick pain, definition 96
 - fibre types 96
- piriform cells 182
- piriform lobe 113–115, 199, 220, 232, 275, 296, 298, 300, 301
- pituitary gland 1, 188, 217, 261
- placing responses 207, 233, 244, 254, 256, 309–311
- plasticity in neuraxis 58
- pleurothotonus 230
- pneumoencephalography 21
- pneumotaxic centre 67, 194, 282
- point-to-point localisation 99, 101, 102
- polar molecules in axonal transport 49
- polioencephalomalacia 235
- polyribosomes 46
- pons
 - cranial nerves 280–281
 - gross structure 280
 - internal structure 281–283
 - ventricular system 281
- pontine motor reticular centres 153, 154, 156, 163, 164, 170, 178, 282
- pontine reticular formation 127
- pontocerebellum 180, 185
- porencephaly 23
- portal circulation 188
- positional nystagmus 111, 184, 240, 243, 255
- postcommissural fornix 189, 292, 301
- post-ganglionic neuron 60, 105, 108, 194, 252
- postrotatory nystagmus 109
- postsynaptic membrane 52–54, 63, 64, 66, 67, 69, 71
- postural deficits 112, 166, 206
- postural tests 184, 185
- potassium battery 64
- potassium ion(s) 72
- potassium ion channel 63
- precommissural fornix 301
- precursors of vesicles 48
- preganglionic neuron 88, 191, 196, 252, 320
- presynaptic inhibition 44, 67, 129, 130
- presynaptic membrane 52–54, 69
- primary afferent neuron 43, 45, 60, 63, 70, 71, 82, 85, 87, 88, 92, 114, 131, 172, 195, 271, 277, 279
- primary fissure 180, 293
- primary motor area
 - lesions 151
 - species variations 149–150
- primary somatic sensory area 94, 97, 99, 102, 107, 117, 123, 145, 149, 199, 202, 203, 299
- primitive neurons 54, 55, 119, 125, 128, 131, 132, 193, 217
- projection areas 107, 199–202, 211, 213, 297, 299
- proprioception 89–94, 96, 99, 101, 117, 119, 124–126, 128, 133, 210, 211, 231, 313, 314, 316, 321, 324
- proprioceptive positioning response 243–244, 313
- propriospinal system 100, 144
- prosencephalon 215, 216
- protection of brain against impact 21
- protein synthesis 46
- ptosis 196, 235, 253, 254, 315, 323
- pudendal nerve 35, 131, 251
- pulsation in neuraxis 11
- pupil 105, 108, 187, 196, 232, 235, 310, 325
- pupillary constriction 234
- pupillary dilation 235, 253
- pupillary reflex 310, 318
- purines 53
- Purkinje cell 177, 182–184, 186, 240, 322
- putamen 291, 299, 300
- pyramidal system
 - feedback 148–149
 - functions 150
 - lesions 151–152
 - pathways 148–149
 - phylogeny 150
 - pyramidal cells 145–148
 - species variations 149–150
- pyramid, experimental lesions 151

r

- rabies virus 51, 188
- radiography
 - angularis oculi vein 26, 261
 - anticlinal vertebra 265
 - atlas 42, 264, 268
 - axis 42
 - cavernous sinus venography 26, 261
 - cerebral arteriogram 31
 - cerebral arteriography 261
 - cerebral venogram 31
 - contrast agent 260–261
 - contrast, intracranial
 - structures 262–263
 - contrast, vertebral column 263–268
 - fontanelles 262
 - internal carotid artery 1, 3
 - intervertebral discs 38, 39, 266–267
 - intracranial structures 262–263
 - iohexol (eg. Omnipaque) 260
 - iopamidol (eg. Niopam) 260, 267
 - lateral ventricle 260
 - lumbar injection 268
 - plain radiographs of head 257
 - plain radiographs of vertebral column 267
 - positioning of head 262
 - radiodensity 257, 259
 - suture lines 262
 - ventriculogram 260
 - ventriculography 21
 - vertebral column 263–268
- rage 115, 187, 188, 190, 192, 205
- raphe spinal tract 129–131, 273, 280
- rapid wasting of muscles 142
- ratchet mechanism of axonal transport 49
- receptor cell 51, 52, 55, 73, 104, 107
- receptor ending 43, 44, 51, 52, 60, 68, 70, 71, 73–75, 83, 89, 128, 136, 138, 139, 195, 223
- receptor potential 68, 70, 71, 73–75
- receptors of touch, pressure, and joint proprioception 91–92
- reciprocal innervation 55, 91–92, 100
- recovery after action potential 65, 72
- recovery of neuraxis from lesion 58
- recruitment of motor units 141–142
- red nucleus 151, 153, 155, 158, 163, 164, 166, 170, 178, 179, 181, 287
- reflex
 - Babinski 251, 256
 - biceps tendon 250, 256
 - bladder 167
 - corneal 7, 83, 85, 87, 233, 236, 238, 255
 - crossed extensor 251, 256
 - cutaneous 250–251, 256
 - eye-turning 105
 - flexor 247–249, 314, 321
 - gag 83, 88, 241, 242, 255, 311
 - handclap 238, 239, 255
 - head-turning 106
 - menace 238, 255
 - nictitating 238, 255
 - palpebral 236–239, 255, 315
 - panniculus 250–251, 309, 317
 - patellar 60, 137, 138, 249, 256, 313, 314, 316, 320, 322
 - pedal 205
 - perineal 251, 256, 313, 321
 - pupillary 232, 234, 236, 254, 310, 318
 - rectum 251
 - salivary 83, 87
 - spinal 60, 61, 143, 165, 173, 227, 247, 256, 313–316, 323, 324
 - triceps tendon 250, 256
 - withdrawal 62, 249, 251, 256, 310, 312, 313, 317, 319, 320, 324
- reflex arc 35, 59–60, 87–88, 92, 93, 97, 136, 137, 142, 173, 196, 207, 227
- reflex arcs of nuclei of cranial nerves 233
- refractory periods 72–73
- regeneration in neuraxis 58
- regeneration in peripheral nerves 55–57
- regenerator region 71
- relative refractory period 72, 73
- relearning after neuraxis lesion 188
- release of fusimotor neurons from
 - inhibition 167
- releasing factors 190
- Renshaw cell 67, 142, 172, 173
- resolution of the light microscope 50
- respiration 115, 187, 191, 242

- respiratory centres 67, 190, 194, 195, 280
- resting potential 64, 65, 75
- rete mirabile 3–5, 7–8
- reticular activating system 128, 133, 229
- reticular formation
 - medulla oblongata 193, 194, 287
 - midbrain 127, 129, 130, 154, 155, 163, 166, 170, 178, 188, 191, 197, 203, 292
 - pons 282–283
 - spinal cord 272, 279–280
 - thalamic 127
- retina 45, 73, 103, 105, 106, 108, 207, 307, 317, 318
- retrograde transport 48, 49
- Rexed's laminae 272
- rhinencephalon
 - limbic components 115, 298, 300
 - olfactory components 114–115, 296, 298
- rhombencephalon 215, 216
- rhythm of breathing 68
- righting test 247, 256
- rigidity 12, 31, 141, 142, 151, 159, 165, 166, 168, 184, 186, 207, 230
- roaring in horses 242
- rods and cones 103
- rolling over 312
- rostral cerebellar peduncle 90, 122, 149, 163, 178, 179, 283, 284, 286, 295
- rostral colliculus 90, 104, 105, 108, 127, 155, 222, 224, 281, 283, 284, 295
- rostral commissure 285, 286, 288, 298, 301
- rostral crus of internal capsule 297
- rostral horn of lateral ventricle 297, 298
- rostral lobe of cerebellum 293
- rostral medullary velum 276, 283
- rostral perforated substance 275, 296
- rostrum of corpus callosum 286, 289, 297, 298
- rotatory nystagmus 109
- rough endoplasmic reticulum 46
- Ruffini endings 92
- ruminoreticular centre 194
- S**
- sacral autonomic lesions 187, 196
- sacral vertebrae 36, 269
- salivary reflex 83, 87
- salivation 114, 193, 200, 207, 311, 316, 323, 324
- saltatory conduction 49, 50, 72
- sarcolemma 69, 70
- Schiff-Sherrington phenomenon 168
- Schwann cell 46, 49, 56, 57, 59, 68–70, 73–76, 91, 217
- scrapie in sheep 188
- second motor area 145
- second somatic sensory area 145
- segmental arteries of spinal cord 10
- seizures 132, 151, 205–208, 316, 323, 324
- sensory analyser system 128
- sensory felunculus 94
- sensory homunculus 145
- septal nuclei 113–115, 188, 192, 193, 204, 286, 290, 292, 298, 300, 301
- septum pellucidum 115, 281, 297, 298, 301
- serotonin 53, 130, 192, 280
- serotonergic neurons 130, 280
- sexual behaviour 115
- sexual functions 192
- shivering in horses 166
- short-term memory 188
- sigmoid sinus 26
- skeletomotor neuron 135, 137, 138, 140–142, 156, 159, 160, 168, 173
- slaughter 5–87
- sleep 131–132
- sleep centre 132
- sleepiness 132, 196, 207
- sliding-filament mechanism of axonal transport 49
- slipped disc 39
- slowly adapting mechanoreceptors 74
- slowly adapting receptor 91
- slow transport 48
- slow-wave sleep 192
- small dense-cored vesicles 52
- sodium ion channel 72
- sodium ions 72
- sodium-potassium pump 64
- somatic afferents 79–85, 87, 91, 131, 227, 271, 275, 277, 279
- somatic efferents 79–82, 84, 86–87, 135–136, 234, 235, 271, 274, 279, 283, 286

- somatic reflex arc 59, 60
- somatotopic localization 92, 98
- somites of head 86, 87
- spasticity 141, 151, 167, 171, 255
- spastic paresis in Friesian 166
- spatial summation 66, 73
- special senses 82, 87, 90, 101, 103–117, 119, 124, 126–128, 133, 163, 170, 177, 181, 210, 303
- special visceral efferent 80–82, 86–88, 274, 279, 282
- specific pathways 54–55, 96, 97, 100, 128, 129, 223
- specific receptors on axolemma 48
- spike potential 72
- spina bifida 42, 265–266
- spinal autonomic lesions 196
- spinal cord
 - arteries 8–12
 - end of 35
 - grey and white matter 270–271
 - horns 271
 - ischaemic necrosis 39
 - laminae of grey matter 272
 - lesions 41, 196
 - regions 269
 - segments 270
 - tracts and *see under* tracts
- spinal reflexes 61, 143, 165, 247–251, 256, 313–316, 323, 324
- spinal shock 167, 168, 230
- spinocerebellar pathways
 - functions 124
 - projections to cerebral cortex 123
 - species variations 124
- spinocerebellum 179, 180, 184, 185, 320
- spinocuneocerebellar pathway 119, 121–124, 132, 158, 172, 176, 273, 278
- spinothalamic pathways in domestic mammals 100
- spinothalamic tract of man 97–101
- splenium 281, 285, 286, 298, 300
- spondylosis 40, 42, 266
- spongioblast 217
- spontaneous nystagmus 111, 240, 255
- statoconial membrane 107
- stellate nerve cells of cerebrum 208
- stem cell 58–59
- stereoscopic vision 105
- storage diseases 46
- strabismus 235, 238, 254, 255, 310, 311, 315, 316, 318, 323
- straining during parturition 35
- stretch reflex 60, 74, 137
- stria habenularis thalami 290
- stria medullaris thalami 290
- stria terminalis 115, 116, 292, 295, 296, 301
- striatum, definition 221
- stringhalt 166
- stroke 12, 58, 59, 145, 151, 156, 206, 251
- stuporous 229
- subarachnoid haemorrhage 221
- subarachnoid space 14–15, 17–23, 34, 35, 267, 268, 276
- subcallosal area 113, 114
- subdural space 14, 15, 21
- subliminal impulse 66
- subliminal stimulus 66, 73
- substantia chromatophila 45
- substantia gelatinosa 129, 130, 271, 272
- substantia nigra 146, 157, 164–166, 283, 285, 287
- subthalamic nucleus 165, 287, 289, 292
- subthalamus 165, 288–289, 292
- succinylcholine 54
- sulci, cerebral 201, 293
- summation 64–66, 73, 74, 142
- superficial arcuate fibres 278
- superficial pain 96–98, 100–102, 117, 119, 128–130, 135, 144, 210
- superior longitudinal fasciculus 297
- supplementary motor area 145
 - lesions 151
- supraoptic nucleus 189, 190, 291
- supraspinous ligament 33, 34
- surgical replacement of joints in man 96
- sway test 247, 256
- synapse 10, 51–55, 58, 59, 61, 62, 64, 68–71, 73, 87, 88, 92, 94, 95, 97, 98, 100, 103–106, 108, 110, 114, 123, 130, 142, 178, 194, 217, 223, 232, 247, 250, 251, 278, 281

synaptic bulb
 general structure 44, 45, 52, 76
 recycling of membranes 48
 transmitter synthesis 48
 vesicle transport 48
 synaptic cleft 52, 53, 63, 66, 67
 synaptic delay 53
 synaptic end bulb 43, 44, 52–54
 synaptic knob 44
 synaptic vesicles
 recycling of membrane 48
 transport 48–49
 synthesis of neuronal membranes 46
 syringohydromyelia 24
 syringomyelia 18, 19, 23, 101, 265, 323

t

tabes dorsalis 94
 tachycardia 242, 255
 tactile placing response 94, 244, 309
 tail biting 36
 taste buds 85, 87, 112, 326
 taste pathways 112
 tectum of midbrain 284–285
 tegmentum of midbrain 285–287
 tegmentum of pons 282
 telencephalic vesicles 215
 telencephalon 187, 192, 216, 295, 296
 temperature regulation 190
 temporal horn of lateral ventricle 294, 297, 299, 301
 temporal lobe 188, 202–204, 292, 296–299
 lesions 204
 temporal summation 66, 73
 tentorium cerebelli 16, 21, 31, 293
 terminal button 44
 termino-terminal bulb 44
 tetanus 142, 239, 255, 322
 tetanus toxin 48, 142
 tetraparesis 167, 231, 314, 316, 324
 tetraplegia 167, 231
 thalamus
 functions 211–212
 lesions in domestic mammals 212
 lesions in man 212
 thermoregulation 7, 10, 196
 thiamine deficiency 235, 318
 third ventricle 16–18, 99, 115, 147, 189–191, 284, 286, 288–291, 294, 296, 297
 thirst 190
 thoracic vertebrae 40, 250, 265
 threshold 64, 66, 67, 71–73, 89, 129, 137
 thrombi 11
 thymus 217
 tilting of head 107, 111, 112
 tongue, muscles 84, 87, 243, 255, 309, 326
 paralysis 309
 tonic neck and eye responses 243, 255
 tract(s)
 corticopontine 281
 cranial spinocerebellar 119, 121–124, 132, 176, 273
 cuneocerebellar 121, 122, 179
 direct spinocerebellar 120
 dorsal corticospinal 150, 169, 273
 dorsal spinocerebellar 92, 95, 96, 120, 122, 123, 132, 176, 179, 226, 273, 320
 indirect spinocerebellar 120
 lateral corticospinal 146, 147, 150, 169, 273, 277
 lateral olfactory 113–115, 275
 lateral spinothalamic 100
 lateral vestibulospinal 110, 159
 Lissauer's 129
 mammillothalamic tract 289, 291, 292
 medial olfactory 114, 115, 275, 296
 medial vestibulospinal 110, 159
 medullary reticulospinal 156–160, 164, 170, 172, 173, 280
 mesencephalic of trigeminal nerve 84, 283, 286
 paraventriculohypophyseal 189, 190, 292
 pontine reticulospinal 156–160, 274, 282
 propriospinal 100, 272
 pyramidal 166, 171, 224, 277
 raphe spinal 129–131, 273, 280
 reticulospinal 154, 156–160, 164, 167, 172, 191, 193–197, 273, 274, 280, 282, 319, 321
 rubrospinal 101, 156–158, 172, 272, 273, 279, 287
 solitary 80, 81, 83–85, 88, 97, 112, 115, 195, 241, 279, 318

spinal of trigeminal nerve 84, 97, 236, 238, 274, 277, 279
 spino cervical 100–102, 158, 271
 spinocervicothalamic 100, 273
 spino-olivary 273, 278
 spinoreticular 124, 125, 128, 129, 195, 273, 321
 spinotectal 273, 284
 spinothalamic 84, 89, 90, 96–102, 125, 128–131, 146, 195, 273, 277
 supraopticohypophyseal 189, 190
 tectospinal 105, 106, 108, 109, 156, 159, 160, 233, 240, 274, 282, 287
 ventral corticospinal 146, 148, 150, 158, 169, 274
 ventral spinocerebellar 119–124, 132, 143, 158, 176, 179, 226, 272, 273, 278
 vestibulospinal 110, 141, 150, 156, 157, 159, 160, 163, 170, 172, 173, 177, 278
 transducer mechanisms of
 receptors 73–76
 transmitter substances 46–48, 52–54, 63, 65, 67, 69, 73, 190
 transverse atlantal ligament 265
 transverse cerebral fissure 293
 transverse fibres of pons 275
 trapezoid body 90, 104, 106, 239, 274, 275, 278, 280, 282, 306
 tremor 111, 165, 184–186, 231, 312, 315, 317, 320, 323, 324
 triceps tendon reflex 250, 256
 trigeminal neuralgia 85
 trigger region 49, 65, 66, 68, 69, 71–74
 true pain
 fibre types 272
 pathways 90, 272
 tuber cinereum 275, 288, 289, 292
 tubulin 47, 49
 tunnel vision 318
 twitch 131, 135, 250, 251

U

unmasking 58
 upper motor neuron 41, 42, 161–168, 171, 230, 250, 251, 265, 319–321, 324
 lesions 151
 uvulonodular fissure 180

V

vagina, sensory pathway 35
 valves of, veins of brain 28–29
 venous sinuses 25–27, 29–30
 vascularity of neuraxis 10
 vascular zones of spinal cord 11
 vasodilation 190, 196, 197, 253
 vasomotor depressor centre 193
 vasomotor pressor centre 193
 vein(s)
 angularis oculi 26, 261
 azygos 29, 30
 of brain 28
 cerebral 28, 31
 deep cerebral 29
 dorsal cerebral 25, 26, 28
 emissary 28
 external ophthalmic 26, 261
 facial 26, 261
 great cerebral 25, 27, 29, 30
 internal jugular 28
 intervertebral 27, 29
 maxillary 26–28
 occipital 28
 retinal 21
 superficial cerebral 28
 ventral cerebral 25, 26, 29, 30
 ventral spinal 29
 vertebral 27, 29, 30
 venous occlusion in brain 30
 venous sinus or sinuses
 cavernous 28
 connecting system 26–27
 cranial system 25–29
 dorsal group 27–28
 dorsal petrosal 26, 28
 dorsal sagittal 27, 28
 dorsal system 25–28
 drainage into systemic
 circulation 28–29
 emissary veins 28
 internal vertebral plexus 29
 longitudinal spinal 15, 29
 petrosal 28
 sigmoid 26
 spinal system 29
 straight 26, 27, 29

venous sinus or sinuses (*cont'd*)
 temporal 28
 territory drained 29
 transverse 28
 valves 28
 ventral system 25–26, 28
 vertebral 29
 ventral arcuate fibres 278
 ventral funiculus 105, 158, 159, 272, 274
 ventral grey commissure 271
 ventral horn 60, 67, 68, 79, 81, 82, 86, 87,
 135–137, 140, 142, 143, 148, 156–158,
 167, 168, 170, 172, 191, 194, 197, 217,
 271, 303, 319, 320
 ventral longitudinal ligament 36–38
 ventral median fissure 272–273
 ventral tegmental decussation 287
 ventriculography 21, 261
 VEP *see* visual evoked potential (VEP)
 vermis 23, 179, 180, 225, 260, 276, 282,
 293, 323
 vertebrae
 mal articulation 41–42
 malformation 41–42
 vertebral-occipital anastomosis 3–5
 vertical nystagmus 111
 vertigo 111
 vestibular disease 111–112, 185, 230,
 243, 294
 vestibular nuclei 107–112, 153, 156, 159,
 163, 164, 170, 176–179, 181, 182, 206,
 240, 278–279, 282, 318–322
 vestibulocerebellar projections 10, 170,
 179, 184, 294
 vestibulocerebellum 179, 180, 184, 185, 319

viciousness 204, 205
 visceral afferent non-pain pathways 195
 visceral efferents 79–82, 84–88, 217, 271,
 274, 279, 282
 visceral pain afferents of head 97
 visceral pain pathways 195
 visual area 12, 103, 107, 108, 117, 128,
 201, 202, 205, 291, 299
 visual defects 106, 318
 visual evoked potential (VEP) 303, 305, 306
 visual pathways
 constricting the pupil 105
 decussation 104–106
 eyeball movements 105
 one-to-one 55, 172
 turning head and neck 105
 visual placing response 207, 233, 244, 254,
 310, 311
 vomiting 110, 111

W

waking centre 132, 192
 walking reflexes 143
 Wallerian degeneration 57
 warming of skin 196
 water closets 73
 wheelbarrow test 168, 245–246, 256, 323
 white commissure 60, 143, 158, 273
 white matter of spinal cord 272, 320
 withdrawal reflex 62, 249, 251, 256, 309,
 310, 312, 313, 317, 319, 320, 324
 wobbler syndrome
 dog 41, 95, 320
 horse 41–42, 95, 320
 lesions 95–96