

Contents

Preface *xi*

1	Introduction to 4D Printing: Concepts and Material Systems	1
	<i>Xiao Kuang, Liang Yue, and H. Jerry Qi</i>	
1.1	Background	1
1.2	Overview of 3D Printing Techniques	3
1.2.1	Single-Material 3D Printing Techniques	3
1.2.2	Multi-Material 3D Printing	5
1.3	Shape-Programmable Materials for 4D Printing	7
1.3.1	Shape-Memory Polymers and Composites	7
1.3.1.1	Single SMP	8
1.3.1.2	SMP Nanocomposites	10
1.3.1.3	Printed Active Fiber-Reinforced Composites	11
1.3.1.4	Bilayer SMPs	13
1.3.1.5	Multi-material SMPs	14
1.3.2	Hydrogels and Composites for 4D Printing	16
1.3.2.1	Single-Material Hydrogels and Composites	17
1.3.2.2	Multi-Material Hydrogels	18
1.3.3	Liquid Crystal Elastomers	19
1.3.3.1	Single-Material LCEs	20
1.3.3.2	LCE-Based Multi-Materials	21
1.3.4	Magnetoactive Soft Materials	21
1.3.4.1	Single Magnetoactive Soft Material Composite	22
1.3.4.2	Multi-material MSMs	23
1.4	Modeling-Guided Design for 4D Printing	24
1.5	Summary and Outlook	26
	Acknowledgments	27
	References	27
 2	 Strategies in 3D Bioprinting of Cell-Laden Bioinks	 43
	<i>Jun Yin, Changxue Xu, Zhengyi Zhang, Yifei Jin, and Yong Huang</i>	
2.1	Introduction	43
2.2	Drop-on-Demand (DOD)-Based Inkjet Printing	46
2.2.1	Introduction to Inkjet Printing	46
2.2.2	Droplet Formation During DOD Inkjetting of Cell-laden Bioink	47

2.2.2.1	Bioink Preparation and Experimental Setup	47
2.2.2.2	Representative Droplet Formation Observations	49
2.2.3	Cell Distribution Within Microspheres During Inkjet-Based Bioprinting	50
2.2.3.1	Effect of Cell Concentration on Cell Distribution	50
2.2.3.2	Effect of Polymer Concentration on Cell Distribution	52
2.2.3.3	Effect of Excitation Voltage on Cell Distribution	53
2.3	Laser Printing	54
2.3.1	Introduction to Laser Printing	54
2.3.2	Effects of Living Cells on the Bioink Printability	56
2.3.2.1	Representative Observations During Laser Printing of Cell-laden Bioink	56
2.3.2.2	Effects of Living Cells on Printing Dynamics and Jetting Behaviors	58
2.3.3	Freeform Drop-on-Demand Laser Printing of 3D Alginate and Cellular Constructs	61
2.3.3.1	Overhang Construct Fabrication	62
2.3.3.2	Bifurcated Alginate/Cellular Constructs	62
2.4	Support Bath-Enabled Printing-then-Solidification Extrusion	65
2.4.1	Introduction to Support Bath-Enabled 3D Printing	65
2.4.2	Printing-then-Solidification Extrusion of Alginate and Cellular Structures	68
2.4.2.1	Carbopol-Enabled Two-Step Gelation Approach	68
2.4.2.2	3D Bioprinting of Y-Shaped Tubular Structures	68
2.4.3	Printing-then-Solidification of Liquid Materials in Nanoclay Suspension	71
2.4.3.1	Laponite Utilized as the Support Bath Material for Extrusion Printing	71
2.4.3.2	Gelatin-Based Cellular Construct Fabrication	72
2.5	Continuous Precuring Digital Light Processing (DLP) Printing	74
2.5.1	Introduction to DLP Printing	74
2.5.2	Theoretical Prediction of DLP Working Curve for Photocurable Materials	77
2.5.2.1	Analytical Model of Jacobs Working Curve	78
2.5.2.2	Influence of UV Absorber Concentration	80
2.5.3	Pre-curing Digital Light Processing (DLP) Printing	81
2.5.3.1	The Tunable Pre-curing DLP Printing Approach	81
2.5.3.2	Improving DLP Printing Efficiency by Pre-curing DLP Printing	82
2.5.3.3	Validation of Pre-curing DLP Printing	84
2.6	Summary	86
	References	87

3 Alloy Design for Metal Additive Manufacturing 93

Dovggy Bagdan and Minh-Son Pham

3.1	Additive Manufacturing	93
3.1.1	Metal-Based Additive Manufacturing	94
3.1.2	Alloy Development	96
3.1.3	Available Alloys	97
3.1.3.1	Ti-6Al-4V	99
3.1.3.2	Superalloys	103
3.1.3.3	316L Stainless Steel	107
3.1.3.4	AlSi10Mg	108
3.2	Melting and Cooling Processes and Associated Defects	110
3.2.1	The Process	110

3.2.2	Defects	112
3.2.2.1	Solidification Cracks	112
3.2.2.2	Liquation Cracks	113
3.2.2.3	Solid-State Cracking and Residual Stress	113
3.2.2.4	Lack-of-Fusion Porosity	114
3.2.2.5	Gas Pores	114
3.2.2.6	Keyhole Porosity	115
3.2.2.7	Compositional Changes	115
3.2.2.8	Balling	115
3.2.2.9	Summary	116
3.2.3	Roles of Material Chemical–Physical Properties	116
3.2.3.1	Absorptivity/Backscattering Coefficient	117
3.2.3.2	Heat Capacity and Enthalpy of Melting	117
3.2.3.3	Thermal Conductivity	119
3.2.3.4	Surface Tension	120
3.2.3.5	Boiling Temperature and Volatility	122
3.2.3.6	Thermal Expansion and Contraction	123
3.3	Alloy Design Methodology	125
3.3.1	Keyhole Formation	125
3.3.2	Evaporation of Alloying Elements	126
3.3.3	Balling Defects	127
3.3.4	Solidification Cracking Models	128
3.3.5	Solid-State Defects	129
3.3.6	Modifications to Solidification Behavior	131
3.3.7	Examples of Alloy Design for Additive Manufacturing	133
3.3.7.1	Titanium Alloy for Medical Applications	133
3.3.7.2	Creep-Resistant Ni-Based Superalloy	135
3.3.7.3	High Strength Co-Based Superalloy for High-Temperature Applications	136
3.4	Summary	139
	Abbreviations	140
	References	140

4 Laser and Arc-Based Methods for Additive Manufacturing of Multiple Material Components – From Design to Manufacture 155

Chao Wei, Heng Gu, Zhizhou Zhang, Yuan-Hui Chueh, and Lin Li

List of Abbreviations 155

4.1	Background	156
4.2	MMAM components design	158
4.3	Multi-material L-DED	159
4.3.1	Introduction of L-DED	159
4.3.2	Material Feeding Mechanism in Multi-Material L-DED	161
4.3.2.1	Continuous Coaxial Powder Feeding	162
4.3.2.2	Discrete Coaxial Powder Feeding	163
4.3.2.3	Simultaneous Wire and Powder Feeding	163
4.3.3	Materials and Characteristics in Multi-Material L-DED	163
4.3.3.1	L-DED of Ni-Cu Bimetal	164
4.3.3.2	L-DED of Ni-SS Bimetal	165
4.3.3.3	L-DED of Ti-Al Bimetal	166

4.3.3.4	L-DED of Ti-Ni FGM and Ti-SS FGM with Diffusion Barrier Layers	166
4.3.3.5	L-DED of Fe-Cu Bimetal	167
4.3.3.6	L-DED of Ti-ceramic Material System	167
4.4	Multi-material L-PBF	168
4.4.1	Introduction of L-PBF	168
4.4.2	Material Deposition Mechanism in Multi-Material L-PBF	169
4.4.2.1	Unidirectional Material Composition Variation	170
4.4.2.2	Spatial material composition variation	170
4.4.2.3	Hybrid Methods for Discrete Powder Deposition	171
4.4.3	Materials and Characteristics in Multi-Material L-PBF	173
4.4.3.1	L-PBF of Multiple Metallic Materials	173
4.4.3.2	L-PBF of Hybrid Metal/Ceramic Materials	177
4.4.3.3	L-PBF of Hybrid Metal/Polymer Materials	178
4.4.3.4	Modeling and Simulation of Multi-Material L-PBF Processes	181
4.5	Multi-Material WAAM	183
4.5.1	Introduction of Multi-Material WAAM	183
4.5.2	Material Feeding Mechanism of Multi-Material WAAM	184
4.5.3	Materials and Characteristics in Multi-Material WAAM	184
4.5.3.1	WAAM of SS-Fe/SS Bimetals	185
4.5.3.2	WAAM of SS-Ni Bimetals	185
4.5.3.3	WAAM of Ti-Al Bimetals	185
4.5.3.4	WAAM of Fe-Al Bimetals	186
4.5.3.5	WAAM of Fe-Ni Bimetals	186
4.5.3.6	WAAM of Cu-involved Multi-Metals	187
4.6	Comparison of Multi-Material AM Technologies	187
4.7	Potential Applications of Multi-Material AM	188
4.8	Challenges of Multi-Material AM Technologies	190
4.8.1	Challenges in Multi-Material L-DED and L-PBF	190
4.8.2	Challenges in Multi-Material WAAM	194
4.9	Summary and Outlook	196
4.9.1	Summary	196
4.9.2	Outlook	196
	References	197
5	Modified Inherent Strain Method for Predicting Residual Deformation and Stress in Metal Additive Manufacturing	219
	<i>Albert C. To, Xuan Liang, and Wen Dong</i>	
5.1	Background	219
5.2	Modified Inherent Strain (MIS) Method	220
5.2.1	Theory for Modification	220
5.2.2	Remarks on the IS Method	222
5.3	Extraction of ISs for L-PBF Process	225
5.4	Governing Equations for MIS-Based Sequential Analysis	229
5.5	Experimental Validation: Double Cantilever Beam	232
5.6	Simulation-Driven Design for L-PBF Process	235
5.6.1	Support Structure Selection for Crack Prevention	235
5.6.1.1	Description of the Workflow	235
5.6.1.2	Determination of the Critical J -Integral for Solid/Support Interface	236
5.6.1.3	Calculation of J -Integral at Solid/Support Interface for as-Built Part	237

5.6.2	Support Structure Design Based on Topology Optimization	242
5.6.2.1	Description of the Workflow	245
5.6.2.2	Topology Optimization of the Support Structure	245
5.6.2.3	Residual Stress Estimation	247
5.6.3	Laser Scanning Path Design	253
5.6.3.1	Description of the Method	253
5.7	Summary and Outlook	260
	Acknowledgment	261
	References	262
6	High-Fidelity Modeling of Metal Additive Manufacturing	267
	<i>Hou Yi Chia and Wentao Yan</i>	
6.1	Background	267
6.2	Powder Spreading	269
6.2.1	Governing Equations	271
6.2.2	Model Validation	273
6.2.3	Spreading and Deposition Mechanisms	275
6.2.3.1	Rake-Type Powder Spreading	275
6.2.3.2	Roller-Type Powder Spreading	279
6.2.4	Guidance for Design and Optimization	282
6.2.5	Summary and Outlook	284
6.3	Powder Melting	284
6.3.1	Governing Equations	285
6.3.2	Heat Source Models	286
6.3.2.1	Heat Source Model of Laser Beam	286
6.3.2.2	Heat Source Model of Electron Beam	287
6.3.3	Evaporation and Recoil Pressure	288
6.3.3.1	Evaporation Model	289
6.3.3.2	Model of Flow in Common and Near-Vacuum Environments	291
6.3.4	Model Verification and Validation	292
6.3.4.1	Realistic Heat Inputs	292
6.3.4.2	Keyhole Shape and Dynamics	294
6.3.4.3	Molten Track Profile	295
6.3.5	Coupling with Powder Spreading Model	295
6.3.5.1	Single-Track Cases	299
6.3.5.2	Balling Phenomenon	301
6.3.5.3	Multi-Track Cases	304
6.3.5.4	Multilayer Cases	306
6.3.6	Porosity Reduction and Optimization	308
6.3.7	Summary and Outlook	309
6.4	Thermal Stress	309
6.4.1	Model Construction	310
6.4.2	Simulation Case	313
6.4.3	Stress Concentrations	314
6.4.4	Model Comparison and Application	314
6.4.4.1	Thermomechanical Model for Cross Comparison	314
6.4.4.2	Thermal Cracking	317
6.4.4.3	Thermal Stress-Induced Dislocation	320
6.4.5	Mitigation and Tailoring of Thermal Stress	322

6.4.6	Summary and Outlook	322
6.5	Modeling of Other Unique Phenomena	323
6.5.1	Powder Sintering in EB-PBF	323
6.5.1.1	Liquid-State Sintering	323
6.5.1.2	Phase-Field Model	323
6.5.1.3	Solid-State Sintering	324
6.5.2	Powder Spattering and Denudation in L-PBF	326
6.5.2.1	Multiphase Flow Model	326
6.5.2.2	Multiphase Flow Behaviors	327
6.5.2.3	Influence of Jetting Angle	331
6.5.3	Summary and Outlook	331
6.6	Conclusions	333
6.A	Material Properties for Thermal-Fluid Simulation	334
	References	334
7	Modeling of Polymer Powder-Based Additive Manufacturing	339
	<i>Fei Shen, Pengfei Tan, and Kun Zhou</i>	
7.1	Background	339
7.2	Discrete Element Modeling of the Powder Recoating Process	341
7.2.1	Discrete Element Model	341
7.2.2	Polymer and Composite Powder Particles	343
7.2.2.1	Polymer Powder Particles	343
7.2.2.2	Composite Powder Particles	345
7.2.2.3	Powder Flowability	346
7.2.3	Recoating Quality of the Powder Bed	347
7.2.3.1	Layer Thickness Effect	348
7.2.3.2	Recoating Velocity Effect	349
7.2.3.3	Fiber Loading Effect	352
7.2.3.4	Particle Shape Effect	352
7.3	Finite Element Modeling of the SLS Process	353
7.3.1	Thermomechanical Model	356
7.3.1.1	Heat Source Model for Laser Beam	356
7.3.1.2	Transient Heat Transfer Model	357
7.3.1.3	Thermo-Elasto-Viscoplastic Constitutive Model	358
7.3.1.4	Recrystallization Model	359
7.3.1.5	Finite Element Simulation	360
7.3.2	Numerical Method of the Thermo-Elasto-Viscoplastic Model	361
7.3.3	Temperature Distribution	363
7.3.4	Process Parameter Optimization	366
7.3.5	Recrystallization, Strain, and Stress Results	369
7.4	Summary and Outlook	373
	References	373
	Index	381