

# Contents

Annotation — V

Preface — VII

<b>1</b>	<b>Everybody understands everything... — 1</b>
<b>2</b>	<b>Cybernetic and electromagnetic impacts on electronic equipment: do they have anything in common? — 17</b>
2.1	Conclusions — 22
	Bibliography — 22
<b>3</b>	<b>New developments in protection of power transformers against HEMP — 23</b>
3.1	Introduction — 23
3.2	E3's impact on electrical power equipment — 23
3.3	Suggested solutions for the problem — 27
3.4	Tester for periodical testing of relay serviceability — 31
3.5	Safety actuating module for transformer relay protection from geomagnetically induced currents of HEMP — 35
3.6	Throw-over transfer switch for transformer protection relay powered by a substation DC auxiliary power system — 44
	Bibliography — 57
<b>4</b>	<b>New developments in the protection of diesel generators from electromagnetic pulses (HEMP) — 58</b>
4.1	Mounting of protecting metal panels — 58
4.2	Mounting of electromagnetic filter and varistors — 59
4.3	Main controller protection — 59
4.4	Mounting of ventilation blinds — 61
	Bibliography — 64
<b>5</b>	<b>HEMP protection of electronic equipment located in control cabinets — 66</b>
5.1	Introduction — 66
5.2	Selecting the design of protection modules — 67
5.3	Efficiency of protection elements as affected by mounting wires — 68
5.4	Suggested solution of the problem — 71
5.5	Conclusions — 75
	Bibliography — 76
	Appendix — 77
<b>6</b>	<b>HEMP protection strategy for power system's electronic equipment — 80</b>
6.1	Introduction — 80

6.2	Major provisions underlying the offered strategy —	80
6.3	Basic HEMP protection strategy for power system's electronic equipment —	81
6.4	Conclusion —	87
	Bibliography —	87
7	<b>Selection of LC filters to ensure HEMP protection of electronic equipment —</b>	<b>88</b>
7.1	Introduction —	88
7.2	What is special in HEMP filters? —	89
7.3	Conclusion —	94
	Bibliography —	94
8	<b>Research shielding effectiveness of an elastic shield made of conductive fabric to ensure HEMP protection of electronic equipment —</b>	<b>95</b>
8.1	Introduction —	95
8.2	Measuring of shielding effectiveness of conductive fabrics —	97
8.3	Conclusion —	104
	Bibliography —	104
9	<b>Resilience of digital protection relay's power supplies to powerful nanosecond pulses —</b>	<b>105</b>
9.1	Introduction —	105
9.2	Analysis of the literature —	105
9.3	Standards and testing procedure —	106
9.4	Power supplies of DPR —	108
9.5	Results —	109
9.6	Conclusion —	114
	Bibliography —	114
10	<b>Comparative tests of voltage suppressors for the protection of electronics against high-altitude electromagnetic pulses (HEMP) —</b>	<b>116</b>
10.1	Introduction —	116
10.2	Purpose of the research —	117
10.3	Method, test subject, and equipment —	117
10.4	Test results —	119
10.5	Conclusions —	124
	Bibliography —	124
11	<b>The problems of testing HEMP resilience of electronic equipment —</b>	<b>125</b>
11.1	Introduction —	125
11.2	Methods and aims of HEMP-resilience tests —	126
11.3	Test bench—HEMP simulator —	128

11.4	Problem No. 1 —	128
11.5	Problem No. 2 —	130
11.6	Problem No. 3 —	130
11.7	Problem No. 4 —	132
11.8	Problem No. 5 —	136
11.9	Conclusions —	141
	Bibliography —	143
<b>12</b>	<b>A special HEMP-resilient protection and automation devices —</b>	<b>144</b>
12.1	Introduction —	144
12.2	Universal HEMP-resilient overcurrent protective relay —	144
12.3	Very-fast overcurrent protection relay —	147
12.4	Threshold-current transducer —	155
12.5	Fault-passage indicator (FPI) —	156
12.6	Automatic-reset short-circuit indicator for 6–24 kV power busbars —	159
12.7	High-current pulse transducer —	160
12.8	Shorting-circuit protection module —	165
12.9	Fast-voltage unbalance protective relay —	168
12.10	Autoreclosing module for low-voltage electrical equipment —	170
12.11	The problems in the AC-power network upon HEMP impact —	174
12.12	Reed-switch relay as a very-fast undervoltage relay —	183
12.13	The problems in the DC-power network at HEMP impact —	185
	Bibliography —	189
	Appendixes —	190
	A. Main parameters of the full size HV reed switches —	190
	B. Main parameters of miniature HV reed switches —	192
	C. Main parameters of HV Darlington transistors —	193
	D. Main parameters of HV bipolar transistors with high-DC current gain —	193
	E. Main parameters of small HV thyristors —	194
	F. Main parameters for thyristor diode (dynistor, diac, four-layer diode, Shockley diode) —	196
	<b>Index —</b>	<b>197</b>