

# Contents

**Preface — V**

**List of abbreviations — XIII**

## **1 Introduction – aromatic compounds and aromaticity — 1**

- 1.1 Importance of aromatic compounds — 1
  - 1.1.1 Synthetic dyes — 1
  - 1.1.2 Biologically active compounds — 3
  - 1.1.3 Aromatic compounds in materials science — 4
- 1.2 Aromaticity — 5
  - 1.2.1 Stability of aromatic compounds — 6
  - 1.2.2 Structure and reactivity of aromatic compounds — 8
  - 1.2.3 Magnetic properties of aromatic compounds — 8
- 1.3 In this book — 10
  - References — 11

## **2 Electrophilic aromatic substitution — 13**

- 2.1 Introduction — 13
- 2.2 General mechanistic principles — 13
- 2.3 Scope of electrophilic aromatic substitution — 13
  - 2.3.1 Nitration — 14
  - 2.3.2 Sulfonation — 15
  - 2.3.3 Halogenation — 16
  - 2.3.4 Carbon electrophiles: Friedel–Crafts alkylation and acylation — 17
- 2.4 Substituent effects in electrophilic aromatic substitution — 20
  - 2.4.1 Reactivity — 20
  - 2.4.2 Regioselectivity of electrophilic substitution of aromatic compounds — 21
  - 2.4.3 Regioselectivity in polysubstituted benzenes — 23
- 2.5 Functional group interconversion to control reactivity and regioselectivity — 26
  - 2.5.1 Reduction of nitro groups — 26
  - 2.5.2 Reduction of acyl groups — 27
  - 2.5.3 Reactions at benzylic positions — 28
  - 2.5.4 Acylation of phenols and anilines — 29
- 2.6 Reversibility of electrophilic aromatic substitution — 30
  - 2.6.1 Protidesilylation — 31
  - 2.6.2 Halodesilylation — 31
- 2.7 Electrophilic rearrangement – the Fries rearrangement — 32

|          |                                                                                  |
|----------|----------------------------------------------------------------------------------|
| 2.8      | Electrophilic aromatic substitution of polycyclic aromatic compounds — 33        |
| 2.9      | Electrophilic aromatic substitution of heteroaromatic compounds — 34             |
| 2.9.1    | Five-membered heterocycles — 34                                                  |
| 2.9.2    | Six-membered heterocycles — 36                                                   |
| 2.10     | Further reading — 36                                                             |
|          | References — 36                                                                  |
| <b>3</b> | <b>Nucleophilic aromatic substitution reactions — 39</b>                         |
| 3.1      | Introduction — 39                                                                |
| 3.2      | Addition–elimination of nucleophiles ( $S_NAr$ ) — 39                            |
| 3.2.1    | Leaving groups in $S_NAr$ — 41                                                   |
| 3.2.2    | Regioselectivity in $S_NAr$ reactions — 41                                       |
| 3.2.3    | Examples of the utility of $S_NAr$ reactions — 43                                |
| 3.2.4    | Carbon nucleophiles in nucleophilic aromatic substitution — 45                   |
| 3.2.5    | Reversibility of $S_NAr$ reactions — 47                                          |
| 3.2.6    | The Smiles rearrangement: an intramolecular $S_NAr$ reaction — 48                |
| 3.3      | Substitution via benzyne formation — 51                                          |
| 3.4      | Concerted nucleophilic aromatic substitutions — 52                               |
| 3.5      | Nucleophilic substitution of heteroaromatic systems — 55                         |
| 3.6      | Substitution of aryl diazonium salts — 58                                        |
| 3.6.1    | Diazonium salt formation — 58                                                    |
| 3.6.2    | Reactions of diazonium salts with nucleophilic species — 58                      |
| 3.6.3    | Other reactions of aryl diazonium salts — 63                                     |
| 3.6.4    | Formation of biaryls: the Gomberg–Bachmann reaction and Pschorr cyclization — 65 |
|          | References — 67                                                                  |
| <b>4</b> | <b>Reactions of aryllithium species — 73</b>                                     |
| 4.1      | Introduction — 73                                                                |
| 4.2      | Deprotonation of arenes: directed <i>ortho</i> metalation — 74                   |
| 4.2.1    | Introduction to directed <i>ortho</i> metalation — 74                            |
| 4.2.2    | Examples of directed <i>ortho</i> metalation in synthesis — 77                   |
| 4.2.3    | Anionic <i>ortho</i> -Fries rearrangement — 79                                   |
| 4.3      | Directed remote metalation — 82                                                  |
| 4.4      | Lithium–halogen exchange — 85                                                    |
| 4.5      | Rearrangements of haloarenes: halogen dance reactions — 86                       |
|          | References — 92                                                                  |

**5 Benzyne — 95**

- 5.1 Introduction to benzyne — 95
- 5.2 Formation of benzyne — 95
  - 5.2.1 Aryne formation by elimination of H-X — 96
  - 5.2.2 Aryne formation from dihalobenzenes — 100
  - 5.2.3 Aryne formation by elimination of small molecules — 101
  - 5.2.4 Fluoride-induced aryne formation — 102
- 5.3 Reactions of arynes — 105
  - 5.3.1 Cycloaddition reactions — 106
    - 5.3.1.1 [4 + 2] Cycloaddition reactions — 106
    - 5.3.1.2 Intramolecular Diels–Alder reactions — 108
    - 5.3.1.3 [2+2] Cycloadditions — 109
    - 5.3.1.4 1,3-Dipolar cycloadditions — 111
  - 5.3.2 Reactions of arynes with nucleophiles — 113
    - 5.3.2.1 Nucleophilic addition reactions — 113
    - 5.3.2.2 Multicomponent reactions of arynes — 115
    - 5.3.2.3 Aryne insertion reactions — 116
  - 5.3.3 Transition metal-mediated reactions of arynes — 121
- 5.4 *Meta*- and *para*-didehydrobenzenes (*m*- and *p*-arynes) — 125
- References — 126

**6 Transition-metal-mediated C–C bond forming reactions of aromatic compounds — 131**

- 6.1 Introduction — 131
- 6.2 Preparation of biaryls via homocoupling — 132
  - 6.2.1 Copper-mediated coupling: the Ullmann reaction — 132
  - 6.2.2 Nickel-mediated homocoupling reactions — 135
  - 6.2.3 Oxidative coupling reactions — 138
- 6.3 Preparation of biaryls via cross-coupling reactions — 139
  - 6.3.1 Metal-catalyzed cross-coupling — 139
    - 6.3.1.1 Ar–X cross-coupling precursors — 142
    - 6.3.1.2 Suzuki–Miyaura cross-coupling (aryl boronic acids or boronate esters) — 143
    - 6.3.1.3 Negishi cross-coupling (organozinc) — 145
    - 6.3.1.4 Stille cross-coupling (organotin) — 146
    - 6.3.1.5 The Hiyama cross-coupling (organosilanes) — 148
    - 6.3.1.6 Kumada–Corriu cross-coupling (Grignard reagents) — 149
- 6.4 Other coupling reactions — 150
  - 6.4.1 The Heck reaction — 150
  - 6.4.2 The Sonogashira reaction — 153
  - 6.4.3 Transition metal-mediated cyanation — 159
- 6.5 Direct arylation (C–H functionalization) — 160

|         |                                                               |     |
|---------|---------------------------------------------------------------|-----|
| 6.5.1   | Introduction to direct arylation —                            | 160 |
| 6.5.2   | Direct arylation with aryl halides —                          | 161 |
| 6.5.2.1 | Intramolecular direct arylation reactions with aryl halides — | 162 |
| 6.5.2.2 | Direct arylation using directing groups —                     | 163 |
| 6.5.2.3 | Direct arylation without directing groups —                   | 166 |
| 6.5.2.4 | Direct arylation of heteroaromatic compounds —                | 167 |
| 6.5.3   | Direct arylation using organometallic species —               | 170 |
| 6.5.4   | Direct arylation with arenes: dehydrogenative coupling —      | 171 |
| 6.6     | Axially chiral biaryls: synthetic approaches —                | 174 |
| 6.6.1   | Atropisomerism and axial chirality —                          | 174 |
| 6.6.2   | Approaches to racemic atropisomeric biaryls —                 | 176 |
| 6.6.3   | Stereoselective approaches to axially chiral biaryls —        | 177 |
|         | References —                                                  | 182 |

## **7 Other transition-metal-mediated reactions of aromatic compounds — 191**

|       |                                                    |     |
|-------|----------------------------------------------------|-----|
| 7.1   | Introduction —                                     | 191 |
| 7.2   | Aromatic C–N and C–O bond formation —              | 191 |
| 7.2.1 | Copper-catalyzed aryl C–N and C–O bond formation — | 191 |
| 7.2.2 | Palladium-catalyzed aryl amination —               | 195 |
| 7.3   | Transition-metal-catalyzed borylation reactions —  | 200 |
| 7.3.1 | Palladium-catalyzed borylation of aryl halides —   | 201 |
| 7.3.2 | Iridium-catalyzed direct borylation —              | 204 |
|       | References —                                       | 211 |

## **8 Constructing aromatic rings — 215**

|         |                                                        |     |
|---------|--------------------------------------------------------|-----|
| 8.1     | Introduction —                                         | 215 |
| 8.2     | Preparing benzene rings from non-aromatic precursors — | 215 |
| 8.2.1   | Cycloaddition reactions —                              | 215 |
| 8.2.2   | Transition metal-catalyzed alkyne cyclotrimerization — | 218 |
| 8.2.3   | Olefin metathesis —                                    | 224 |
| 8.3     | Preparing aromatic heterocycles —                      | 226 |
| 8.3.1   | Five-membered ring heterocycles —                      | 227 |
| 8.3.2   | Six-membered ring heterocycles —                       | 230 |
| 8.3.3   | Fused heteroaromatics —                                | 234 |
| 8.3.3.1 | Synthesis of indoles —                                 | 234 |
| 8.3.3.2 | Synthesis of quinolines —                              | 239 |
| 8.3.3.3 | Synthesis of isoquinolines —                           | 242 |
|         | References —                                           | 244 |

|           |                                                                              |
|-----------|------------------------------------------------------------------------------|
| <b>9</b>  | <b>Fused aromatic rings – polycyclic aromatic hydrocarbons — 247</b>         |
| 9.1       | Introduction to polycyclic aromatic hydrocarbons — 247                       |
| 9.1.1     | Classification and nomenclature of PAHs — 247                                |
| 9.2       | Stability and reactivity of PAHs — 250                                       |
| 9.2.1     | The aromatic sextet — 250                                                    |
| 9.2.2     | General reactivity of PAHs — 253                                             |
| 9.3       | Synthetic approaches to PAHs — 256                                           |
| 9.3.1     | Haworth synthesis — 256                                                      |
| 9.3.2     | The Pschorr synthesis — 260                                                  |
| 9.3.3     | The Elbs reaction — 260                                                      |
| 9.3.4     | Diels–Alder cycloadditions — 261                                             |
| 9.3.5     | The Wittig reaction — 266                                                    |
| 9.3.6     | Photocyclization (the Mallory–Katz reaction) — 267                           |
| 9.3.7     | Cyclodehydrogenation reactions — 268                                         |
| 9.3.8     | Cyclodehydrohalogenation reactions — 275                                     |
| 9.3.9     | Aryne cyclotrimerization and related reactions — 276                         |
| 9.3.10    | Ring-closing metathesis — 277                                                |
| 9.3.11    | Alkyne benzannulation — 279                                                  |
| 9.3.12    | Asao–Yamamoto benzannulation — 282                                           |
|           | References — 284                                                             |
| <b>10</b> | <b>Synthesis of select classes of polycyclic aromatic hydrocarbons — 289</b> |
| 10.1      | Introduction — 289                                                           |
| 10.2      | Synthesis of linear fused aromatic structures – the acenes — 289             |
| 10.2.1    | Synthetic approaches to pentacenes — 290                                     |
| 10.2.2    | Synthesis of larger acenes — 293                                             |
| 10.3      | Synthesis of phenacenes — 295                                                |
| 10.4      | Perylenes and rylenes — 299                                                  |
| 10.5      | Synthesis of triphenylenes and related compounds — 301                       |
| 10.5.1    | Triphenylenes — 301                                                          |
| 10.5.2    | Trinaphthylenes and larger starphenes — 306                                  |
| 10.6      | From coronenes to larger PAHs — 311                                          |
| 10.7      | Graphene nanoribbons — 317                                                   |
|           | References — 324                                                             |
| <b>11</b> | <b>Nonplanar aromatic compounds — 329</b>                                    |
| 11.1      | Introduction — 329                                                           |
| 11.2      | Helicenes and related contorted polycyclic compounds — 329                   |
| 11.2.1    | Helicenes — 329                                                              |
| 11.2.2    | Stereoselective helicene syntheses — 336                                     |
| 11.2.3    | Other benzannulated PAHs — 340                                               |
| 11.3      | Twisted acenes — 344                                                         |

## **XII — Contents**

|        |                                                                  |            |
|--------|------------------------------------------------------------------|------------|
| 11.4   | Circulenes and related curved polycyclic aromatic hydrocarbons — | <b>347</b> |
| 11.4.1 | [5]-Circulenes – corannulenes —                                  | <b>347</b> |
| 11.4.2 | [7]-Circulenes and related systems —                             | <b>350</b> |
| 11.5   | Cyclophanes and cyclophenylenes —                                | <b>351</b> |
| 11.5.1 | Cyclophanes —                                                    | <b>352</b> |
| 11.5.2 | Cycloparaphenylenes —                                            | <b>354</b> |
|        | References —                                                     | <b>361</b> |

|                |            |
|----------------|------------|
| <b>Index —</b> | <b>365</b> |
|----------------|------------|