

# Contents

## Foreword — VII

## Part I: Product-centred Design

### **1 Introduction — 3**

- 1.1 The current setting of the process industry — 3
- 1.2 The development of the PDPS approach — 4
- 1.3 Structure of the book — 5

### **2 Performance products in a challenging environment — 9**

- 2.1 A challenging environment for the process industry — 9
  - 2.1.1 Environmental and energy challenges — 9
  - 2.1.2 Changes in consumer needs and requirements — 13
  - 2.1.3 Changes in the network of raw materials and their availability — 16
  - 2.1.4 Technological and operational changes — 18
- 2.2 Product-centered process design — 39
  - 2.2.1 Product life cycle — 43
  - 2.2.2 Structured products and fast-moving consumer goods — 46
- 2.3 New product development — 48
  - 2.3.1 Stage-gate innovation process — 49
  - 2.3.2 Management tools to support NPD — 52
  - 2.3.3 Competitive advantage — 58
- 2.4 Design is not a trivial task — 60
- 2.5 Challenges of the FMCG sector — 62
  - 2.5.1 Challenge #1: Product profile improvement by microstructure creation — 64
  - 2.5.2 Challenge #2: Product naturalness by mild processing — 68
  - 2.5.3 Challenge #3: Benign products by improved sustainability practices — 72
  - 2.5.4 Challenge #4: On-shelf availability by supply chain optimization — 74
- 2.6 A novel approach for product design and process synthesis — 75
- 2.7 Take-away message — 76

### **3 A structured approach for product-driven process design of consumer products — 86**

- 3.1 Introduction — 86
- 3.2 Conceptual process design in the context of process systems engineering — 91
  - 3.2.1 Developments in new processes and retrofits — 92
  - 3.2.2 Interactions between process development and process design — 93
  - 3.2.3 Structure of the design activity — 94

3.2.4	Lifespan performance criteria —	95
3.3	Process synthesis in the industry of consumer products —	97
3.4	A product-driven process synthesis approach —	99
3.4.1	Generalities —	99
3.4.2	Structure of the methodology —	100
3.5	Take-away message —	108
<b>4</b>	<b>Formulation of design problems and identification of consumer wants —</b>	<b>114</b>
4.1	Introduction —	114
4.2	Level 0: Formulation of the design problem —	114
4.3	Level 1: Identifying consumer wants —	118
4.3.1	The perception and creation of value —	119
4.3.2	Consumer focus: the consumer is king —	121
4.3.3	Consumer wants and needs and product specifications —	124
4.3.4	Quality function seployment —	127
4.3.5	The QFD house of quality —	129
4.3.6	BROC decision making method —	132
4.4	Take-away message —	136
<b>5</b>	<b>Project management and reporting —</b>	<b>139</b>
5.1	Project management —	139
5.1.1	Project versus business as usual —	139
5.1.2	Typical phases of a project —	141
5.1.3	Managing a project effectively —	142
5.1.4	PRINCE2 methodology —	144
5.1.5	PRINCE2 principles —	146
5.1.6	PRINCE2 themes —	147
5.1.7	PRINCE2 processes —	147
5.1.8	Making a project successful —	148
5.2	Reporting —	150
5.2.1	Preparation of written reports —	150
5.2.2	Preparation of oral presentations —	155
5.2.3	What to include and what not to include —	155
5.3	Take-away message —	157
<b>6</b>	<b>Product function and generation of ideas —</b>	<b>158</b>
6.1	Level 2: Product function —	158
6.1.1	Building HoQ-2 —	161
6.1.2	Generation of ideas —	164
6.2	Level 3: Input-output —	170
6.2.1	Economic evaluation —	171

6.3	Take-away message — 174
<b>7</b>	<b>Brainstorming techniques — 177</b>
7.1	Introduction — 177
7.2	The basics of brainstorming — 178
7.3	Popular brainstorming techniques — 178
7.3.1	Mind mapping — 178
7.3.2	SCAMPER — 180
7.3.3	Reverse brainstorming — 180
7.3.4	SWOT analysis — 181
7.3.5	TRIZ — 182
7.3.6	Other popular brainstorming concepts — 182
7.4	Setting up a brainstorming session — 182
7.5	Conducting the brainstorming session — 183
7.6	Example of a brainstorming session — 185
7.7	Take-away message — 187
7.8	Further reading — 187
<b>8</b>	<b>Network of tasks, mechanisms and operational window — 189</b>
8.1	Level 4: Fundamental tasks and task network — 189
8.2	Level 5: Mechanism and operational window — 196
8.3	Take-away message — 205
<b>9</b>	<b>Equipment selection and design — 207</b>
9.1	Level 7: Equipment selection and design — 207
9.1.1	Selection of operating units — 208
9.1.2	Design of operating units — 209
9.2	Take-away message — 251
<b>10</b>	<b>Multiproduct and multiproduct-equipment integration — 255</b>
10.1	Level 6: Multiproduct integration — 255
10.2	Level 8: Multiproduct-equipment integration — 256
10.2.1	Supply chain management — 258
10.2.2	Supply chain modeling — 259
10.3	Take-away message — 262
<b>11</b>	<b>Molecular product design — 264</b>
11.1	Introduction and motivation — 264
11.2	CAMD methodology — 265
11.3	Quantitative structure–property relationships — 266
11.4	Optimization formulations for CAMD — 267

11.5	Mathematical techniques for the solution of CAMD optimization problems — <b>269</b>
11.6	Example — <b>270</b>
11.6.1	Initial steps — <b>271</b>
11.6.2	Generation of QSPR models — <b>272</b>
11.6.3	Problem formulation — <b>273</b>
11.6.4	Example results — <b>275</b>
11.7	Take-away message — <b>276</b>

## Part II: **Process Design Principles**

### **12 Process synthesis — 281**

12.1	Introductory concepts — <b>281</b>
12.2	Collection of relevant information — <b>283</b>
12.3	The hierarchy of decisions — <b>286</b>
12.4	Data structures for the space of alternative designs — <b>291</b>
12.5	Evaluation of alternative designs — <b>292</b>
12.6	Take-away message — <b>294</b>
12.7	Further reading — <b>295</b>

### **13 Process simulation — 296**

13.1	Process simulators — <b>296</b>
13.2	Modular and equation-oriented modes — <b>296</b>
13.3	Analysis, process and simulation flowsheets — <b>298</b>
13.4	Degrees of freedom analysis — <b>300</b>
13.5	Bidirectional information and design specs — <b>300</b>
13.6	Recycles and tear streams — <b>301</b>
13.7	Convergence algorithms — <b>301</b>
13.8	Open-loop simulation of an ammonia synthesis plant in UniSim — <b>303</b>
13.8.1	Background — <b>303</b>
13.8.2	UniSim Design solution — <b>305</b>
13.8.3	Creating a new unit set — <b>306</b>
13.8.4	Building the simulation — <b>307</b>
13.8.5	Defining Reaction Sets — <b>311</b>
13.8.6	Entering the simulation environment — <b>316</b>
13.8.7	Using the Workbook — <b>317</b>
13.8.8	Installing the feed streams — <b>318</b>
13.8.9	Installing unit operations — <b>321</b>
13.9	Review simulation results — <b>333</b>
13.10	Saving — <b>334</b>
13.11	Closed-loop simulation of an ammonia synthesis plant in UniSim — <b>334</b>

13.11.1	Review of UniSim Design convergence methods —	<b>335</b>
13.11.2	UniSim Design solution —	<b>337</b>
13.12	Add recycle loop to ammonia synthesis process —	<b>337</b>
13.12.1	Adding a Tee —	<b>337</b>
13.12.2	Adding a Compressor —	<b>338</b>
13.12.3	Adding a Recycle —	<b>339</b>
13.13	Optimize the purge rate to deliver desired product —	<b>342</b>
13.13.1	Installing, connecting and defining the Adjust —	<b>343</b>
13.13.2	Adjusting the target variable —	<b>344</b>
13.14	Investigate the effects of flash feed temperature on product composition —	<b>346</b>
13.14.1	Defining the key variables —	<b>346</b>
13.14.2	Creating the case study —	<b>349</b>
13.15	Take-away message —	<b>351</b>
13.16	Further reading —	<b>352</b>
<b>14</b>	<b>Reactor design —</b>	<b>353</b>
14.1	Essence of reactors —	<b>353</b>
14.2	Ideal reactors —	<b>353</b>
14.2.1	Batch reactors —	<b>353</b>
14.2.2	Plug flow reactor (PFR) —	<b>353</b>
14.2.3	Continuously stirred tank reactor (CSTR) —	<b>354</b>
14.3	General reactor design —	<b>354</b>
14.4	Mixing in industrial reactors —	<b>362</b>
14.4.1	Gas mixing —	<b>362</b>
14.4.2	Liquid mixing —	<b>362</b>
14.4.3	Gas-liquid mixing —	<b>364</b>
14.4.4	Solid-liquid mixing —	<b>365</b>
14.5	Types of reactors —	<b>366</b>
14.5.1	Vapor-liquid reactors —	<b>366</b>
14.5.2	Catalytic processes —	<b>367</b>
14.5.3	Bioreactors —	<b>369</b>
14.6	Heating and cooling of reacting systems —	<b>379</b>
14.6.1	Stirred tank reactors —	<b>380</b>
14.6.2	Catalytic reactors —	<b>380</b>
14.7	Heat exchangers as reactors —	<b>381</b>
14.7.1	Homogeneous reactions —	<b>381</b>
14.7.2	Heterogeneous reactions —	<b>381</b>
14.8	Safety considerations in reactor design —	<b>382</b>
14.9	Capital cost of reactors —	<b>382</b>
14.10	Take-away message —	<b>383</b>
14.11	Further reading —	<b>384</b>

**15 Batch process design — 385**

- 15.1 Continuous versus batch-wise — **385**
- 15.2 Batch scheduling — **386**
- 15.3 Basics of batch scheduling — **387**
- 15.4 State-task networks — **391**
- 15.5 Mathematical formulations of scheduling problems — **392**
- 15.6 Example: scheduling of an ice cream factory — **394**
- 15.7 Implementation — **397**
- 15.8 AIMMS code for the scheduling model — **399**
- 15.9 Take-away message — **402**
- 15.10 Further reading — **402**

**16 Separation train design — 404**

- 16.1 Separations in process development — **404**
- 16.2 Energy and separations — **404**
- 16.3 Selection of a suitable separation method — **405**
- 16.4 The sequencing of separations — **406**
- 16.5 The sequencing of ordinary distillation columns — **408**
- 16.6 Complex column configurations for ternary mixtures — **410**
- 16.7 Estimating the annualized costs for separation sequences — **412**
- 16.8 Distillation column design with a process simulator — **414**
- 16.8.1 Setting your session preferences — **415**
- 16.8.2 Building the simulation — **416**
- 16.8.3 Review simulation results — **428**
- 16.9 Take-away message — **430**
- 16.10 Further reading — **430**

**17 Plant-wide control — 431**

- 17.1 Process control — **431**
- 17.2 Incentives for process control — **431**
- 17.3 Importance of modeling — **433**
- 17.4 Block diagrams — **433**
- 17.5 Control schemes — **434**
- 17.6 Dynamic model development and behavioral diagrams — **435**
- 17.7 Linearizations and Laplace transforms — **438**
- 17.8 Basic control loops — **439**
- 17.9 Sensors and valves — **442**
- 17.10 Process interlocks — **443**
- 17.11 Process control over the entire process — **444**
- 17.12 Take-away message — **447**
- 17.13 Further reading — **448**

<b>18</b>	<b>Heat integration — 449</b>
18.1	Pinch analysis — 449
18.2	Motivation for heat integration by pinch analysis — 449
18.3	The pinch analysis approach — 450
18.4	Take-away message — 462
18.5	Further reading — 463
<b>19</b>	<b>Process and product safety — 464</b>
19.1	Introduction — 464
19.2	Relevant definitions — 464
19.3	Inherently safe design — 465
19.3.1	Learning from the past — 467
19.4	Hazards in chemical industry — 469
19.5	Safety of consumer products — 471
19.5.1	Microbiological poisoning — 472
19.5.2	Food Safety Act 1990 — 476
19.5.3	Microbiological hazards — 476
19.5.4	Hazards to plant and processes — 477
19.6	Design for process safety — 477
19.6.1	QRA and LOPA — 479
19.6.2	Process control — 480
19.6.3	Hazard analysis of critical control points (HACCP) — 480
19.6.4	Hygiene — 481
19.6.5	Engineering for food safety — 483
19.7	Process safety management for plant operation — 486
19.8	Risk-based process safety — 487
19.8.1	Commitment to process safety — 488
19.8.2	Understand hazards and risks — 490
19.8.3	Risk management — 494
19.8.4	Learn from experience — 495
19.9	Safety modeling approaches — 497
19.9.1	Equipment sizing — 497
19.10	Industry 4.0 and outlook — 502
19.11	Take-away message — 505
<b>20</b>	<b>Techno-economical evaluation of projects — 507</b>
20.1	Introduction — 507
20.2	Total capital investment — 508
20.2.1	Fixed capital investment — 509
20.2.2	Working capital — 510
20.2.3	Start-up costs — 511
20.3	Total manufacturing cost — 512

20.3.1	Production cost: direct production costs —	<b>512</b>
20.3.2	Production cost: fixed charges —	<b>512</b>
20.3.3	Production cost: plant overhead —	<b>512</b>
20.3.4	General expenses —	<b>514</b>
20.4	Required selling price —	<b>514</b>
20.5	Estimation of FCI —	<b>514</b>
20.5.1	FCI based on turnover ratio —	<b>514</b>
20.5.2	FCI based on investment per unit of production capacity —	<b>515</b>
20.5.3	FCI based on the six-tenth rule —	<b>515</b>
20.5.4	FCI based on step counting —	<b>515</b>
20.5.5	FCI based on factorial methods —	<b>516</b>
20.6	Estimation of equipment cost —	<b>517</b>
20.6.1	Economy-of-scale equation —	<b>517</b>
20.6.2	Empirical correlations —	<b>518</b>
20.6.3	Cost per unit weight estimation —	<b>519</b>
20.7	Project financial assessment —	<b>520</b>
20.7.1	Economic potential —	<b>521</b>
20.7.2	The gross margin —	<b>522</b>
20.7.3	Payback period —	<b>522</b>
20.7.4	Return on investment —	<b>523</b>
20.7.5	Discounted cash flow analysis —	<b>523</b>
20.8	Market effects —	<b>525</b>
20.9	Computer tools for cost estimating —	<b>526</b>
20.10	Take-away message —	<b>527</b>
<b>21</b>	<b>Design for sustainability —</b>	<b>529</b>
21.1	Taking the long-term view —	<b>529</b>
21.2	Metrics for sustainability —	<b>530</b>
21.3	Including sustainability metrics within the design process —	<b>534</b>
21.4	Retrofit for improved sustainability —	<b>535</b>
21.5	Take-away message —	<b>537</b>
21.6	Further reading —	<b>537</b>
<b>22</b>	<b>Optimization —</b>	<b>539</b>
22.1	Classification of optimization problems —	<b>539</b>
22.2	Objectives and constraints —	<b>540</b>
22.3	Specific formulations for process design and operations —	<b>542</b>
22.4	Solution algorithms for optimization problems —	<b>544</b>
22.5	Take-away message —	<b>548</b>
22.6	Further reading —	<b>550</b>



<b>23</b>	<b>Enterprise-wide optimization — 551</b>
23.1	What is enterprise-wide optimization? — 551
23.2	Fast-moving consumer good supply chains — 551
23.3	Scheduling — 552
23.4	Planning — 554
23.5	Mixed-integer programming — 554
23.6	Optimization challenges — 558
23.6.1	The challenge of flexibility — 559
23.6.2	The challenge of sustainability — 559
23.6.3	The challenge of complexity — 562
23.6.4	Perspectives — 562
23.7	Take-away message — 564
23.8	Further reading — 564

**A Appendix — 565**

**Index — 569**