

## Index

### **a**

- aberrant root morphology 125
- ACE *see* angiotensin-converting enzyme (ACE) inhibitors
- adjacent teeth or restorations
  - damage to 80–81
  - elevators, improper use of 80
  - large restorations 81
  - luxation of 80–81
- adrenal suppression
  - adrenal crisis 111
  - dose equivalence table 111
  - glucocorticoids or corticosteroids 110–111
- Akinosi ‘closed-mouth’ technique 23, 24
- alveolar osteitis 117–118
- American Association of Oral and Maxillofacial Surgeons (AAOMS) 88
- anaesthesia 124
  - general 9
  - local *see* local anaesthesia
  - oral sedation 9
  - relative analgesia 9
  - IV sedation 9
- analgesia 9, 116
- ancillary soft tissue instruments
  - angled curette 44, 46
  - cleoid-discoid carver 44, 46, 47
  - curved artery forceps 46, 48
  - Mitchell’s trimmer 44, 45
  - periosteal elevator 44, 45
  - scalpel 44
- angina 102
- angiotensin receptor blockers (ARBs) 103
- angiotensin-converting enzyme (ACE) inhibitors 103
- angled curette 44, 46
- antibiotic prophylaxis 102–103
- antibiotics 117
- anticoagulant agents 109, 110
- antiplatelet agents 109, 110
- antiresorptive medications 103, 104
- antiseptic mouthwash 116
- ARBs *see* angiotensin receptor blockers (ARBs)
- articaine 18
- atraumatic extraction 107
- axonotmesis 121

### **b**

- beta-adrenergic blockers 103
- bleeding
  - acquired and congenital conditions 109

bleeding (*cont'd*)

- bleeding diatheses 108–109
- haemostasis 108
- increased risk 108–110
- medications 109–110
  - anticoagulants 109, 110
  - antiplatelet agents 109, 110
- international normalised ratio (INR)
  - blood test 110
- thromboxane A<sub>2</sub>–serotonin–ADP
  - positive-feedback cycle 109
- warfarin 110
- multiple general anaesthetics,
  - risk of 108

## bone removal

- alveolar bone 73
- buccal bone gutter 74
- distoangular/vertical mandibular third
  - molar 95
- full bony impaction (early root
  - development) 99
- horizontal mandibular third molar 95
- irrigation 74
- mesioangular mandibular third
  - molar 93
- precision 73–74
- buccal block, mandibular long 24–25
- buccal infiltration anaesthetic 20–21
- buccolingual/other impactions 99
- bulbous roots (hypercementosis)
  - 124–125
- bupivacaine 18

**C**

- calcium channel blockers 103
- canines
  - deciduous 129–130
  - mandibular 62–64
  - maxillary 57–58
- Cawood-Minnesota retractor 35–36
- CBCT *see* cone-beam computed
  - tomography (CBCT) scan

## cleanup and closure

- distoangular/vertical mandibular third
  - molar 95
- full bony impaction (early root
  - development) 99
- horizontal mandibular third molar
  - 96, 97
- mesioangular mandibular third
  - molar 93
- of socket 75–77
- cleoid-discoid carver 44, 46, 47
- coagulation cascade 3–4
- cone-beam computed tomogram (CBCT)
  - scan 124
  - three-dimensional (3D) 5–7
- corticosteroids 110–111
- crestal or envelope approach 70
- crown decay 125–126
- CTX levels 106
- curved artery forceps 46, 48

**d**

- deciduous molars 126
- deciduous teeth, extraction of
  - principles of paediatric dental
    - extraction 127–129
  - techniques of paediatric dental
    - extraction 129–131
- dental extraction forceps
  - American pattern forceps 41
  - British pattern forceps 41
  - construction 41
    - beaks 41–42
    - handle 41
    - hinge 41
  - designs 42–43
  - principles of 42
  - short-nosed pliers 41
  - use of 40–41
- dentoalveolar fracture 84–85
- Diabetes Mellitus (DM)
  - hypo- or hyperglycaemia 107

insulin regime and oral hypoglycaemic agents 108  
 postoperative infection, risk of 108  
 type I and type II 107–108  
 distoangular/vertical 93–95  
 diuretic agents 103  
 drug holiday 106

## e

elevators  
   biomechanical principles  
     levering 38–39  
     rotational movements 38  
     wedging 37–38  
 construction  
   handle 37  
   shank 37  
   tip 37  
 improper use of 80  
 types and indications 39–40  
 use, principles of 39  
 endodontic therapy 114  
 epulis granulomatosa 120  
 equipment, preparation of 9–10  
 exodontia 1  
 extraction techniques  
   paediatric *see* paediatric dental extraction  
   simple  
     mandibular canines and premolars 62–64  
     mandibular incisors 61–62  
     mandibular molars 64–65  
     maxillary canines 57–58  
     maxillary first and second molars 59–61  
     maxillary incisors 55–56  
     maxillary premolars 58–59  
   surgical *see* surgical extraction

## f

facial abscess, acute 118–119  
 flap raising 67

full bony impaction (early root development) 99

## g

‘Gillick competent’ 128  
 glucocorticoids 110–111  
 Gow–Gates technique 23–24, 25

## h

HBO *see* hyperbaric oxygen (HBO) therapy  
 hepatic or renal impairment 113  
 hyperbaric oxygen (HBO) therapy 113  
 hypercementosis 124  
 hypertension 103

## i

incisors  
   deciduous 129–130  
   mandibular 61–62  
   maxillary 55–56  
 infective endocarditis 102–103  
   antibiotic prophylaxis 102–103  
   *Staphylococcus aureus* 102, 103  
 inferior alveolar nerve risk,  
   radiographic assessment of 91, 92  
 infiltration anaesthesia techniques 19  
 informed consent 7, 8  
 INR *see* international normalised ratio (INR) blood test  
 instrument fracture 82  
 international normalised ratio (INR) blood test 110  
 intraoperative  
   bleeding 82–83  
   damage to adjacent teeth or restorations 80–81  
   dentoalveolar fracture 84–85  
   instrument fracture 82  
   lip burns and lacerations 79–80  
   mandible fracture 81

intraoperative (*cont'd*)  
 oroantral communication 83–84  
 tooth aspiration or ingestion  
 81–82  
 ischaemic cardiovascular disease 102

## **I**

lignocaine 18  
 lip burns and lacerations 79–80  
 local anaesthesia 7  
 adjunct methods  
 intraligamentary injection 30  
 intrapulpal injection 31  
 awake dentoalveolar procedures 15  
 basic oral anaesthesia techniques  
 19–30  
 common preparations 18  
 articaine 18  
 bupivacaine 18  
 lignocaine 18  
 ropivacaine 18  
 mechanism of action  
 conversion tables 16, 18  
 of local anaesthetic agent 16, 17  
 preparations of local anaesthetic  
 16, 17  
 paediatric dental extraction 128  
 principles of  
 informed consent 16  
 patient safety 16  
 regional anatomy 16  
 technical proficiency 16  
 troubleshoot 16  
 side effects and toxicity  
 local risks 19  
 systemic risks 19  
 troubleshooting 32–33  
 luxators 37, 39

## **M**

mandible fracture 81  
 mandibular teeth

Akinosi 'closed-mouth' technique  
 23, 24  
 canines and premolars 62–64  
 conventional 'open-mouth' technique  
 22–23  
 Gow–Gates technique 23–24, 25  
 incisors 61–62  
 inferior alveolar nerve, anatomy of  
 pterygomandibular space 21–22  
 mandibular long buccal block 24–25  
 mental nerve block 25–26  
 molars 64–65  
 mandibular third molars  
 buccolingual/other impactions 99  
 distoangular/vertical 93–95, 96  
 full bony impaction (early root  
 development) 98, 99  
 horizontal 95–97  
 mesioangular 93, 94  
 maxillary teeth  
 anterior superior alveolar nerve 26  
 canines 57–58  
 greater palatine block 26, 27, 28  
 incisors 55–56  
 middle superior alveolar nerve 26  
 molars 59–61  
 nasopalatine nerve block 27, 29  
 nerve supply, anatomy of 26, 27  
 palatal infiltration 28  
 posterior superior alveolar nerve block  
 26, 29–30  
 premolars 58–59  
 maxillary third molars  
 erupted 91  
 unerupted/partially erupted 92–93  
 medical compromise, management of  
 adrenal suppression 110–111  
 dentoalveolar surgery, common  
 systemic medical conditions 101  
 Diabetes Mellitus 107–108  
 head and neck radiotherapy 113  
 hepatic or renal impairment 113

hypertension 103  
 increased bleeding risk 108–110  
 infective endocarditis 102–103  
 irradiated patient 112–113  
 ischaemic cardiovascular disease 102  
 medication-related osteonecrosis of  
   jaws 103–107  
 pregnancy and lactation 114  
 medication-related osteonecrosis of  
   jaws (MRONJ)  
   American Association of Oral and  
   Maxillofacial Surgery 105  
   antiresorptive medications 103, 104  
   atraumatic extraction 107  
   clinical presentation 103–104  
   CTX levels 106  
   drug holiday 106  
   follow-up 107  
   optimisation of oral hygiene 106  
   pathophysiology of 104  
   population risk of 104–105  
   prevention of 106  
   RANKL inhibitors 106  
   risk assessment 106  
 mental nerve block 25–26  
 Mitchell's trimmer 44, 45  
 molars  
   deciduous 126  
   mandibular 64–65  
   maxillary first and second 59–61  
 mouth props 53  
 MRONJ *see* medication-related  
   osteonecrosis of jaws (MRONJ)  
 mucoperiosteal flaps 69  
 multirooted teeth, abnormally 125

## **n**

nasopalatine nerve block 27, 29  
 National Institute for Health and Care  
   Excellence (NICE) 88  
 neuropraxia 121  
 neurotmesis 121

nonsteroidal anti-inflammatory drugs  
   (NSAIDs) 103, 116

## **o**

'open-mouth' technique, conventional  
   22–23  
 operative note 12–13  
 OPG *see* plain-film  
   orthopantomogram (OPG)  
 oral anaesthesia techniques, basic  
   buccal infiltration anaesthetic 20–21  
   infiltration anaesthesia techniques 19  
   mandibular teeth 21–26  
   maxillary teeth 26–30  
   regional nerve block techniques  
     19–20  
 oral sedation 9  
 oroantral communication 83–84  
 osteonecrosis 112  
 osteoradionecrosis (ORN) 112

## **p**

paediatric dental extraction  
   principles of 127–129  
     consent 128  
     extraction technique 129  
     history taking and examination 127  
     local anaesthetic 128  
     outcomes following extraction 129  
     radiographic assessment 127–128  
     use of sedation 128  
   techniques of 129–131  
     deciduous incisors and canines  
       129–130  
     deciduous molars 130–131  
 palatal infiltration 28  
 palatally impacted upper canines  
   123–124  
 palatine block, greater 27, 28  
 panoramic radiograph 5, 91  
 patient assessment 4–5  
 periapical (PA) radiograph 5, 6

periodontal disease, clinical signs of 89  
 periosteal elevator 44, 45  
 periostomes 37, 39  
 plain-film orthopantomogram (OPG)  
     5, 6  
 postoperative care and late complications  
     24-hour on-call service and tertiary  
         hospital referral 117  
 immediate postoperative period 115  
 management of late complications  
     117–122  
     acute facial abscess 118–119  
     alveolar osteitis 117–118  
     epulis granulomatosa 120  
     nerve injury 121–122  
     postoperative haemorrhage 119  
     temporomandibular joint disorders  
         (TMDs) 119–120  
 postoperative instructions 116  
 postoperative medications 116–117  
 postoperative haemorrhage 119  
 pregnancy and lactation 114  
 premolars  
     mandibular 62–64  
     maxillary 58–59

## **r**

radiographic assessment 5–7  
 RANKL inhibitors 106  
 regional nerve block techniques 19–20  
 relative analgesia 9  
 relieving incisions 71  
 retractors  
     Cawood-Minnesota retractor 35–36  
     tongue retractor 36  
     wire cheek retractor 36  
 root dilacerations 125  
 ropivacaine 18

## **s**

scalpel 44  
 soft tissue access

distoangular/vertical mandibular third  
     molar 93–94  
 flaps for dental extraction 70–73  
 full bony impaction (early root  
     development) 99  
 horizontal mandibular third molar 95  
 mesioangular mandibular third  
     molar 93  
*Staphylococcus aureus* 102, 103  
 superior alveolar nerve block  
     anterior 26  
     middle 26  
     posterior 29–30  
 surgeons  
     definition 1  
     preoperative checklist 10–12  
     procedural skills  
         communication and  
             collaboration 1–2  
         decision making 2  
         individualistic approach 2  
         knowledge 1  
         leadership and management 2  
         quality and safety 1  
 surgery  
     definition 1  
     principles of  
         anaesthesia 7, 9  
         equipment, preparation of 9–10  
         informed consent 7, 8  
         operative note 12–13  
         patient assessment 4–5  
         radiographic assessment 5–7  
         surgeon's preoperative checklist  
             10–12  
         wound healing 2–4  
 surgical extraction  
     indications for  
         bulbous roots  
             (hypercementosis) 124–125  
         longstanding upper first  
             molars 123

- palatally impacted upper canines 123–124
- retained deciduous molars 126
- teeth with extensive crown decay 125–126
- teeth with aberrant root morphology 125
- techniques
  - bone removal 73–74
  - cleanup and closure 75–77
  - common soft tissue flaps for dental extraction 70–73
  - intraoperatively 67
  - practical aspects of 69–70
  - preoperatively 67
  - principles of 68–69
  - tooth sectioning 74–75
- surgical handpiece and bur 50–51, 52
- surgical instruments
  - ancillary soft tissue instruments 44–47
  - dental extraction forceps 40–43
  - elevators, luxators, and periostomes 37–40
  - mouth props 53
  - retractors 35–36
  - surgical handpiece and bur 50–51
  - surgical irrigation systems 51–53
  - surgical suction 49, 51
  - suturing instruments 47–49
- surgical irrigation systems 51, 52, 53
- surgical suction 49, 51
- suturing instruments
  - characteristics of suture needles and materials 49, 50
  - equipment 48
  - Gilles forceps 49
  - for manipulation and suturing of soft tissues 47
  - needle-holding forceps 49
  - suture materials 49
  - suture packet 49, 50
  - suture scissor 49
- t**
- taurodontism 125
- temporomandibular joint disorders (TMDs) 119–120
- third molar surgery
  - clinical signs of periodontal disease 89
  - difficulty assessment and preoperative workup 89–90
  - difficulty of third molar removal 87, 90
  - indications and contraindications for 88
  - mandibular third molars 93–99
  - maxillary third molars 91–93
  - radiographic assessment of inferior alveolar nerve risk 91, 92
  - treatment options 89
  - treatment planning of impacted 87–89
  - Winter's classification 90
- thromboxane A<sub>2</sub>-serotonin-ADP positive-feedback cycle 109
- TMDs *see* temporomandibular joint disorders (TMDs)
- tongue retractor 36
- tooth aspiration or ingestion 81–82
- tooth sectioning 67
  - crown removal 74–75
  - decoronation 75
  - distoangular/vertical mandibular third molar 95
  - full bony impaction (early root development) 99
  - horizontal mandibular third molar 95
  - mesioangular mandibular third molar 93
  - between roots 75, 76
  - within single root 75, 76

triple whammy effect 103  
troubleshooting 32–33

**V**

vestibular incision 72

**W**

warfarin 110  
Winter's classification 90  
wire cheek retractor 36

'wisdom' teeth *see* third molar surgery

World Health Organization (WHO)

surgical handrubbing

technique 11, 12

wound healing

haemostasis 2–4

inflammatory phase 4

proliferative phase 4

remodelling and resolution 4













