

List of figures	XIII
List of tables	XIX
Notation	XXI
1 Introduction	1
2 The state of the art in designing molecules, experiments, and processes	5
2.1 Introduction to designing molecules, experiments, and processes . . .	6
2.2 System level: Computer-aided molecular and process design for environmental sustainability	9
2.3 Application level: Process design scope in integrated molecular and process design	11
2.4 Property level: Model-based design of experiments	14
2.5 Molecular level: Molecular design as product design	17
2.6 Contributions of this thesis	18
3 Combining computer-aided molecular and process design with predictive life cycle assessment	23
3.1 A framework for the design of sustainable solvents and processes . . .	24
3.1.1 Implementation of the COSMO-susCAMPD framework	26
3.1.2 Set-up and accuracy of the predictive LCA method	29
3.2 Case study: Benign solvents for the hybrid extraction-distillation of γ -valerolactone	35
3.2.1 Problem specification	35
3.2.2 Results and discussion	37
3.3 Conclusion	43
4 Computer-aided design of solvents and processes using quantum chemistry	45
4.1 COSMO-(sus)CAMPD for heat-integrated processes	46

4.2	Case studies	52
4.2.1	Hybrid extraction-distillation of γ -valerolactone	52
4.2.2	Integrated carbon capture and utilisation for the production of carbon monoxide	56
4.3	Conclusion	64
5	Optimal experimental design for optimal chemical process simulations	67
5.1	Optimal experimental design using the c-optimality criterion	68
5.1.1	Derivation of the c-optimal objective function	68
5.1.2	Solving OED problems	71
5.1.3	Comparison of experimental designs	72
5.2	Application of c-OED for extraction and hybrid extraction-distillation processes	72
5.2.1	OED for estimating isothermal NRTL- τ -parameters for a pinch-based extraction model	73
5.2.2	OED for estimating isothermal NRTL- τ - and diffusion parameters for a countercurrent rate-based extraction column with HTU-NTU sizing	77
5.2.3	OED for estimating temperature-dependent NRTL- τ -parameters for a hybrid extraction-distillation process	80
5.3	Discussion: Uncertainties resulting from the experimental designs . .	83
5.3.1	Accuracy of the extraction process simulation	85
5.3.2	Accuracy of the hybrid extraction-distillation process simulation	86
5.4	Conclusion	89
6	Molecular design of spark-ignition fuels for maximum engine efficiency	93
6.1	Fuel design as a special case of product design	94
6.2	Fuel design method	96
6.2.1	Combustion properties	98
6.2.2	Thermodynamic properties	98
6.2.3	Environment, health, and safety indicators & synthesisability .	99
6.2.4	Engine efficiency merit function as objective function	102
6.2.5	Property constraints	103
6.2.6	Evaluation of mixture properties	104
6.3	Design of pure fuels and fuel blends for spark-ignition engines	106
6.3.1	Pure component fuel design	106
6.3.2	Design of binary blends with ethanol	112
6.4	Conclusion	120

7	Summary, conclusion, and future perspectives	123
7.1	Summary and conclusion	123
7.2	Future perspectives	126
	Appendices	131
A	Supporting information to Chapter 3	133
A.1	Soft- and hardware	133
A.2	Molecular descriptors selection for the artificial neural network	134
A.3	Accuracy of the artificial neural network predictions for all impact categories	137
A.4	Molecular fragment library for the genetic algorithm LEA3D	146
B	Supporting information to Chapter 4	147
B.1	Soft- and hardware	147
B.2	Accuracy of predicted enthalpies of vaporisation and ideal-gas heat capacities	148
B.3	Accuracy of the process model for absorption and the multiphase reactor model	151
B.4	System boundaries and considered impacts for the LCA of the ICCU process	154
B.5	Supplementary COSMO-(sus)CAMPD designs for minimum exergy demand	156
B.6	Specifications of the process models	164
B.7	Molecular fragment libraries for the genetic algorithm LEA3D	166
C	Supporting information to Chapter 5	169
C.1	Distribution of experimental effort for the experimental designs . . .	169
C.2	Input parameters for the case studies	171
C.3	Additional results from the Monte Carlo analysis	179
C.4	Additional optimal experimental design for the hybrid extraction-distillation process	187
D	Supporting information to Chapter 6	189
D.1	Soft- and hardware	189
D.2	Molecular fragment library for the genetic algorithm LEA3D	190
D.3	Prediction accuracy of environment, health, and safety indicators . .	191
D.4	Contribution of fuel properties to expected engine efficiency increase .	199

D.5	Influence of property constraints on the number of feasible candidate blends	201
D.6	Calculation and property data for the estimation of direct CO ₂ emissions	201
Bibliography		203
Curriculum Vitae		239
Publications		241