

Table of contents

Semiconductor Quantum Structures

Subvolume C1: Optical Properties (Part 1)

(edited by C. Klingshirn)

0	Introduction (C.KLINGSHIRN)	1
	References for the Introduction	5
1	Theoretical concepts (H. HAUG)	6
1.1	Electronic states and phonons in mesoscopic microstructures	6
1.1.1	Confinement potentials, envelope approximation	6
1.1.2	Valence band mixing by quantum confinement	9
1.1.3	Excitons in microstructures	12
1.1.3.1	Quantum wells	12
1.1.3.2	Quantum wires	14
1.1.3.3	Quantum dots	15
1.1.4	Excitonic molecules in microstructures	16
1.1.5	Exciton polaritons and bipolaritons in quantum wells and wires	17
1.1.6	Interface and alloy disorder	18
1.1.7	Phonon modes in microstructures	20
1.1.8	Photon confinement in microresonators	21
1.2	Theory of stationary spectroscopy	21
1.2.1	Optical transitions, semiconductor Bloch equations, linear spectra	21
1.2.1.1	Linear free-carrier spectra	24
1.2.1.2	Linear exciton spectra	25
1.2.2	Plasma-density-dependent spectra	27
1.2.2.1	Energy renormalization	28
1.2.2.2	Single-subband spectra	29
1.2.2.3	Multi-subband spectra	30
1.2.2.4	Bethe-Salpeter equation	30
1.2.3	Electro-optical spectra	31
1.2.3.1	Quantum-confined Stark effect	31
1.2.3.2	Bloch oscillations and Wannier-Stark ladders in superlattices	33
1.2.4	Magneto-optical spectra	35
1.2.4.1	2D- and 1D-electron in a magnetic field, Landau levels	35
1.2.4.2	Magneto-excitons	35
1.2.4.3	Magneto-e-h-plasma	36

1.3	Theory of transient spectroscopy	38
1.3.1	Time-dependent semiconductor Bloch equations with semiclassical and quantum kinetic scattering integrals	39
1.3.1.1	LO-phonon scattering	39
1.3.1.2	Carrier-carrier scattering	41
1.3.2	Femtosecond four-wave mixing	42
1.3.2.1	Analytical approximations for the third-order susceptibility and the FWM signal	42
1.3.2.2	Evidence for non-Markovian quantum kinetics	43
1.3.2.3	Phenomenological description of excitation-induced dephasing	43
1.3.3	Femtosecond Coulomb dephasing kinetics	44
1.3.3.1	Exciton-exciton dephasing kinetics	45
1.3.3.2	Exciton dephasing by disorder	45
1.3.3.3	Quantum beats in FWM	45
1.3.4	Femtosecond pump-and-probe spectroscopy	46
1.4	References for 1	49
2	Experimental methods (C.KLINGSHIRN)	55
2.1	Linear optical spectroscopy	56
2.1.1	Equipment for linear spectroscopy	56
2.1.2	Techniques and results	58
2.2	Nonlinear optical spectroscopy	61
2.2.1	Equipment for nonlinear optics	62
2.2.2	Experimental techniques and results	65
2.2.2.1	One beam methods	65
2.2.2.2	Pump-and-probe beam spectroscopy	66
2.2.2.3	Four-wave mixing and laser-induced gratings	68
2.3	Time-resolved spectroscopy	73
2.3.1	Equipment for time-resolved spectroscopy	73
2.3.2	Experimental techniques and results	76
2.3.2.1	Lifetime measurements	77
2.3.2.2	Intraband and intersubband relaxation	78
2.3.2.3	Coherent processes	78
2.4	Spatially resolved spectroscopy	82
2.4.1	Equipment for spatially resolved spectroscopy	82
2.4.2	Experimental techniques and results	84
2.5	Spectroscopy under the influence of external fields	85
2.5.1	Equipment for spectroscopy under the influence of external fields	85
2.5.2	Experimental techniques and results	87
2.6	References for 2	89

3	Group IV Semiconductors	see subvolume C2
4	III-V Semiconductors (C. KLINGSHIRN)	96
4.1	General properties	96
4.2	Quantum-well structures	100
4.2.1	GaN quantum wells and related structures	100
4.2.1.1	Excitonic effects	101
4.2.1.2	Plasma effects	102
4.2.2	GaAs (and $\text{Al}_{1-y}\text{Ga}_y\text{As}$) wells	103
4.2.2.1	Excitonic data and effects	103
4.2.2.1.1	Linear optical spectra including excitons, defects, disorder and interexcitonic transitions	103
4.2.2.1.2	Exciton binding energy	108
4.2.2.1.3	Exciton polaritons in quantum wells and wave guides, including the exciton fine structure	109
4.2.2.1.4	Cavity polaritons	113
4.2.2.1.5	Localized and bound excitons, exciton transport	113
4.2.2.1.6	Raman scattering	115
4.2.2.1.7	Optical nonlinearities of excitons, biexcitons and trions	116
4.2.2.1.8	Dynamic properties of excitons, biexcitons and trions	118
4.2.2.1.9	Excitons under the influence of external fields	131
4.2.2.2	Plasma effects	140
4.2.2.2.1	Optical spectra and renormalization effects	141
4.2.2.2.2	Intersubband transitions	143
4.2.2.2.3	Plasmons and plasmon-phonon mixed states	143
4.2.2.2.4	Plasma dynamics	145
4.2.2.2.5	Plasmas in the presence of external fields	146
4.2.2.2.6	Electron-hole plasma lasers and plasma-based modulators	147
4.2.3	InAs and $\text{In}_{1-y}\text{Ga}_y\text{As}$ wells	148
4.2.3.1	Excitonic effects	149
4.2.3.1.1	Linear optical spectra	149
4.2.3.1.2	Exciton binding energy	151
4.2.3.1.3	Exciton polaritons and cavity polaritons	151
4.2.3.1.4	Localized and bound excitons, exciton transport	152
4.2.3.1.5	Raman scattering	152
4.2.3.1.6	Optical nonlinearities and dynamics of excitons, biexcitons and trions	153
4.2.3.1.7	Excitons under the influence of external fields	154
4.2.3.2	Plasma effects	156
4.2.3.2.1	Optical spectra and renormalization effects	156
4.2.3.2.2	Plasma dynamics and transport	158
4.2.3.2.3	Plasmas in external fields	158
4.2.3.2.4	Plasma lasers and modulators	159
4.2.4	Other well materials	159
4.2.4.1	Excitonic effects	161
4.2.4.1.1	Linear optical spectra	161
4.2.4.1.2	Optical nonlinearities and dynamics	163
4.2.4.1.3	Influence of external fields	164
4.2.4.2	Plasma effects	164
4.2.5	References for 4.1 and 4.2	165

4.3	Superlattices and coupled quantum wells	209
4.3.1	GaN superlattices and related structures	210
4.3.2	GaAs (and $\text{Al}_{1-y}\text{Ga}_y\text{As}$)-based structures	211
4.3.2.1	Excitonic effects	213
4.3.2.1.1	Linear optical spectra and excitonic properties	213
4.3.2.1.2	Raman scattering	217
4.3.2.1.3	Dynamics, nonlinear processes, and transport of excitons, biexcitons, and trions	219
4.3.2.1.4	Excitons under the influence of external fields	222
4.3.2.2	Plasma effects	229
4.3.3	InAs and $\text{In}_{1-y}\text{Ga}_y\text{As}$	231
4.3.3.1	Excitonic effects and intersubband transitions	231
4.3.3.1.1	Linear optical spectra	231
4.3.3.1.2	Raman scattering	232
4.3.3.1.3	Transport, nonlinear optics and dynamics in InAs-based coupled quantum wells and superlattices	232
4.3.3.1.4	Excitons under the influence of external fields	232
4.3.3.2	Plasma effects	233
4.3.4	Other well materials	233
4.3.4.1	Excitonic effects and intersubband transitions	234
4.3.4.1.1	Linear optical spectra	234
4.3.4.1.2	Transport, nonlinear optics, and dynamics	234
4.3.4.1.3	Raman scattering	235
4.3.4.1.4	Influence of external fields	235
4.3.4.2	Plasma effects	236
4.3.5	Doping superlattices	236
4.3.5.1	The low- and intermediate-density regimes	237
4.3.5.1.1	Inter- and intra-subband transitions	237
4.3.5.1.2	Optically nonlinear, dynamic, and transport properties	238
4.3.5.1.3	External fields	240
4.3.5.2	High-density effects	240
4.3.6	Spontaneously ordered alloys	240
4.3.6.1	Excitonic optical properties	241
4.3.6.2	Plasma effects	242
4.3.7	References for 4.3	242
4.4	Quantum-wire structures	264
4.4.1	GaN wires and related structures	265
4.4.2	GaAs (and $\text{Al}_{1-y}\text{Ga}_y\text{As}$) wires	266
4.4.2.1	Excitonic data and effects	266
4.4.2.1.1	Linear optical spectra and excitonic properties	266
4.4.2.1.2	Polaritons and photonic structures	268
4.4.2.1.3	Intersubband transitions	269
4.4.2.1.4	Localization and defect states	269
4.4.2.1.5	Raman scattering	270
4.4.2.1.6	Nonlinear optics, biexcitons, trions and dynamics	270
4.4.2.1.7	External fields	271
4.4.2.2	Plasma effects	272
4.4.2.2.1	Optical spectra, renormalization effects and external fields	272
4.4.2.2.2	Plasmons, intersubband transitions, and Landau levels	273
4.4.2.2.3	Quantum-wire lasers	273
4.4.3	InAs and $\text{In}_{1-y}\text{Ga}_y\text{As}$ wires	273
4.4.3.1	Excitonic effects	273

4.4.3.1.1	Linear optical spectra	273
4.4.3.1.2	Raman scattering	274
4.4.3.1.3	Optical nonlinearities and dynamics, biexcitons	274
4.4.3.1.4	Excitons under the influence of external fields	275
4.4.3.2	Plasma effects	275
4.4.3.2.1	Spectra and renormalization effects	275
4.4.3.2.2	Plasma lasers	275
4.4.4	Other wire materials	275
4.4.4.1	Excitonic effects, subband transitions and linear optical spectra	275
4.4.4.2	Plasma effects and lasers	276
4.4.5	References for 4.4	276
4.5	Quantum-dot structures	286
4.5.1	GaN quantum dots and related structures	288
4.5.1.1	Excitonic effects	288
4.5.1.2	Plasma effects and lasing	288
4.5.2	GaAs-based dots	289
4.5.2.1	Excitonic effects	289
4.5.2.1.1	Linear optical spectra	289
4.5.2.1.2	Raman scattering	291
4.5.2.1.3	Nonlinear optics, biexcitons and dynamical processes	291
4.5.2.1.4	The influence of external fields	291
4.5.2.2	Plasma effects	292
4.5.3	In _{1-y} Ga _y As-based dots	292
4.5.3.1	Excitonic effects	293
4.5.3.1.1	Linear optical spectra	293
4.5.3.1.2	Photonic dots, molecules, and crystals	294
4.5.3.1.3	Dynamics, trions, and biexcitons	297
4.5.3.1.4	The influence of external fields	297
4.5.3.2	Plasma effects and laser emission	298
4.5.4	Other dot materials	299
4.5.4.1	Excitonic effects	299
4.5.4.1.1	Linear optical spectra	299
4.5.4.1.2	Raman scattering	300
4.5.4.1.3	Nonlinear optics and dynamics	300
4.5.4.1.4	The influence of external fields	300
4.5.4.2	Electron-hole plasma and laser emission	301
4.5.5	References for 4.5	301
5	II-VI Semiconductors	see subvolume C2
6	I-VII Semiconductors (U. WOGGON)	314
6.1	General properties	314
6.2	Quantum-well structures	315
6.2.1	CuCl	315
6.2.1.1	Low-density regime	315
6.2.1.1.1	Size-dependent energies	315
6.3	Superlattices	315

6.4	Quantum-wire structures	315
6.5	Quantum dots	316
6.5.1	CuCl	316
6.5.1.1	The low-density regime	316
6.5.1.1.1	Size-dependent energies	316
6.5.1.1.2	Coupling to phonons	318
6.5.1.1.3	Effects of external fields	319
6.5.1.1.3.1	Hydrostatic pressure	319
6.5.1.1.3.2	Magnetic field effects	320
6.5.1.1.3.3	Electric field effects	320
6.5.1.2	The intermediate-density regime	320
6.5.1.2.1	Nonlinear optical coefficients	320
6.5.1.2.2	Biexcitons	321
6.5.1.3	The high-density regime	321
6.5.1.4	Coherent, relaxation and recombination dynamics	322
6.5.2	CuI	322
6.5.2.1	The low-density regime	322
6.5.2.1.1	Size-dependent energies	322
6.5.3	CuBr	323
6.5.3.1	The low-density regime	323
6.5.3.1.1	Size-dependent energies	323
6.5.3.1.2	Coupling to phonons	323
6.5.3.1.3	Splitting of states	324
6.5.3.1.4	Effects of external fields	324
6.5.3.1.4.1	Hydrostatic pressure	324
6.5.3.2	The intermediate-density regime	324
6.5.3.2.1	Nonlinear optical coefficients	324
6.5.3.2.2	Biexcitons	325
6.5.3.3	The high-density regime	325
6.5.3.4	Coherent, relaxation- and recombination dynamics	325
6.5.4	AgCl	326
6.5.5	AgI	326
6.5.5.1	The low-density regime	326
6.5.5.1.1	Size-dependent energies	326
6.5.5.1.2	Coupling to phonons	326
6.5.5.1.3	Splitting of states	326
6.5.5.2	Relaxation and recombination dynamics	327
6.5.6	AgBr	327
6.5.6.1	The low-density regime	327
6.5.6.1.1	Size-dependent energies	327
6.5.6.1.2	Coupling to phonons	328
6.5.6.2	Relaxation and recombination dynamics	328
6.6	References for 6	328
7	IV-VI Semiconductors (M. TACKE, A. ISHIDA)	332
7.1	General properties	332
7.1.1	Materials	332
7.1.2	Theoretical background	337
7.1.3	References for 7.1	340

7.2	Single and multiple quantum wells	341
7.2.1	Single quantum wells	341
7.2.2	Multiple quantum wells	344
7.2.3	References for 7.2	348
7.3	Superlattices	349
7.3.1	References for 7.3	352
7.4	Quantum wires and dots	352
7.4.1	References for 7.4	354