

Table of contents

Semiconductor Quantum Structures

Subvolume C2: Optical Properties (Part 2)

(edited by C. Klingshirn)

5	Low-dimensional structures of II–VI compounds	1
5.1	General properties (H. KALT)	1
5.1.1	Introduction	1
5.1.2	Some basic properties of bulk II–VI compounds	1
5.1.2.1	Band-gap energies	1
5.1.2.2	Excitonic properties	2
5.1.3	Alignment of electronic bands	3
5.1.4	References for 5.1	4
5.2	Quantum-well structures of II–VI compounds (H. KALT).	6
5.2.1	(Hg,X)Te quantum wells	6
5.2.1.1	Low-density regime	7
5.2.1.1.1	Electronic states in quantum wells	7
5.2.1.1.2	Electron-hole and excitonic transitions.	8
5.2.1.2	Modification of the optical properties by internal fields	10
5.2.1.3	Modification of the optical properties by external fields	10
5.2.1.4	High-density regime and nonlinear optics	10
5.2.1.5	References for 5.2.1	11
5.2.2	CdTe quantum wells	13
5.2.2.1	Low-density regime	14
5.2.2.1.1	Electronic states in quantum wells	14
5.2.2.1.2	Excitonic transitions	15
5.2.2.1.3	Localized excitons	25
5.2.2.1.4	Polariton effects	26
5.2.2.2	Modification of the optical properties by internal fields	29
5.2.2.2.1	Strained quantum wells	29
5.2.2.2.2	Piezoelectric quantum wells	29
5.2.2.3	Modification of the optical properties by external fields	31
5.2.2.3.1	Hydrostatic pressure	31
5.2.2.3.2	External electric fields	31
5.2.2.3.3	External magnetic fields	33

5.2.2.4	The intermediate-density regime	36
5.2.2.4.1	Exciton-exciton interaction	36
5.2.2.4.2	Excitonic lasing and optical gain	36
5.2.2.4.3	Biexcitons	37
5.2.2.5	The high-density regime	38
5.2.2.5.1	One-component plasma (2DEG)	38
5.2.2.5.2	Electron-hole plasma	38
5.2.2.6	Coherent dynamics and relaxation of optical excitations	39
5.2.2.6.1	Coherent interactions	39
5.2.2.6.2	Dephasing mechanisms and homogeneous linewidth	39
5.2.2.6.3	Relaxation processes	40
5.2.2.6.4	Transport phenomena of excitons and trions	40
5.2.2.6.5	Radiative and nonradiative recombination	41
5.2.2.7	References for 5.2.2	42
5.2.3	(Cd,Zn)Te, (Cd,Mn)Te, and (Cd,Mg)Te quantum wells	49
5.2.3.1	Low-density regime	49
5.2.3.1.1	Electronic states in quantum wells	49
5.2.3.1.2	Excitonic transitions	49
5.2.3.2	Modification of the optical properties by external fields	51
5.2.3.3	The intermediate and high-density regimes	51
5.2.3.4	Coherent dynamics and relaxation of optical excitations	52
5.2.3.5	References for 5.2.3	53
5.2.4	ZnTe quantum wells	54
5.2.4.1	Electronic states in quantum wells	54
5.2.4.2	Excitons and polaritons	55
5.2.4.3	Optical nonlinearities and high-density effects	56
5.2.4.4	References for 5.2.4	57
5.2.5	Telluride diluted-magnetic semiconductor quantum-well structures: (Hg,Mn)Te, (Cd,Mn)Te, and (Zn,Mn)Te QWs; Se/Te type-II QWs	58
5.2.5.1	Zeeman splitting and its applications	58
5.2.5.1.1	Giant Zeeman splitting	58
5.2.5.1.2	Magnetic-field induced type-I to type-II transition	62
5.2.5.1.3	Interface effects in non-DMS/DMS QW structures	64
5.2.5.1.4	Magnetic-field induced circular birefringence	64
5.2.5.2	Coulomb-bound electron-hole pairs and complexes (low-density regime)	66
5.2.5.2.1	Excitonic transitions	66
5.2.5.2.2	Magnetic polarons	67
5.2.5.2.3	Donor-acceptor pair recombination	68
5.2.5.3	The intermediate and high-density regime	68
5.2.5.3.1	Spin-aligned excitons	68
5.2.5.3.2	Spin-aligned magnetoplasma	68
5.2.5.3.3	Two-dimensional electron or hole gas	69
5.2.5.4	Coherent dynamics and relaxation of optical excitations	69
5.2.5.4.1	Coherent spin dynamics and spin injection	69
5.2.5.4.2	Spin relaxation	70
5.2.5.4.3	Exciton dephasing and homogeneous broadening	71
5.2.5.4.4	Formation dynamics of magnetic polarons	71
5.2.5.4.5	Recombination processes	71
5.2.5.5	References for 5.2.5	72

5.2.6	Telluride/Selenide quantum wells	78
5.2.6.1	Low-density regime	78
5.2.6.2	High-density regime and dynamics	81
5.2.6.3	References for 5.2.6	82
5.2.7	HgSe and (Hg,Cd)Se quantum wells	84
	References for 5.2.7	84
5.2.8	CdSe quantum wells	85
5.2.8.1	Low-density regime	85
5.2.8.2	High-density regime	87
5.2.8.3	Relaxation dynamics	87
5.2.8.4	References for 5.2.8	88
5.2.9	(Cd,Zn)Se quantum wells	90
5.2.9.1	Low-density regime	90
5.2.9.1.1	Electronic states in quantum wells	90
5.2.9.1.2	Excitonic transitions	91
5.2.9.1.3	Localized excitons	95
5.2.9.1.4	Polariton effects	95
5.2.9.2	Modifications of the optical properties by internal fields	96
5.2.9.2.1	Strained quantum wells	96
5.2.9.2.2	Piezoelectric fields	96
5.2.9.3	Modifications of the optical properties by external fields	96
5.2.9.3.1	Hydrostatic pressure	96
5.2.9.3.2	External magnetic fields	96
5.2.9.3.3	External electric fields	97
5.2.9.4	The intermediate-density regime	99
5.2.9.4.1	Excitonic interactions and Pauli blocking	99
5.2.9.4.2	Two-photon absorption and second harmonic generation	99
5.2.9.4.3	Localized biexcitons	99
5.2.9.4.4	Excitonic and biexcitonic stimulated emission and optical gain	100
5.2.9.5	The high-density regime	103
5.2.9.5.1	Fermi-edge singularity	103
5.2.9.5.2	Correlated electron-hole plasma	103
5.2.9.6	Coherent dynamics and relaxation of optical excitations	105
5.2.9.6.1	Coherent interactions and dephasing	105
5.2.9.6.2	Relaxation processes	105
5.2.9.6.3	Transport phenomena	108
5.2.9.6.4	Dynamics of gain and stimulated emission	108
5.2.9.6.5	Radiative and non-radiative recombination	108
5.2.9.7	References for 5.2.9	109
5.2.10	ZnSe quantum wells	116
5.2.10.1	Low-density regime	117
5.2.10.1.1	Electronic states in quantum wells	117
5.2.10.1.2	Excitonic transitions	118
5.2.10.2	Modification of the optical properties by internal fields	122
5.2.10.2.1	Strain and piezoelectric fields	122
5.2.10.2.2	Transient internal space charge fields	122
5.2.10.3	Modification of the optical properties by external fields	123
5.2.10.3.1	Hydrostatic pressure	123
5.2.10.3.2	Electric fields	123

5.2.10.3.3	Magnetic fields	123
5.2.10.4	The intermediate-density regime	125
5.2.10.4.1	Exciton-exciton interaction	125
5.2.10.4.2	Biexcitons	125
5.2.10.4.3	Excitonic gain and lasing	126
5.2.10.4.4	Nonlinear optical effects	126
5.2.10.5	The high-density regime	126
5.2.10.5.1	One-component plasma (2DEG)	126
5.2.10.5.2	Electron-hole plasma	126
5.2.10.5.3	Optical gain and lasing	126
5.2.10.6	Coherent dynamics and relaxation of optical excitations	127
5.2.10.6.1	Coherent interactions	127
5.2.10.6.2	Dephasing mechanisms and homogeneous linewidth	128
5.2.10.6.3	Hot-exciton relaxation	129
5.2.10.6.4	Spin relaxation	129
5.2.10.6.5	Lateral transport	130
5.2.10.6.6	Radiative and nonradiative recombination	130
5.2.10.7	References for 5.2.10	131
5.2.11	Selenide-based quantum wells containing Be, Mg, or S in the well	137
	References for 5.2.11	138
5.2.12	Selenide diluted-magnetic semiconductor quantum-well structures: (Cd,Mn)Se, (Zn,Mn)Se, and (Zn,Fe)Se QWs	139
5.2.12.1	Zeeman splitting and its applications	139
5.2.12.1.1	Giant Zeeman splitting	139
5.2.12.1.2	Magnetic-field induced type-I to type-II transition	141
5.2.12.1.3	Interface effects in non-DMS/DMS QW structures	142
5.2.12.2	Coulomb-bound electron-hole pairs and complexes (low-density regime)	143
5.2.12.2.1	Excitonic transitions	143
5.2.12.2.2	Magnetic polarons	143
5.2.12.3	The intermediate and high-density regime	144
5.2.12.3.1	Two-dimensional electron gas	144
5.2.12.4	Coherent dynamics and relaxation of optical excitations	144
5.2.12.4.1	Spin dephasing and relaxation	144
5.2.12.4.2	Dynamics of magnetic polarons	146
5.2.12.4.3	Recombination processes	147
5.2.12.5	References for 5.2.12	148
5.2.13	Zincblende Sulphide/Selenide type-II quantum wells	150
	References for 5.2.13	151
5.2.14	CdS/ZnS and (Cd,Zn)S/ZnS quantum wells	152
5.2.14.1	Low-density regime	152
5.2.14.1.1	Electronic states in quantum wells	152
5.2.14.1.2	Excitonic transitions	152
5.2.14.2	Modification of the optical properties by external fields	155
5.2.14.3	Intermediate and high-density regime	155
5.2.14.4	Exciton dynamics	155
5.2.14.5	References for 5.2.14	156
5.2.15	ZnS/(Zn,Mg)S quantum wells	157
	References for 5.2.15	158

5.2.16	ZnO and (Zn,Cd)O quantum wells	159
5.2.16.1	Low-density regime	159
5.2.16.1.1	Electronic states in quantum wells	159
5.2.16.1.2	Excitonic transitions	159
5.2.16.2	Modification of the optical properties by internal fields	162
5.2.16.2.1	Strain and piezoelectric fields	162
5.2.16.3	The intermediate-density regime	162
5.2.16.3.1	Biexcitons	162
5.2.16.3.2	Excitonic gain and lasing	162
5.2.16.4	Dynamics of optical excitations	162
5.2.16.5	References for 5.2.16	163
5.3	Superlattices and coupled quantum-well structures of II-VI compounds (H. KALT)	165
5.3.1	(Hg,X)Te superlattices	165
5.3.1.1	Low-density regime	165
5.3.1.1.1	Electronic states in superlattices	165
5.3.1.1.2	Electron-hole and excitonic transitions	166
5.3.1.1.3	Polariton effects	167
5.3.1.2	Modification of the optical properties by internal fields	167
5.3.1.3	Modification of the optical properties by external fields	167
5.3.1.4	High-density regime	167
5.3.1.5	References for 5.3.1	168
5.3.2	CdTe/(Cd,X)Te and (Cd,X)Te/ZnTe superlattices and coupled quantum wells	169
5.3.2.1	Low-density regime	169
5.3.2.1.1	Electronic states in superlattices	169
5.3.2.1.2	Excitonic transitions	169
5.3.2.1.3	Polariton effects	173
5.3.2.2	Modification of the optical properties by internal fields	173
5.3.2.3	Modification of the optical properties by external fields	174
5.3.2.4	Transient effects and dynamics	174
5.3.2.5	References for 5.3.2	176
5.3.3	Telluride diluted magnetic semiconductor superlattices and coupled quantum wells	178
5.3.3.1	Electronic states in DMS SLs	178
5.3.3.2	Spin states in DMS SLs	178
5.3.3.3	Magnetic polarons	179
5.3.3.4	Polaritons	180
5.3.3.5	Dynamic processes	180
5.3.3.6	References for 5.3.3	181
5.3.4	Telluride/Selenide and Telluride/Sulphide superlattices	182
5.3.4.1	Electronic states in type-II SLs	182
5.3.4.2	Excitons and isoelectronic traps	183
5.3.4.3	Modification of the optical properties by external fields	183
5.3.4.4	High-excitation regime	183
5.3.4.5	References for 5.3.4	184
5.3.5	CdSe, ZnSe, (Cd,Zn)Se, and (Zn,Mg)(S,Se) superlattices and coupled quantum wells	186
5.3.5.1	Low-density regime	186
5.3.5.1.1	Electronic states in strained-layer superlattices	186
5.3.5.1.2	Optical functions in superlattices and multiple quantum wells	186

5.3.5.1.3	Excitonic transitions	186
5.3.5.2	Modification of the optical properties by internal fields	187
5.3.5.3	Modification of the optical properties by external fields	187
5.3.5.3.1	Hydrostatic pressure	187
5.3.5.3.2	Magnetic field	187
5.3.5.4	The intermediate-density regime	188
5.3.5.5	The high-density regime	188
5.3.5.6	Transient effects and dynamics	188
5.3.5.7	References for 5.3.5	189
5.3.6	Selenide DMS superlattices and coupled quantum wells	191
5.3.6.1	Low-density regime	191
5.3.6.1.1	Electronic states in diluted magnetic semiconductor superlattices (DMS SLs)	191
5.3.6.1.2	Spin states in DMS SLs	192
5.3.6.1.3	Excitonic transitions	194
5.3.6.2	Spin-relaxation and spin injection	194
5.3.6.3	References for 5.3.6	195
5.3.7	CdSe/CdS and CdS/ZnSe intrinsic Stark superlattices	197
5.3.7.1	Low-density regime	197
5.3.7.2	High-density regime	198
5.3.7.3	Transient effects and dynamics	199
5.3.7.4	References for 5.3.7	200
5.3.8	Zincblende Sulphide/Selenide superlattices	201
	References for 5.3.8	202
5.3.9	CdS/ZnS, CdS/(Cd,ZnS), and (Cd,Zn)S/ZnS superlattices	203
	References for 5.3.9	204
5.4	Quantum-wire structures (H. KALT)	205
5.4.1	Telluride quantum wires	206
5.4.1.1	Low-density regime	206
5.4.1.2	High-density regime	208
5.4.1.3	Relaxation dynamics	208
5.4.2	Selenide quantum wires	209
5.4.2.1	Low-density regime	209
5.4.2.1.1	Excitonic transitions	209
5.4.2.1.2	Electron-phonon coupling	211
5.4.2.1.3	Piezoelectric fields	211
5.4.2.2	High-density regime	213
5.4.2.2.1	Biexcitons	213
5.4.2.2.2	Optical gain	213
5.4.2.3	Relaxation dynamics	213
5.4.2.3.1	Dephasing mechanisms and homogeneous linewidth	213
5.4.2.3.2	Exciton recombination	214
5.4.3	Sulfide quantum wires	214
5.4.4	Oxide quantum wires	215

5.4.5	Semimagnetic quantum wires	215
5.4.5.1	Mn-related transitions	215
5.4.5.2	Magneto-optics	215
5.4.6	References for 5.4	216
5.5	II-VI Quantum dots I – Nanocrystals (U. WOGGON and S.V. GAPONENKO)	220
5.5.1	HgTe	220
5.5.2	CdTe	221
5.5.2.1	The low-density regime	222
5.5.2.1.1	Size-dependent energy states	222
5.5.2.1.2	Splitting of states	226
5.5.2.1.3	Interaction with phonons	227
5.5.2.1.4	Modification of the optical properties by external fields	228
5.5.2.1.4.1	External electric fields	228
5.5.2.1.4.2	External magnetic fields	228
5.5.2.1.4.3	Hydrostatic pressure	228
5.5.2.1.5	Impurity states	228
5.5.2.2	The intermediate-density regime	228
5.5.2.3	The high-density regime	229
5.5.2.4	Coherent dynamics, relaxation and recombination of optical excitations	229
5.5.2.5	Dot-dot interactions, quantum dot arrays	231
5.5.3	(Cd,Hg)Te	232
5.5.4	Cd(Te,Se) and Cd(Te,S)	232
5.5.5	ZnTe	233
5.5.6	HgSe	233
5.5.7	CdSe	233
5.5.7.1	The low-density regime	236
5.5.7.1.1	Size-dependent energy states	236
5.5.7.1.2	Splitting of states	246
5.5.7.1.3	Interaction with phonons	251
5.5.7.1.4	Modification of the optical properties by external fields	257
5.5.7.1.4.1	External electric fields	257
5.5.7.1.4.2	External magnetic fields	258
5.5.7.1.4.3	Hydrostatic pressure	260
5.5.7.1.5	Impurity states	260
5.5.7.2	The intermediate-density regime	260
5.5.7.2.1	Biexciton states	261
5.5.7.2.2	Nonlinear optical coefficients	261
5.5.7.2.3	Stimulated emission and optical gain	262
5.5.7.3	The high-density regime	264
5.5.7.4	Coherent dynamics, relaxation and recombination of optical excitations	264
5.5.7.4.1	Dephasing times and homogeneous linewidth	264
5.5.7.4.2	Radiative and nonradiative recombination	265
5.5.7.5	Dot-dot interactions, quantum dot arrays	271

5.5.8	Cd(Se,S)	273
5.5.8.1	The low-density regime	274
5.5.8.1.1	Size-dependent energy states	274
5.5.8.1.2	Splitting of states	274
5.5.8.1.3	Interaction with phonons	274
5.5.8.1.4	Modification of the optical properties by external fields	276
5.5.8.1.4.1	External electric fields	276
5.5.8.1.4.2	External magnetic fields	278
5.5.8.1.4.3	Hydrostatic pressure	278
5.5.8.1.5	Impurity states	278
5.5.8.2	The intermediate-density regime	278
5.5.8.2.1	Biexciton states	278
5.5.8.2.2	Nonlinear optical coefficients	279
5.5.8.2.3	Stimulated emission and optical gain	281
5.5.8.3	The high-density regime	281
5.5.8.4	Coherent dynamics, relaxation and recombination of optical excitations	282
5.5.8.4.1	Dephasing times and homogeneous linewidth	282
5.5.8.4.2	Radiative and nonradiative recombination	282
5.5.8.5	Dot-dot interactions, quantum dot arrays	283
5.5.9	(Cd,Mn)Se	283
5.5.10	(Cd,Zn)Se	283
5.5.11	ZnSe	284
5.5.11.1	The low-density regime	284
5.5.11.1.1	Size-dependent energy states	284
5.5.11.1.2	Splitting of states	286
5.5.11.1.3	Interaction with phonons	287
5.5.11.1.4	Modification of the optical properties by external fields	287
5.5.11.1.5	Impurity states	287
5.5.11.2	The intermediate-density regime	289
5.5.11.3	The high-density regime	289
5.5.11.4	Coherent dynamics, relaxation and recombination of optical excitations	289
5.5.11.5	Dot-dot interactions, quantum dot arrays	289
5.5.12	HgS	289
5.5.13	CdS	290
5.5.13.1	The low-density regime	292
5.5.13.1.1	Size-dependent energy states	292
5.5.13.1.2	Splitting of states	298
5.5.13.1.3	Interaction with phonons	300
5.5.13.1.4	Modification of the optical properties by external fields	302
5.5.13.1.4.1	External electric fields	302
5.5.13.1.4.2	External magnetic fields	303
5.5.13.1.4.3	Hydrostatic pressure	303
5.5.13.1.5	Impurity states	304
5.5.13.2	The intermediate-density regime	305
5.5.13.2.1	Biexciton states	305
5.5.13.2.2	Nonlinear-optical coefficients	305
5.5.13.2.3	Stimulated emission and optical gain	306
5.5.13.3	The high-density regime	306
5.5.13.4	Coherent dynamics, relaxation and recombination of optical excitations	306
5.5.13.4.1	Dephasing times and homogeneous linewidth	307

5.5.13.4.2	Radiative and nonradiative recombination	308
5.5.13.5	Dot-dot interactions, quantum dot arrays	309
5.5.14	(Zn,Cd)S	310
5.5.15	(Zn,Mn)S	310
5.5.16	ZnS	311
5.5.16.1	The low-density regime	311
5.5.16.1.1	Size-dependent energy states	311
5.5.16.1.2	Splitting of states	312
5.5.16.1.3	Interaction with phonons	312
5.5.16.1.4	Modification of the optical properties by external fields	312
5.5.16.1.4.1	External electric fields	312
5.5.16.1.4.2	External magnetic fields	312
5.5.16.1.4.3	Hydrostatic pressure	314
5.5.16.1.5	Impurity states	314
5.5.16.2	The intermediate-density regime	315
5.5.16.2.1	Biexciton states	316
5.5.16.2.2	Nonlinear-optical coefficients	316
5.5.16.2.3	Stimulated emission and optical gain	316
5.5.16.3	The high-density regime	316
5.5.16.4	Coherent dynamics, relaxation and recombination of optical excitations	316
5.5.16.5	Dot-dot interactions, quantum dot arrays	317
5.5.17	CdO	317
5.5.18	ZnO	317
5.5.18.1	The low-density regime	318
5.5.18.1.1	Size-dependent energy states	318
5.5.18.1.2	Splitting of states	320
5.5.18.1.3	Interaction with phonons	321
5.5.18.1.4	Modification of the optical properties by external fields	321
5.5.18.1.4.1	External electric fields	321
5.5.18.1.4.2	External magnetic fields	322
5.5.18.1.4.3	Hydrostatic pressure	322
5.5.18.1.5	Impurity states	322
5.5.18.2	The intermediate-density regime	323
5.5.18.2.1	Biexciton states	323
5.5.18.2.2	Nonlinear-optical coefficients	323
5.5.18.2.3	Stimulated emission and optical gain	323
5.5.18.3	The high-density regime	324
5.5.18.4	Coherent dynamics, relaxation and recombination of optical excitations	324
5.5.18.4.1	Dephasing times and homogeneous linewidth	324
5.5.18.4.2	Radiative and nonradiative recombination	324
5.5.18.5	Dot-dot interactions, quantum dot arrays	324
5.5.19	References for 5.5	325
5.6	II-VI Quantum dots II – Self-organized, epitaxially grown nanostructures (U. WOGGON)	348
5.6.1	HgTe	348
5.6.2	CdTe	348
5.6.2.1	The low-density regime	349

5.6.2.1.1	Excitonic states and their fine structure	349
5.6.2.1.2	Charged excitons	352
5.6.2.1.3	Interaction with phonons	353
5.6.2.1.4	Modification of the optical properties by external fields	353
5.6.2.2	The intermediate-density regime	355
5.6.2.2.1	Biexcitons	355
5.6.2.3	The high-density regime	355
5.6.2.4	Coherent dynamics, relaxation and recombination of optical excitations	356
5.6.3	(Cd,Mn)Te, (Cd,Mg)Te	357
5.6.4	ZnTe	359
5.6.5	HgSe	359
5.6.6	CdSe and ZnCdSe	359
5.6.6.1	The low-density regime	364
5.6.6.1.1	Excitonic states and their fine structure	364
5.6.6.1.2	Charged excitons	368
5.6.6.1.3	Interaction with phonons	369
5.6.6.1.4	Modification of the optical properties by external fields	370
5.6.6.1.4.1	External electric fields	370
5.6.6.1.4.2	External magnetic fields	371
5.6.6.2	The intermediate-density regime	374
5.6.6.2.1	Biexcitons	374
5.6.6.2.2	Stimulated emission and optical gain	375
5.6.6.3	The high-density regime	376
5.6.6.4	Coherent dynamics, relaxation and recombination of optical excitations	376
5.6.7	(Cd,Mn)Se	379
5.6.8	ZnSe	381
5.6.9	HgS	382
5.6.10	CdS	382
5.6.10.1	The low-density regime	383
5.6.10.1.1	Excitonic states and their fine structure	383
5.6.10.1.2	Charged excitons	383
5.6.10.1.3	Interaction with phonons	383
5.6.10.2	The intermediate-density regime	384
5.6.10.2.1	Biexcitons	384
5.6.10.2.2	Stimulated emission and optical gain	385
5.6.10.3	The high-density regime	385
5.6.10.4	Coherent dynamics, relaxation and recombination of optical excitations	385
5.6.11	ZnS	385
5.6.12	CdO	385
5.6.13	ZnO	386
5.6.14	References for 5.6	387