

Index

Note: Page numbers in *italic* refer to figures, page numbers in **bold** refer to tables.

a

abdominal ultrasound 165–166
 anaplastic large cell lymphoma
 (ALCL) 196, 199–200
 anchors, orthopedic 86–87
 complications/emergencies 86–87
 failure of the anchor or suture 86–87
 anticoagulation and antiplatelet therapy, prosthetic
 valve complications
 management 248–249, 250, 251
 anticoagulation reversal, prosthetic valve
 complications management 252–253
 arterial stents 260–261
 artificial urinary sphincter (AUS) 238–239,
 240, 241–244
 atrial septal defect occlusion devices 258
 auricular prosthesis *see under* ear devices
 AUS *see* artificial urinary sphincter

b

BAHA (bone-anchored hearing aids) *see under*
 ear devices
 bariatric surgery 27–32, 33, 34
 complications 31–32, 33, 34
 GI symptoms and associated causes 30–31
 indications 30–31
 surgical procedures 27–34, 33
 laparoscopic adjustable gastric band
 (LAGB) 28–30, 32, 33, 34
 laparoscopic sleeve gastrectomy (LSG) 29,
 30, 32, 34, 33
 Roux-en-Y gastric bypass (RYGB) 27–28, 32, 33

BBS (buried bumper syndrome), enteral feeding
 devices 16–17
 bilevel positive airway pressure (BIPAP) *see*
 non-invasive ventilation
 Bivona and Portex tracheostomy tubes *see under*
 tracheostomy tubes
 BIPAP (bilevel positive airway pressure) *see*
 non-invasive ventilation
 bone-anchored hearing aids (BAHA) *see under*
 ear devices
 breast implants 189–201
 complications/emergencies 191–200
 anaplastic large cell lymphoma
 (ALCL) 196, 199–200
 bilateral capsular contracture 197, 198
 capsular contracture 197, 198, 199
 exposure/dehiscence 193–194
 hematoma 194
 infection 191–193
 lymphoma 196, 199–200
 Mondor's disease 200
 rotation/malposition 198–199
 rupture 197–198
 seroma 196–197
 skin necrosis 195–196
 toxic shock syndrome (TSS) 192
 consultation 201
 devices 189, 190
 indications 190
 management 190–191
 buried bumper syndrome (BBS), enteral feeding
 devices 16–17

C

- cardiac resynchronization therapy (CRT) devices
 - see* implantable cardioverter-defibrillators
- casts *see* splints and casts
- central venous catheters (CVCs) 45–53
 - air embolism 53
 - catheter anatomy 46
 - externalized indwelling CVCs 47, 48
 - fully implanted CVCs 48
 - implanted port 47
 - catheter breakage and dislodgement 52
 - catheter occlusion 52–53
 - complications 50, 53
 - externalized CVCs
 - accessing 49–50
 - drawing blood 49–50
 - externalized indwelling CVCs 47, 48
 - fully implanted CVCs 48
 - accessing 50, **51**
 - drawing blood 50
 - infection 50–51
 - routine management and use 46–49
 - types 46
- cerebral-ventricular shunts 159–166
 - abdominal ultrasound 165–166
 - ancillary investigations 166
 - shunt tap 165–166
 - complications/emergencies 161, **162**
 - shunt infection 161, **162**
 - shunt obstruction 161, **162**
 - consultations and management, shunt
 - malfunction 162–164
 - equipment/devices 159–161
 - head imaging 164–165
 - indications 161
 - shunt radiographic series 165
- CMF (craniomaxillofacial) fractures *see* facial fractures
- CMH *see* cranial molding helmets
- coarctation of the aorta stenting 261
- cochlear implants *see under* ear devices
- colostomies
 - see also* gastrointestinal diversions
 - equipment/devices 22
 - late stomal complications 23–24
- compartment syndrome
 - external fixators 89
 - splints and casts 75–76
- congenital heart defect management, vascular
 - occlusion devices 257
- continuous positive airway pressure (CPAP)
 - see under* non-invasive ventilation
- CoughAssist® 326–327
- CPAP (continuous positive airway pressure)
 - see under* non-invasive ventilation
- cranial base fractures 124–125
- cranial molding helmets (CMH) 129–133
 - complications/emergencies 133
 - craniosynostosis 131–133
 - clinical findings associated with suture synostosis **132**
 - equipment/devices 132
 - indications 129–131
 - craniosynostosis 131
 - positional plagiocephaly 129–131
 - management 132–133
 - protective helmets 131–133
- craniomaxillofacial (CMF) fractures **120**
 - see also* facial fractures
- craniosynostosis 131
- CRT (cardiac resynchronization therapy) devices
 - see* implantable cardioverter-defibrillators
- cutaneous delivery systems/patches 203–206
 - advantages/disadvantages 205, 206
 - complications/emergencies 205–206
 - burns 206
 - defective packaging 206
 - drug overdose 205
 - skin complications 206
 - equipment/devices 204–205
 - indications 203–204
 - management 204–205
- CVCs *see* central venous catheters

d

- deep brain stimulation (DBS) *see under*
 - neurosurgical devices
- deep vein thrombosis (DVT)
 - joint replacements 90–91
 - splints and casts 76–77
- dental braces 209–211
 - complications/emergencies 209–211
 - indications for immediate specialist consultation 210–211
 - loose bracket 209–210
 - indications 209
- dental crowns and bridges 212–213
 - complications/emergencies 212–213

- indications for immediate specialist consultation 213
- implications 212
- dental fillings 213–214
 - complications/emergencies 213
 - indications for immediate specialist consultation 213
 - implications/management 213
- outpatient specialist referral at discharge 214
- dental implants 211–212
 - complications/emergencies 211–212
 - indications for immediate specialist consultation 212
 - implications 211
- DVT *see* deep vein thrombosis

e

- ear devices 137–146, 147
 - auricular prosthesis 146, 147
 - complications, emergencies, and consultation 146
 - indications and device placement 146
 - bone-anchored hearing aids (BAHA) 144–146
 - complications, emergencies, and consultation 144–146
 - device placement and management 144
 - indications 144
 - cochlear implants 141–144
 - cochlear implant schematic 142
 - complications, emergencies, and consultation 143–144
 - indications and device placement 141
 - management 141
 - hearing aids, conventional 140, 141
 - complications, emergencies, and consultation 140
 - indications, device placement, and management 140
 - myringotomy tubes 137–140
 - complications, emergencies, and consultation 139–140
 - device placement and management 138–139
 - T-tubes 137–138
 - typanostomy tubes 137–140
- ear molding 133–134
 - complications/emergencies 134
 - equipment/devices 134
 - indications 134
 - management 134
- enteral feeding devices 3–18
 - complications/emergencies 11–18
 - buried bumper syndrome (BBS) 16–17
 - clogged tubing 15–16
 - colocutaneous fistula 18
 - consultation 18
 - gastric outlet obstruction 16, 17
 - intussusception 17–18
 - necrotizing fasciitis 14
 - peristomal leakage 13
 - peristomal skin irritation 12
 - peritonitis 16
 - stomal bleeding 14–15
 - stomal candidiasis 14
 - stomal cellulitis 13–14
 - tube dislodgement 11–12
 - ulceration 16
 - contraindications 8
 - equipment/devices 3–5
 - gastric decompression devices 4–5
 - long-term feeding devices 4, 5
 - temporary feeding devices 4
 - GJ-tubes 7
 - replacement 10–11
 - G-tubes 5–7
 - balloon/nonballoon G-tubes 5, 6
 - contraindications 8
 - low-profile G-tubes 6, 7
 - placement 6–7
 - replacement 10–11
 - standard G-tubes 5–7
 - indications 8
 - J-tubes 4, 7
 - contraindications 8
 - management 8–11
 - NG/OG tubes
 - contraindications 8
 - placement 9–10
 - NG tube insertion 9
 - routine care 8
 - routine replacement 8–11
- erectile dysfunction (ED) 237, 239, 243
 - see also* genitourinary prostheses
- external fixators, orthopedic 87–89
 - complications/emergencies 87–89
 - broken components 89
 - compartment syndrome 89
 - pain 89
 - pin tract infection 88–89

external fixators, orthopedic (*cont'd*)
 pressure necrosis 88
 vascular injury 87–88
 equipment/devices 87
 eye/eyelid *see under* ophthalmic devices

f

facial distractors 109–116
 complications/emergencies
 cranial springs 115
 cranial vault distraction 115–116
 mandible distraction 115–116
 midface distraction (halo) 113, 115
 consultation 116
 equipment/devices 109–112
 cranial springs 112
 cranial vault distraction 111
 mandibular distraction 110–111
 midface distraction (halo) 109, 110
 indications 112–113
 cranial springs 113
 cranial vault distraction 112
 mandible distraction 112
 midface distraction (halo) 112
 management, midface distraction
 (halo) 113, 114
 facial fractures 117–126
 anatomy 118
 complications 125–126
 mandible 125–126
 midface 126
 superior orbit, cranial base, and vault 126
 cranial base fractures 124–125
 craniomaxillofacial (CMF) fractures **120**
 equipment/devices 119–125
 mandible fractures 119–122
 midface (maxillary, nasal, tripod, orbital, and
 NOE) fractures 122–124
 orbital roof, cranial base, and vault
 fractures 124–125
 evaluation 118–119
 primary survey 118–119
 secondary survey 119
 frontal sinus/cribiform plate fractures **121**
 indications 119–125
 mandible fractures 119–122
 midface (maxillary, nasal, tripod, orbital, and
 NOE) fractures 122–124
 orbital roof, cranial base, and vault
 fractures 124–125

mandible fractures 119–122, **120**, 125–126
 maxillary fractures **120**, 122–124
 nasal fractures **120**, 122–124
 naso-orbital ethmoid (NOE)
 fractures **120**, 123–124
 orbital fractures **120**, 122–124, 126
 orbital roof fractures 124–125
 prevalence 117
 temporal bone fractures **121**
 tripod fractures 123
 zygomaticomaxillary complex
 fractures **120**, 122–123
 feeding devices, enteral *see* enteral feeding devices
 frontal sinus/cribiform plate fractures **121**
 see also facial fractures

g

gastrointestinal diversions 21
 complications/emergencies 23–26
 cutaneous complications 25
 early stomal complications 23
 late stomal complications 23–24
 metabolic derangements 25–26
 consultation 26
 indications 22
 management 22–23
 genitourinary prostheses 237–244
 artificial urinary sphincter (AUS) 238–239
 complications management 241–244
 erosion 241–242
 infections 241
 mechanical malfunction 242–244
 erectile dysfunction (ED) 237, 239, 243
 imaging in patients with urologic
 implants 242–244
 inflatable penile prostheses (IPPs) 239,
 240, 241–244
 InterStim device 239, 240, 242
 penile prostheses 239, 240, 241–244
 physical exam findings in patients with
 genitourinary implants 239–241

h

hearing aids, conventional *see under* ear devices
 heart
 see also implantable cardioverter-defibrillators
 (ICDs); mechanical circulatory support
 (MCS) devices; prosthetic valve
 complications management
 arterial stents 260–261

- coarctation of the aorta stenting 261
 - congenital heart defect management 257
 - inferior vena cava (IVC) filters 262–263
 - left atrial appendage devices 263
 - heart failure risk 267
 - HeartMate system, mechanical circulatory support (MCS) devices 269, 271
 - heart transplantation 267–268
 - heart valves, prosthetic *see* prosthetic valve complications management
 - HeartWare system, mechanical circulatory support (MCS) devices 269, 271
 - hemodialysis 57–61
 - complications/emergencies 60–61
 - arterio-venous access 61
 - hemodialysis catheters 60, 61
 - consultation 61
 - equipment/devices 57–59
 - arterio-venous access 58–59
 - hemodialysis catheters 58
 - indications 59
 - management 59–60
 - arterio-venous access 60
 - hemodialysis catheters 59–60
 - hemolytic anemia
 - prosthetic valve complications management 253
 - transjugular intrahepatic portosystemic shunt (TIPS) 40–41
 - hepatic encephalopathy, transjugular intrahepatic portosystemic shunt (TIPS) 39
 - hyperkalemia, implantable cardioverter-defibrillators (ICDs) 284
- i**
- ICDs *see* implantable cardioverter-defibrillators
 - ileostomies
 - see also* gastrointestinal diversions
 - early stomal complications 23
 - equipment/devices 21–22
 - metabolic derangements 25–26
 - implantable cardioverter-defibrillators (ICDs) 277–286
 - complications/emergencies 282–286
 - acute myocardial infarction (AMI) 285
 - CIED emergencies 282–286
 - electrical storm 286
 - emergency department evaluation 282
 - hematoma 282–283
 - hyperkalemia 284
 - inappropriate shocks 285–286
 - infection 283
 - lead dislodgement 283
 - pacemaker-mediated tachycardia (PMT) 285
 - pacemaker syndrome 285
 - pacing malfunctions 284
 - thrombosis 283
 - twiddler syndrome 283
 - consultation 286
 - identification 280
 - indications 280–281
 - management 281–282
 - prevalence 277
 - structure and functions 278–279, 280
 - battery life 279
 - classification 278–279
 - identification 279
 - infective endocarditis, prosthetic valve complications management 252
 - inferior vena cava (IVC) filters 262–263
 - inflatable penile prostheses (IPPs) 239, 240, 241–244
 - InterStim device 239, 240, 242
 - intramedullary rods or nails 83–86
 - complications/emergencies 84–86
 - hardware prominence 85–86
 - late fracture 85
 - nonunion and malalignment 84–85
 - pain 84
 - periprosthetic tibial fracture 85
 - equipment/devices 83, 84
 - intrathecal infusion pumps *see under* neurosurgical devices
 - invasive ventilation 291–310
 - see also* respiratory medication devices
 - artificial airway 295–296, 303–304
 - case vignette 297
 - humidification 293, 294–295, 296, 302–303
 - active humidification 295, 296
 - heat and moisture exchangers (HMEs) 295, 296
 - passive humidification 295
 - patient interface 295–296, 303–304
 - troubleshooting 297–309
 - apnea alarms 309
 - artificial airway 303–304
 - cycle asynchrony 306
 - disconnect alarms 309
 - flow asynchrony 305–306
 - high exhaled minute volume alarms 308

invasive ventilation (*cont'd*)

- high pressure alarms 307–308
- humidification 302–303
- low exhaled minute volume alarms 308
- low power/low battery alarms 309
- low pressure alarms 308
- patient and ventilator relationship:
 - synchrony 304
- patient interface 303–304
- portable ventilators 300, 301
- resuscitation bags 298, 300
- trigger asynchrony 304–305
- ventilator alarms 307–309
- ventilator circuits 301–302
- ventilators 298–300, 301
- ventilator circuits 293–294, 301–302
- ventilators 292–293, 298–300, 301
- IPPs (inflatable penile prostheses) 239, 240, 241–244
- IVC (inferior vena cava) filters 262–263

j

- joint replacements 89–93
 - complications/emergencies 90–92
 - deep vein thrombosis (DVT) 90–91
 - hardware failure 92
 - infection 90
 - joint dislocation 92
 - joint instability 92
 - periprosthetic fracture 91
- equipment/devices 90
- prosthetic limbs 93

l

- laparoscopic adjustable gastric band (LAGB) 28–30, 32, 33, 34
- laparoscopic sleeve gastrectomy (LSG) 29, 30, 32, 33, 34
- left atrial appendage devices 263
- left ventricular assist device (LVAD) 269–274
- LSG *see* laparoscopic sleeve gastrectomy
- LVAD (left ventricular assist device) 269–274
- lymphoma 196, 199–200

m

- mandible distraction 112, 115–116
- mandible fractures 119–122, 120, 125–126
 - see also* facial fractures

- maxillary fractures 120, 122–124
 - see also* facial fractures
- mechanical circulatory support (MCS)
 - devices 267–274
 - bridge to recovery (BTR) 269
 - bridge to transplant (BTT) 268
 - clinical data 268
 - complications 273–274
 - bleeding 273–274
 - infection 274
 - pump thrombosis 273
 - stroke 274
 - destination therapy (DT) 268–269
 - HeartMate system 269, 271
 - HeartWare system 269, 271
 - increasing use 268
 - indications 268–269
 - left ventricular assist device (LVAD) 269–274
 - patient assessment 272–273
- Medtronic Mosaic™ bioprosthetic valve 248, 249
- Mondor's disease 200
- mucous fistulas
 - see also* gastrointestinal diversions
 - equipment/devices 21–22
- muscle and joint complaints, splints and casts 78
- myringotomy tubes *see under* ear devices

n

- nasal devices 147–153
 - nasal packing 147–150
 - complications, emergencies, and consultation 149–150
 - device placement 148–149
 - indications 147–148
 - management 149
 - nasal tampons 148–149
- nasolacrimal duct stents 152–153
 - complications, emergencies, and consultation 153
 - device placement and management 153
 - indications 152
- septal buttons 150–151
 - complications, emergencies, and consultation 151
 - indications/management 150
- sinus stents 151–152
 - complications, emergencies, and consultation 152

- device placement and management 151
 - indications 151
 - nasal fractures **120**, 122–124
 - see also* facial fractures
 - nasolacrimal duct (NLD), ophthalmic devices 187
 - naso-orbital ethmoid (NOE) fractures
 - 120**, 123–124
 - see also* facial fractures
 - negative pressure wound therapy treatment devices (NPWTDs) 217–230
 - bleeding 226
 - clinical use 220
 - contraindications 220–221
 - equipment/devices 218–220
 - evaluating the patient 229
 - general considerations 222–223
 - indications 220–221
 - infection 226–228
 - mechanisms of action 218
 - morbidity and mortality 221–222
 - infection 221–222
 - pain 222
 - pain 225–226, 227
 - special considerations 228–230
 - troubleshooting alarms 223–224, 225
 - logical evaluation 223–224
 - power disruption 224
 - pressure loss 224, 225
 - nerve palsy, splints and casts 77–78
 - neuromodulatory devices 169–176
 - neurosurgical devices 169–179
 - deep brain stimulation (DBS) 170–172
 - complications and management 171–172
 - indications and device description 170–171
 - magnetic resonance imaging (MRI)
 - compatibility 170–171
 - schematic diagram 171
 - initial evaluation and management of patients 169–179
 - intrathecal infusion pumps 176–179
 - acute baclofen overdose/withdrawal 177, 179
 - algorithms 178–179
 - complications and management 176–179
 - indications and device description 176
 - intrathecal baclofen pumps (ITB pumps) 177–179
 - neuromodulatory devices 169–176
 - peripheral nerve stimulators 174–176
 - spinal cord stimulation (SCS) 172–174
 - complications and management 173–174
 - indications and device description 172–173
 - vagus nerve stimulators (VNSs) 174–176
 - complications and management 175
 - indications and device description 174, 175
 - non-invasive ventilation 320, 337–345
 - bilevel positive airway pressure (BIPAP) 340, 341, 343
 - components 337–343
 - interfaces 337–339, 340, 342, 343
 - vented/non-vented interfaces 339, 340, 342, 343
 - ventilator and circuit 340–343
 - continuous positive airway pressure (CPAP) 340, 341, 343
 - practice 343–345
 - discharge decisions 345
 - monitoring gas exchange 343–344
 - patient–ventilator synchrony 343–344
 - troubleshooting 344
 - weaning ventilatory support 344–345
 - NPWTDs *see* negative pressure wound therapy treatment devices
- O**
- obstructive sleep apnea (OSA) 309, 340
 - ophthalmic devices 185–188
 - eye 187–188
 - eyelid 185
 - nasolacrimal duct (NLD) 187
 - orbit 187
 - orbit, ophthalmic devices 187
 - orbital fractures **120**, 122–124, 126
 - see also* facial fractures
 - orbital roof fractures 124–125
 - orthopedic devices *see* anchors, orthopedic; external fixators, orthopedic; intramedullary rods or nails; joint replacements; screws, pins, plates, and wires, orthopedic; splints and casts
 - OSA (obstructive sleep apnea) 309, 340
- P**
- pacemaker-mediated tachycardia (PMT) 285
 - pacemakers *see* implantable cardioverter-defibrillators
 - palatal implants 153–154
 - patent ductus arteriosus (PDA) occlusion
 - devices 259–260

penile prostheses 239, 240, 241–244

peripheral nerve stimulators, neurosurgical devices 174–176

peritoneal dialysis catheters 63–68

- complications 64–68
 - bleeding 65
 - catheter cuff extrusion 68
 - hernia 67–68
 - infection 66–67
 - infusion pain 65
 - leakage 65–66
 - obstruction/outflow failure 66
 - peritonitis 67
 - pleuroperitoneal leakage 66
- equipment/devices 63, 64
- indications 64
- management 64

peritonitis, enteral feeding devices 16

pins, orthopedic *see* screws, pins, plates, and wires, orthopedic

plates, orthopedic *see* screws, pins, plates, and wires, orthopedic

PMT (pacemaker-mediated tachycardia) 285

portal hypertension 37–38, 40, 41

positional plagiocephaly 129–131

prosthetic limbs 93

prosthetic valve complications

- management 247–254
- complications/emergencies 250–254
 - anticoagulation reversal 252–253
 - hemolytic anemia 253
 - infective endocarditis 252
 - prosthetic valve thrombosis (PVT) 253–254
 - suprathreshold international normalized ratio (INR) 252–253
 - thromboembolism 253–254
 - valve obstruction 253–254

consultation 254

- cardiology 254
- cardiothoracic surgery 254
- hematology 254
- infectious disease 254

equipment/devices 248–249

- anticoagulation and antiplatelet therapy 248–249, 251
- Medtronic Mosaic™ bioprosthetic valve 248, 249
- SJM Regent™ mechanical heart valve 248

indications 249–250

management 250

- anticoagulation and antiplatelet therapy 248–249, 250, 251
- anticoagulation of prosthetic valves 251

patient populations 247–248

prosthetic valve thrombosis (PVT) 253–254

r

respiratory medication devices 313–322

- see also* invasive ventilation
- complications/emergencies 322
- device selection 322
- equipment/devices 313–317
 - accessory devices 318–319
 - breath-actuated/enhanced nebulizers 316
 - breath-actuated pMDIs 318
 - dose counters 319
 - high-frequency oscillation 320
 - inhalers 317–318
 - interface 319–320
 - jet nebulizers 314–316
 - mechanical ventilation 319–320
 - medications via aerosol **314**
 - mouthpieces and masks 319
 - nasal cannulas 319
 - noninvasive ventilation 320
 - pressurized metered dose inhalers (pMDIs) 317–318
 - ultrasonic nebulizers (USNs) 316
 - vibrating mesh nebulizers (VMNs) 317
- infection risks and maintenance 322
- interface options 313–317
- management 320–322
 - bronchodilators 321
 - dosing strategies for aerosols 320–321

Roux-en-Y gastric bypass (RYGB) 27–28, 32, 33

s

screws, pins, plates, and wires, orthopedic 78–83

- complications/emergencies 80–83
 - acetabular fixation failure. 81, 82
 - infection 80–81
 - intertrochanteric hip fracture patterns 82, 83
 - loosening, migration, or catastrophic failure 81–83
- equipment/devices 79–80
- open reduction and internal fixation (ORIF) 78–79

- secretion clearance devices 325–334
 - CoughAssist® 326–327
 - cough augmentation 326–327
 - handheld devices 331–332, 333
 - intermittent positive pressure breathing (IPPB) 327–328
 - mechanical insufflation/exsufflation 326–327
 - normal airway clearance 325
 - pathophysiologies in secretion clearance and methods, devices, and medications for assisting. **326**
 - peripheral mucus mobilization 328–331
 - chest physiotherapy (CPT) 328–331
 - high-frequency chest wall oscillation (HFCWO) 329–331, 332
 - intrapulmonary percussive ventilation (IPV) 329–331
 - manual chest physiotherapy 328–331
 - pharmacotherapy 332–334
 - septal buttons 150–151
 - Shiley tracheostomy tubes by Medtronic plc. *see under* tracheostomy tubes
 - sinus stents 151–152
 - SJM Regent™ mechanical heart valve 248
 - skin breakdown, irritation, and infection, splints and casts 78
 - skin delivery systems *see* cutaneous delivery systems/patches
 - skin necrosis 195–196
 - spinal cord stimulation (SCS) 172–174
 - spine devices 95–107
 - complications 102–107
 - halo-specific complications 106
 - implant-related complications 105–106
 - infection 103, 104
 - junctional complications 105
 - pseudoarthrosis 103–105
 - consultation 106
 - devices 95–101
 - growing constructs 96–97, 99–100
 - halo orthosis 101
 - hybrid fixation 95, 97
 - interbody cages 97, 101
 - MAGEC rods 96–97
 - pedicle screw 95, 96, 98
 - rod construct 95, 98
 - transverse process hook 95, 96
 - VEPTR devices 96–97
 - indications 101–102
 - growing constructs 101–102
 - halo orthosis 102
 - interbody cages 102
 - management 102
 - splints and casts 73–78
 - complications/emergencies 75–79
 - compartment syndrome 75–76
 - deep vein thrombosis (DVT) 76–77
 - muscle and joint complaints 78
 - nerve palsy 77–78
 - skin breakdown, irritation, and infection 78
 - equipment/devices 74–75
 - indications 73, 74
 - stent obstruction, transjugular intrahepatic portosystemic shunt (TIPS) 40
 - stents
 - arterial stents 260–261
 - coarctation of the aorta stenting 261
 - sinus stents 151–152
 - supratherapeutic international normalized ratio (INR), prosthetic valve complications management 252–253
- t**
- temporal bone fractures **121**
 - see also* facial fractures
 - throat 153–154
 - palatal implants 153–154
 - complications, emergencies, and consultation 154
 - indications and device placement 153
 - thromboembolism, prosthetic valve complications management 253–254
 - thrombosis, implantable cardioverter-defibrillators (ICDs) 283
 - TIPS *see* transjugular intrahepatic portosystemic shunt
 - toxic shock syndrome (TSS) 192
 - tracheostomy tubes 347–370
 - adult tracheostomy features 364–365
 - fenestrations 364
 - inner cannulas 364
 - subglottic suction ports 364–365
 - talk ports 365
 - airway-related questions for the clinician to ask **349**
 - anatomy 348–350
 - Bivona and Portex tracheostomy tubes by Smiths-Medical 352, **354–356**, 362, 363

tracheostomy tubes (*cont'd*)

- construction 348–350
- double cannula trach tubes **358–359**
- evaluation of tracheostomy tube
 - positioning 365–366
 - chest radiograph 365–366
 - tracheoscopy 366
- indications 347, **348**
- initial physical assessment pertaining to
 - tracheostomy **349**
- routine tracheostomy care 366–367
 - securement devices 366–367
 - tracheostomy site care 366
 - trach stoma dressings 366
- Shiley tracheostomy tubes by Medtronic
 - plc. 352, **357–359**, 360
- single cannula trach tubes **354–357**
- sizing 350–353
- tracheostomy cuffs 361–363
 - air-filled cuffs 362–363
 - assessment 361–362
 - foam cuffs 363
 - purpose 361
 - water-filled cuffs 363
- tracheostomy emergencies 367–371
 - accidental decannulation 369–370
 - false tract 370
 - inability to insert same-size tracheostomy tube 370–371
 - mucus plugging 368–369
- tracheostomy tube suctioning 367
 - suction catheter depth 367
 - suction catheter size 367
 - suction frequency 367
- Tracoe tracheostomy tubes 352, **354–359**
- Tracoe tracheostomy tubes *see under*
 - tracheostomy tubes
- transdermal patches *see* cutaneous delivery systems/patches
- transjugular intrahepatic portosystemic shunt (TIPS) 37–41
 - complications 39–41
 - bleeding 40
 - hemolytic anemia 40–41

- hepatic encephalopathy 39

- infection 40

- stent obstruction 40

- consultation 41

- contraindications 38–39

- equipment/devices 38

- indications 38

- management 39

- portal hypertension 37–38, 40, 41

- tripod fractures 123

- see also* facial fractures

- tympanostomy tubes *see* myringotomy tubes

V

- vagus nerve stimulators (VNSs) 174–176

- valves, prosthetic heart *see* prosthetic valve complications management

- vascular occlusion devices 257–260

- atrial septal defect occlusion
 - devices 258

- congenital heart defect management
 - 257

- patent ductus arteriosus (PDA) occlusion
 - devices 259–260

- ventricular septal defect (VSD) occlusion
 - devices 258–259

- ventilation *see* invasive ventilation; non-invasive ventilation

- ventricular septal defect (VSD) occlusion
 - devices 258–259

W

- wires, orthopedic *see* screws, pins, plates, and wires, orthopedic

- wound infections, emergency
 - management 233–234

- wound therapy *see* negative pressure wound therapy treatment devices

Z

- zygomaticomaxillary complex
 - fractures **120**, 122–123
 - see also* facial fractures