

Index

a

acoustic streaming 149
 Activa Bioactive base/liner 30
 American Association of Endodontists (AAE) 51, 182
 apexification 49–50
 apexogenesis 24
 apical plug technique 53
 apical surgery 219–220

b

bioactive glass 31
 bioactivity 3–6
 bioaggregate 28
 bioceramics 3–6
 Biodentine 28, 29
 Biodentine's radiopacity 33
 bone marrow stromal stem cells (BMSSCs) 61, 62
 bone morphogenetic protein-2 (BMP-2) 31
 brain-derived neurotrophic factor (BDNF) 59

c

calcitonin (CT) 59
 calcitonin gene-related peptide (CGRP) 59
 calcium hydroxide (CH) 20, 25–27, 54, 269–270, 293
 calcium hydroxide sealers 184–185
 calcium oxide 5
 calcium phosphate-based sealers 190
 calcium silicate (CS) 11, 12
 cellular differentiation 17–18
 chlorhexidine gluconate (CHX) 136, 296
 chlorhexidine-impregnated gutta-percha points 193
 chloroform-based sealers 190
 citric acid 137–138
 cleaning and shaping
 engine-driven latch-type 94
 engine-driven NiTi rotary instruments 94–98
 hand use
 barbed broaches and rasps 94
 Hedström files 92
 K-files 90–92
 K-Reamers 92
 machined K-type and H-type files 92–94
 reciprocating instruments 99, 100
 sonic and ultrasonic instruments 99–101
 cold gutta-percha condensation techniques
 lateral condensation 194–195
 single-cone obturation technique 195–196

continuous-wave-of-condensation technique 197
 core instrument 87
 coronaradicular restoration technique 295
 C Pilot files 91
 cutting angle 88, 89
 cutting instrument 88, 89

d

deciduous teeth
 primary dentine–pulp complex 264
 pulp treatments
 pulpectomy 275–280
 vital pulp therapy 264–275
 demineralization 2
 dental pulp stem cells (DPSCs) 61
 dental traumatology 48
 dentinal tubules 289
 dentine 1, 2
 acid etching 290
 bonding techniques 290
 in nonvital teeth 294–298
 pulp protection materials and effect 293–294
 single-step adhesives 292
 'two-step' systems 292
 dentine extracellular matrix (dECM) 63
 dentine matrix components (DMCs) 63–64
 dentine matrix proteins 55
 dentine phosphoprotein (DPP) 62
 dentine–pulp complex 49
 dentine sialoprotein (DSP) 62
 detwinning 102
 direct pulp capping 22, 23
 discolouration 32–33, 56–57
 DNA acetylation 64
 DNA methyltransferase inhibitors (DNMTis) 65

e

elastic limit 90
 electric discharge machining (EDM) 106
 electrochemically activated water (EAW) 7, 139
 emdogain 31
 Endo CPM sealer 188
 endodontic hydraulic sealers 188
 endodontic instruments
 alloy 84–85
 classification and components 82
 cleaning and shaping

endodontic instruments (*cont'd*)
 engine-driven latch-type 94
 engine-driven NiTi rotary instruments 94–98
 hand use 90–94
 reciprocating instruments 99, 100
 root canal anatomy 98–99
 sonic and ultrasonic instruments 99–101
 history 82–84
 manufacture and standardization
 design 86–89
 physical properties 90
 stainless-steel 85–86
 NiTi alloy properties 101
 clinical implications 112
 flexibility 109–112
 manufacturing processes 105–108
 martensitic transformation 101–102
 pseudoelastic properties 102–104
 transformation temperatures 104–105
 thermomechanical treatments 101
 endodontic intervention 1
 EndoSequence BC Sealer 190
 ethylene diamine tetra-acetic acid (EDTA) 2, 9
 European Food Safety Authority (EFSA) 9
 European Society of Endodontology (ESE) 51
 evidence-based dentistry 1
 extracanal heating techniques 198–199
 extracellular matrix (ECM) 62

f

fibroblast 60
 fibroblast growth factor-2 (FGF-2) 31
 Flex-R file (Miltek) 92
 flute instrument 87–88
 full pulpotomy 22–24

g

glass ionomer cement (GIC) 10, 21, 22, 30–31, 185–186, 270
 glial cell line-derived growth factor (GDNF) 59
 GT file rotary system 96
 GuttaCore 198
 GuttaFlow 187
 gutta-percha 191–193
 allergy 193

h

haematopoietic stem cells (HSCs) 61, 62
 haemostasis 21–22
 'hard tissue' bridge 20
 heat-softened gutta-percha techniques 196–197
 extracanal heating techniques 198–199
 intracanal heating techniques 197–198
 heat-treated files 98
 helix angle 88
 histone acetyl-transferase enzymes 31
 histone deacetylase (HDAC) 31
 histone deacetylase inhibitors (HDACis) 65
 humidity 8
 hydraulic calcium silicate cement (HCSC) 27–29, 270–275
 formulations 53
 root canal filling materials and techniques 201–202
 sealers 187–190
 hydraulic cements 233–234
 portland cement-based 234–239
 antimicrobial properties 242
 biological properties 239–242

clinical evaluation 245
 clinical technique 242–244
 environmental interactions 244–245
 hydraulic silicate cement (HSC) 6
 classification 11–12
 hydrophilic polymers 202–203
 1-hydroxyethylidene 1,1-disphosphonate 138

i

immature teeth, with pulp necrosis
 apexification 49–50
 biological material requirements
 bioactivity 54
 blood clot 55
 dentine matrix proteins 55
 reaction with tissue fluids 54–55
 healing process and cellular responses
 biological aspects 57–60
 mineralization 60–62
 materials and application 52–54
 mechanical material requirements
 discolouration 56–57
 microhardness impact 55–56
 non-operator-dependent factors 48
 operator-dependent factors 48
 revascularization 48
 revitalization 50
 indications 50–51
 limitations 52
 outcome 51–52
 procedure 51
 root-end closure 49–50
 tissue engineering approaches
 cell-based and cell-free dental pulp 65
 clinical approaches 66
 dentine matrix components 63
 epigenetic influences 64–65
 growth factors and molecular modulators 63–64
 principles 62–63
 treatment modalities 48
 inflammation 18
 International Union of Pure and Applied Chemistry
 (IUPAC) 9, 10
 intracanal heating techniques 197–198
 iodoform 278–279
 iRoot SP 190
 irrigation
 activation and agitation techniques
 laser activation 154–156
 sonic agitation 152–154
 ultrasonic activation 149–152
 chlorhexidine gluconate 136
 citric acid 137–138
 delivery techniques
 vs. multisonic activation 157–158
 negative-pressure techniques 147–149
 syringe irrigation 142–147, 149
 vs. ultrasonic activation 156–157
 electrochemically activated water 139
 ethylenediamine tetraacetic acid 136–137
 1-hydroxyethylidene 1,1-disphosphonate 138
 maleic acid 138
 ozonated water 138–139
 protocol 141
 saline 139
 sodium hypochlorite 134–136

- solution mixtures 139–141
 - techniques 141–142
- k**
- K3 NiTi rotary endo file system 95
- l**
- land instrument 88, 89
 - laser activated irrigation (LAI) 154
 - leading edge instrument 88, 89
 - less invasive carious tissue-removal techniques 21
 - light-cured hydraulic silicate 10
 - lightspeed system 95–96
 - lipopolysaccharides (LPSs) 59
 - lipoteichoic acid (LTA) 59
 - long noncoding RNAs (lncRNAs) 64
- m**
- maleic acid 138
 - manual dynamic agitation (MDA) 156
 - martensitic transformation 101–102
 - matrix constraint 10
 - matrixdestroying agents 3
 - metronidazole 193
 - Micro-Debridors 92
 - Micro Openers 91–92
 - microRNAs (miRNAs) 64
 - microsilica 10
 - mild dental injury 57
 - mineral aggregate 5
 - mineral trioxide aggregate (MTA) 27, 28, 29
 - MM1500 Sonic Air Endo handpiece 101
 - monoblocks 202
 - MTA Fillapex sealer 188–189
- n**
- nerve growth factor (NGF) 59
 - neuropeptides 57–58
 - neuropeptide Y (NPY) 59
 - neutrophil extracellular traps 60
 - nitiflex 93
 - noncoding RNAs 64
 - noncollagenous proteins (NCPs) 62
 - nontaper instrument 86
 - non-uniform (variable) taper instrument 86
- o**
- odontoblasts 57
 - operative part instrument 87
 - ozonated water 138–139
- p**
- partial pulpotomy 22, 23
 - paste fillers 200–201
 - pathfiles 97–98
 - periodontal ligament stem cells (PDLSCs) 61, 62
 - photon-initiated photoacoustic streaming (PIPS) 154–155
 - pitch instrument 88
 - plastic deformation 90
 - plastic limit 90
 - platelet-rich fibrin (PRF) 65
 - platelet-rich plasma (PRP) 65
 - portland cement-based hydraulic cements
 - antimicrobial properties 242
 - biological properties 239–242
 - chemistry and mechanical properties 234–239
 - clinical evaluation 245
 - clinical technique 242–244
 - environmental interactions 244–245
 - primary dentinogenesis 57
 - ProRoot MTA 33
 - ProTaper system 96–97
 - pulpal inflammation 59
 - pulp capping, histological response to 20
 - pulpectomy 23–24
 - coronal pulp 276
 - postoperative radiograph 277
 - restorative materials 278–280
 - pulpitis classification 18–19
 - pulpotomy 266
 - pulp vitality
 - clinical procedures
 - exposed pulp manage 21–24
 - immature roots 24–25
 - tooth preparation to avoid exposure 21, 22
 - unexposed pulp manage 21
 - healing after exposure 17–18
 - inflammatory state of pulp 18–19
 - irritants 16–17
 - pulpitis classification 18–19
 - specific soft tissue factors 19–20
 - traumatic pulpal exposure 19
 - VPT
 - calcium hydroxide 25–27
 - crown discolouration 32–33
 - experimental agents used 31–32
 - glass ionomer cements 30–31
 - hydraulic calcium silicate cements 27–29
 - material role 25
 - outcome 32
 - resin-based adhesives 27
 - resin-based hydraulic calcium silicate cements 29–30
 - setting time and handling 33
 - tooth restoration after 32
- q**
- Quantec system 95
- r**
- Race instruments 97
 - rake angle 88, 89
 - resin-based adhesives 27
 - resin-modified glass ionomer cements (RMGICs) 30
 - resin sealers 186–187
 - 'restorative cycle' 21
 - revascularization 48
 - reversible pulpitis 19
 - Rispi Sonic files 101
 - RoekoSeal 187
 - root canal filling materials and techniques
 - cold gutta-percha condensation techniques
 - lateral condensation 194–195
 - single-cone obturation technique 195–196
 - core materials
 - acrylic points 191
 - gutta-percha 191–193
 - silver points 190–191
 - HCSCs 201–202
 - heat-softened gutta-percha techniques 196–197
 - extracanal heating techniques 198–199
 - intracanal heating techniques 197–198
 - hydrophilic polymers 202–203

root canal filling materials and techniques (*cont'd*)

- monoblocks 202
- orifice barrier materials 203
- paste fillers 200–201
- retreatment 203–205
- sealers 182–183
 - calcium hydroxide sealers 184–185
 - calcium phosphate-based sealers 190
 - chloroform-based sealers 190
 - glass ionomer cement 185–186
 - HCSC sealers 187–190
 - resin sealers 186–187
 - silicone sealers 187
 - zinc oxide-eugenol sealers 183–184
- thermomechanical compaction
 - rotating condenser 199–200
 - vibration and heat 199
- tooth restoration 203
- root canal shaping methodology
 - instrument motions 113–114
 - management strategies
 - 'backward' preparation 115
 - balanced force 118, 119
 - corono-apical preparation 117
 - crown-down technique 119, 120
 - cylindrical apical preparation 114
 - flute's pitch and helical angle 120
 - Gates Glidden drills 116, 117
 - internal transportation 114, 115
 - marketing-driven propositions 123–124
 - maximal flute diameters 121
 - microCT reconstructions 122
 - ProTaper system 122
 - 'serial technique' 115–116
 - standardized preparation 114
- root dentine 289, 290
- root-end closure techniques 49–50
- root-end filling and perforation repair materials and techniques
 - apical surgery 219–220
 - endodontic surgery
 - conventional materials 224–233
 - hydraulic cements 233–248
 - surgical environment 220–224

S

- saline 139
- sealers 182–183
 - calcium hydroxide sealers 184–185
 - calcium phosphate-based sealers 190
 - chloroform-based sealers 190
 - glass ionomer cement 185–186
 - HCSC sealers 187–190
 - resin sealers 186–187
 - silicone sealers 187
 - zinc oxide-eugenol sealers 183–184
- self-adjusting file (SAF) 98–99
- serial technique 116
- S-file 93–94
- shaft instrument 87
- shank instrument 87
- shape instrument 86
- shape memory alloys (SMAs) 90
- shockwave-enhanced emission photoacoustic streaming (SWEEPS) 155
- silicone sealers 187

- single-cone obturation technique 195
- sodium hypochlorite 2, 134–136
- sonic agitation 152–154
- sonochemistry 7
- stainless-steel reamers 92
- standard instrument 86
- stem cells for the apical papilla (SCAPs) 61
- strain 90
- stress 90
- substance P (SP) 59
- superelasticity 90
- sureflex files 93
- swelling 19

t

- taper instrument 86
- tensile strength 90
- tertiary reparative dentinogenesis 20
- TheraCal LC 29–30
- thermoplastic delivery systems 199
- tip design 88, 89
- tissue engineering approaches 49
- total-etch adhesive systems 290
- tricalcium silicate-based sealers 189–190
- tricalcium silicate cement-based hydraulic cements 245–248
- twisted file 97

u

- ultrasonic instruments 149–150
- Unifile 93

v

- vasoactive intestinal polypeptide (VIP) 59
- vital pulp therapy (VPT). *See also* pulp vitality
 - calcium hydroxide 25–27
 - complete caries removal 266
 - crown discolouration 32–33
 - of deciduous teeth 267, 269–275
 - experimental agents used 31–32
 - glass ionomer cements 30–31
 - hydraulic calcium silicate cements 27–29
 - incomplete caries removal 264–266
 - materials role 25
 - outcome 32
 - resin-based adhesives 27
 - resin-based hydraulic calcium silicate cements 29–30
 - restorative materials 266–275
 - setting time and handling 33
 - tooth restoration after 32

w

- watch-winding 113

x

- XP shaper and XP finisher 99

y

- yield strength 90

z

- zinc oxide-eugenol (ZOE) 183–184, 278
- zone of coagulation necrosis 25