

Index

a

- Abamectin 139
- ABC multidrug transporters 141
- ABC-transporters 141–42
pump inhibitors 141, 144
substrates 144
- ABPV (acute bee paralysis virus) 211,
239, 256–59, 264, 308
- absconding 348, 358
- Acarapis woodi* 229, 307
- acaricides 141–42, 251
- Achroia grisella* 309
- acids, formic 139, 144–45, 246–47,
300
- AcSBV 256
- acute bee paralysis virus. *See* ABPV
- adjuvant 324
- adverse reactions 194
- Aethina tumida* 253, 281, 310
- AFB (American Foulbrood) 12,
25–28, 125, 160, 191, 193, 195–96,
199–200, 277–78, 280–81, 283–88,
300, 329–30, 335, 345–46, 348–49,
368
control of 193–94, 288
infection 283–84, 287
- African honey bees 27, 74, 76–78
- Africanized bees, absconding
348
- Africanized hive 77–78
- Africanized honey bees, feral 77
- Africanized honey bees
beekeeping 79
- African subspecies 11
- afterswarms 7, 63
- age polyethism 45
- age structure 95
- agonist 142
additive toxicity 142
GABA receptor 144
gated chloride channel 145
gated sodium channel 144
- air sacs 37, 43, 307
- alcohol wash 245, 308, 331
- alleles 366
- alternative hives 158
- altruism, enforced 23
- AMDUCA (Animal Medicine Drug
Use Clarification Act) 196–97
- American Foulbrood. *See* AFB
- AmFV (Apismellifera Filamentous
Virus) 262–63
- amitraz 139, 143–45, 246–47
- angiosperms xvii
- Animal and Plant Health Inspection
Service (APHIS) 209
- Animal Medicine Drug Use Clarification
Act (AMDUCA) 196–97
- antennae 34–35, 44
- antibiotic(s) 9, 121, 125, 129–31
administration of 125, 131
antibiotic treatment 129
VFD 192
- antibiotic approvals 192
- antibiotic order 191, 194, 197–98
- antibiotic residues 125, 367
violative 193
- antibiotic resistance 125, 193
- antibiotic resistance genes 131
- antimicrobials 142–43, 145–46
macrolide 138, 143
- ants 23, 88, 140, 158, 243, 315, 341,
348, 352
leafcutter 140
- aorta 37
- APHIS (Animal and Plant Health
Inspection Service) 209
- apiary design 17, 179, 181
- apiary locations 180–81, 351
- apiary site 164–65, 179–80
- apiary site selection 164
- Apicystis bombi* 87
- Apiguard 139, 144, 246
- Apilife 139
- Apis cerana* 4, 210, 235–36, 253, 277,
295
- Apis dorsata* 11
- Apis florea* 11
- Apis mellifera* filamentous virus. *See*
AmFV
- Apis mellifera* rhabdovirus-1 263
- Apis mellifera* rhabdovirus-2 263
- Apis mellifera ruttneri* 74
- Apis mellifera scutellata* 74
- Apis mellifera simensis* 74
- Apis mellifera* subspecies 74
- Apis mellifera unicolor* 74
- Apis* species 73, 257
- Apistan 139, 144, 246
- Apivar 139, 144–45, 246
- ARV-1 in honey bees 264
- Ascosphaera apis* 5, 27, 87, 180, 221, 300
- Asian Giant Hornet 315–16, 320. *See*
also Vespa mandarinia
- Asian honey bees 87, 210, 257, 295,
312
- Asian Yellow-Legged Hornet 314
- Atrazine 143
- avirulence 12–14
- AVMA (American Veterinary Medical
Association) 201–2, 204, 357

b

- balling 60, 70, 314
- bearding 7, 358
- bears 160, 317, 340
- bee(s)
 - defensive 78–79
 - drifting 180
 - mason 87, 224
 - orchid 83
 - package 97, 344
 - solitary 26, 85–86
 - stingless 83
 - survivor 249
 - wintering 46
- beebread 58, 95, 100, 104–6, 108–11, 120, 137–38
 - fermented 109
 - surplus 109
- bee bread cells 344
- bee doctor 14
- bee gut bacteria 126, 131
- Beekeeper-Assisted Transmission (Varroa mite) 241
- beekeepers
 - commercial 151, 167, 212
 - higher elevation 76
 - hobby 4, 151, 167, 174–75, 212, 230
 - migratory 14, 211
 - northern 167
 - sideline 151, 162, 167–68, 175–77
 - treatment-free 16, 248
- Bee-Kill, pesticide related 325
- bee louse 318
- Bee Macula-like Virus (BeeMLV) 263
- bee races/populations 78
- Bee Research Lab (BRL) 209, 229, 285, 295, 334–35, 367
- bee space 151–52, 157, 356, 359
 - proper 153, 157
- bee stings, minimizing 160
- bee viruses, varroa-associated 235
- beeswax, white 101, 108–9
- beeswax combs 185, 348
- beeswax foundation 154
- behavior
 - absconding/swarming 77
 - allogrooming 25
 - cooperative 46
 - dance 46
 - defensive 51, 66, 185
 - hive ventilating 23
 - improved grooming 76
 - necrophoric 44
 - queen retinue 49–50
 - shimmering 52
- best management practices. *See* BMPs
- bifidobacteria 120
- Bifidobacterium* 126–30
- biodiversity xvii
- biosecurity 21, 25–26, 29, 209, 211–13, 217
- Biosecurity and Best Practices Checklist 212
- biosecurity practices 160
- biotransformation 140
- black bees (German) 73, 78
- Black Queen Cell Virus. *See* BQCV
- Blue Bird Feed Mill 196–97
- Blue Bird labels 196–97
- BMPs (best management practices) 209, 212, 348
- Bombus* 126
- Bombus bimaculatus* 225
- Bombus impatiens* 28, 81, 83
- Bombus terrestris* 26, 87
- Bombus vagans* 225
- bottom board 112, 151–53, 248, 282, 287, 300, 341
 - entrance 152
 - screened 5, 152, 243
 - single 152
 - solid 152
 - sticky 247
 - unsealed screened 152
- BQCV (Black Queen Cell Virus) 88, 211, 225, 239, 257–58, 263–64
- Brazil 76–77
- BRL. *See* Bee Research Lab
- brood
 - bald 309
 - chilled 355
 - cruddy 349
 - drone frame 157
- brood boxes 13, 185, 188
- brood cells 5, 126, 282
 - capped 7, 76
 - sealed 5–6, 247
 - uncapping 6
- brood chamber 62, 109, 111, 131, 153, 155–56, 163, 195, 288
- brood diseases 13, 25, 281, 300
- brood nest 8, 13, 17–18, 245, 278–79, 308
- brood pattern
 - abnormal 188
 - normal 188
 - shotgun 188
 - solid 67, 109–11
 - spotty 67–68, 106, 112, 282, 341–42, 344, 346, 348–49
- brood rearing 97–98, 114, 117
- bumble bee(s) 21, 26, 28, 83, 85–87, 126, 146, 225–26
 - common eastern 83
 - half-black 225
 - two-spotted 225

c

- Canada 95, 198–99, 202
- Cape honey bee 74, 311
- capped brood 283, 344
- carniolan bee 73–76, 354
- caste 29, 55, 135
- caucasian bees 75, 354
- CBPV (chronic bee paralysis virus) 25, 211, 239, 256, 261–62, 267
- CBPV and Lake Sinai Virus 260
- CCD (colony collapse disorder) 12, 209, 229–32, 239, 260, 304, 324
- chalkbrood 5, 17, 27–29, 68, 87, 172, 180, 300–301, 345, 348
- Checkmite + 246
- Chinese Sacbrood Virus 256
- chronic bee paralysis virus. *See* CBPV
- circulatory systems 37, 43
- cleansing flights 38
- client communications 203
- climate-controlled buildings 177
- clothing, personal protective 183
- co-evolution xvii
- cockroaches 88, 318
- coinfection 88
- colony(ies) 93–94
 - asymptomatic 261
 - collapsing 12
 - defensive 79
 - laying worker 65, 67
 - lowpropolis 27
 - mite-resistant 6, 248
 - mite-susceptible 248
- colony collapse disorder. *See* CCD
- colony configurations
 - commercial beekeepers 168
 - hobby beekeepers 174
- colony health 12, 28–29, 180, 351

- colony population dynamics 93–94
 - colony space, Varroa mite control 18
 - color vision 34
 - combs
 - drone 16, 155, 238, 355, 365
 - non-uniform 151–53, 157
 - commensals 27, 318
 - communication(s) 22, 29, 41, 52, 203
 - acoustic 52
 - chemical 81
 - cooperative 46
 - digital 202
 - methods of 46, 48
 - pheromone 48, 52
 - compartmentalization 24
 - Compliance Policy Guide 197
 - compound eyes 33–34, 44
 - corbicula 83
 - corbiculae 35
 - coumaphos 139, 141–45, 246–47
 - cover
 - inner 157
 - migratory 157
 - crawling bees 298, 307
 - Crithidia bombi* 26, 225
 - Crithidia expoeki* 225
 - crops 38
 - curricula 367
 - cuticle 136–37
 - CYP 141
 - CYP genes 140
 - Cytochrome P450
 - CYP4 family 140–41
 - CYP6 140
 - CYP6 family 141
 - CYP9 families 140–41
 - CYP450 enzymes 140
 - CYP450 isoenzymes 136
 - CYP families 140
 - CYP isoenzymes 140
 - isoenzymes 136
- d**
- dance(s) 41, 48
 - dance language 46, 52
 - Darwin, Charles 15, 18, 21
 - Darwinian beekeeping 14, 17
 - dead bees 340, 343–44, 347
 - dead bee traps 326
 - dead colony examination 340
 - dead outs 17, 317
 - dearth 45, 66, 93–95, 98, 101, 107, 117
 - nectar 13, 17, 48, 113, 116
 - pollen 104, 107, 112, 118
 - defensins 25–26
 - defensiveness 78. *See also* behavior, defensive
 - Deformed Wing Virus. *See* DWV
 - detoxification 136–37, 140, 232
 - detoxification enzymes 140
 - disease
 - powder scale 280
 - signs of 193, 283
 - disease resistance 12, 24
 - diutinus 340
 - diutinus bees, physiology 96, 107, 114
 - division of labor 22, 25, 48
 - drift 75–76, 125, 135, 172, 180–81, 196, 222, 240, 352
 - drifting 13, 17–18, 180–81, 222, 352
 - drifting/robbing 7
 - drone(s)
 - diploid 23, 68
 - high quality 365
 - drone cells 66–67, 111, 155
 - drone comb 155
 - drone comb removal 247
 - drone congregation area 13, 16
 - drug interactions 144
 - drug resistance 15, 198
 - DWV (Deformed Wing Virus) 16, 28, 35, 58, 86, 88, 106, 129, 211, 221, 239, 254–55, 263–64, 266
 - dynamics 94
 - dysbiosis 12, 102, 129
 - dysentery 102, 116, 298
 - diet-caused 102
- e**
- earwigs 318
 - EBV (Egypt Bee Virus) 254
 - ecologists 22
 - ecosystems xvii
 - ecotypes 73
 - EFB (European Foulbrood) 68, 75–76, 125, 160, 172, 193, 195, 277–88, 300, 330, 332, 345, 348–49, 368
 - Egypt Bee Virus. *See* EBV
 - ELDU (Extra Label Drug Use) 196–97, 288
 - emergency queen cells 60, 64–66, 346–47
 - emergency queen rearing 341, 346
 - endophallus 38, 57, 265
 - entrance reducers 152, 154, 317
 - Environmental Hazards
 - statement 321–22
 - Environmental Protection Agency. *See* EPA
 - EPA (Environmental Protection Agency) 145, 321, 323–24, 327
 - epidemiology 14, 25, 29–30, 209, 211–13, 215, 217
 - esophagus 38
 - European Foulbrood. *See* EFB
 - eusociality 22–23, 28, 48
 - euthanasia 16, 356
 - examination 339, 341
 - visual 183
 - excluder, queen 60, 156
 - exclusion, competitive mutual 264
 - excretion 41, 135–36, 142, 146
 - nitrogenous waste 38
 - exoskeleton 33, 43–44, 138, 318
 - exposure, oral 325
 - fecal 126
 - Extra Label Drug Use. *See* ELDU
- f**
- FABIS (Fast Africanization Bee Identification System) 77
 - FAO (Food and Agriculture Organization) 209, 212
 - FARAD (Food Animal Residue Databank) 204
 - fat bodies 4, 6, 28, 38, 43, 45, 95, 107, 111, 136, 138
 - fat body, atrophy 107
 - FDA (Food and Drug Administration) 125, 145, 191–94, 204, 209, 368
 - Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) 321
 - feeder(s) 100, 116, 162–63
 - bucket 162
 - entrance 162
 - external 162, 355
 - frame 162
 - insert 117
 - open 352
 - syrup 162
 - top 162–63
 - feeder designs 162
 - feeding pollen 117–18, 120
 - feeding, supplementary 113
 - feed mills 192

- fever
 - biological 29
 - social 22, 24, 29, 44
 - field test 284
 - hive-side 368
 - matchstick test 284
 - FIFRA (Federal Insecticide, Fungicide and Rodenticide Act) 321
 - fipronil 139, 144–45
 - FKB (freeze-killed brood) 6
 - flavonoids 9, 27, 142
 - flight mechanism 35
 - flow, nectar/pollen 101, 116
 - Flow hive 159
 - fluvalinate 142–44, 246–47
 - τ -fluvalinate 139, 141, 143, 145, 322
 - fomites 160
 - Food and Drug Administration. *See* FDA
 - Food Animal Residue Databank (FARAD) 204
 - Food security xviii
 - formic acid 246–47
 - foulbrood 141, 277, 281, 284, 286, 345
 - foundation, plastic 154–55, 157, 287
 - frames
 - brood 62, 78, 100, 142, 223
 - cut comb 155
 - deep 95, 354
 - grafting 363
 - honey 158, 355
 - removable 151, 156
 - freeze-killed brood (FKB) 6
 - Frischellaperrara* 12, 120, 126
 - fructose 100, 102, 115
 - fumagillin 61, 139, 141, 143, 192, 299
 - fungal disease 345
 - fungi, rust 105–6
 - fungicides 135, 138, 144, 172, 321, 324
 - azole 136, 138–39, 141, 144, 368
- g**
- Galleria mellonella* 309
 - genetic(s) 4, 30, 58
 - genetic diversity 4, 14, 16, 189
 - genome, honey bee 11, 137
 - German bees 73
 - glands
 - Dufour 39
 - hypopharyngeal 28, 39, 56, 107–8, 128, 255–57, 260–61, 297
 - mandibular 39, 49, 51, 56, 108, 255, 261, 297
 - Nasonov 51
 - rectal 43
 - tarsal 39, 50–51
 - tergal 39, 50
 - venom 25, 39
 - Global Climate Change xvii
 - gloves 160–61, 184, 341
 - changing 160
 - disposable 183
 - leather 160–61
 - glutathione-S-transferases (GSTs) 140–41
 - glyphosate 128, 138–39, 144, 322
 - Gotland, Island of 6, 14
 - grafting 177, 363
 - grafting station 364
 - grooming, behavior 12
 - GSTs (glutathione-S-transferases) 140–41
 - guard bees 51, 184–85
 - gut flora. *See* microbiome
 - gut microbes
 - native 130
 - See also* microbiome
 - gut microbiota 126
 - gut microflora. *See* microbiome
- h**
- hairless 261
 - haplodiploid 22–23
 - haploid 23, 238, 347, 365
 - haploidy diploidy 365
 - HBVC. *See* Honey Bee Veterinary Consortium
 - hemocytes 37
 - hemolymph 37, 43, 136, 140, 142
 - herbicides 135, 138–39, 144, 321, 324
 - high fructose corn syrup 142, 343
 - history 203
 - hive(s)
 - bait 15–16
 - move 104
 - painting 180–81, 222
 - queenright 65, 69
 - removable-frame 229
 - smooth-walled 11, 27
 - top bar 158, 188, 341
 - hive beetles
 - large 312
 - small 351
 - hive body(ies) 135, 139, 152–58, 355–56
 - materials 152
 - type 153
 - hive data 202
 - hive entrance 151–52, 185, 300, 344, 352
 - hive inspections 163
 - hive products 29, 135, 138, 145–46
 - hive record(s) 202
 - hive record form 202
 - hive size 17
 - hive tasks 128
 - hive tool(s) 161, 163, 185–87
 - heating 161
 - hook 162
 - J-hook 161
 - standard 161
 - Holst Milk Test 284, 329–30
 - honey
 - capped 110
 - ripened 100, 109
 - Honey Bee Bacterial Diseases 277–87, 291, 293
 - honey bee behavior 144
 - honey bee biology 29–30, 41
 - honey bee colony losses 235
 - Honey Bee Fungal Diseases 295–305
 - Honey Bee Health Coalition (HBHC) 212, 214, 327, 339
 - honey bee veterinarians 198, 367–68
 - Honey Bee Veterinary Consortium (HBVC) 367
 - honey contamination 146, 246, 288
 - honey flow 94–95, 193–96, 288, 356
 - honey harvest 158
 - honey stomach 38, 42
 - honey supers 7, 145–46, 153, 155, 177, 185, 196, 288
 - horizontal transmission 7, 12, 17, 86, 171–72, 211–12, 264–65
 - hornets 316
 - host resistance 15
 - humidity 15, 22
 - high 12, 311
 - hygienic bees 76, 310, 312
 - hygienic behavior 5–6, 11–12, 24–25, 27, 44, 76, 248, 255–56, 264, 280, 301–2
 - hygienic stock 355
 - Hymenoptera 81

i

IAPV (Israeli Acute Paralysis Virus) 232, 257, 260, 264
Iflaviridae Family 254, 263
 imidacloprid 85, 139, 141, 143, 322
 immune function 7, 11, 24, 28, 129
 immune responses 11, 254
 immune system 12, 17, 37, 44, 86, 126, 211
 immunity 29, 137
 humoral 44–45
 social 9, 11–12, 17, 24–26, 28
 transgenerational epigenetic 58
 incidence, stinging 77–78
 infection, asymptomatic 258
 insecticide(s) 137–38, 144–45, 321
 class 324
 dry 104
 fast-acting 104
 miticidal 144
 neonicotinoid 85, 103, 137, 298
 systemic 104
 insemination, instrumental 366
 Inspectors
 apiary 285, 367
 apiary provincial 285
 bee 191, 335
 state apiary 176, 215, 346
 instar larvae 112, 282
 Integrated Crop Pollination (ICP) xviii
 intelligence, collective 29
 interaction networks 25
 interstate health certificate 191
 Isle of Wight disease 229
 Israeli Acute Paralysis Virus. *See* IAPV
 Italian 354
 Italian bees 73, 75–76

j

jelly 55–56, 58–59, 64, 98–100, 104–8, 112, 114, 117, 120, 138
 Johnston's organ 44

k

Kakugo Virus 254
 Kashmir bee virus. *See* KBV
 KBV (Kashmir bee virus) 211, 239, 257–60, 264
 killer bees 77
 kinship theory 23
 Koshevnikov gland 39

l

Lake Sinai Virus(es). *See* LSVs
 Lambda-cyhalothrin 143, 322
 Landes bees 15
 Langstroth, Lorenzo L. 6, 151
 Langstroth hives 6–8, 151, 154, 158
 standard 7, 160
 larvae
 grafting 364
 wax moth 309
 laying workers 65, 67
 LD50
 high 141
 low 141, 326
 oral 324
 topical 324
 LD50 values 324
 Leafcutter bees 83, 225
 legs 35
 life history traits 5
 lifestyle 4, 11
 lincomycin hydrochloride/
 Lincomix 125, 139, 142, 145, 192–93, 288
 lipophilic 136, 138–39, 328
 LSVs (Lake Sinai Virus) 211, 260, 262, 264, 266

m

macroenvironment xix
 Malpighian tubules 38, 43, 136, 141–42
 management, humane 368
 mandibles 34
 matchstick test 284, 329
 mating 5, 22, 49–50
 mating flights 5, 65
 mechanism(s) 12, 22, 45, 141, 146
 mechanism of action 249
 medical records 194, 201–3
Melissococcus plutonius 87, 125, 221, 278, 345
 memory 37
 menthol 139, 144–45, 246
 metabolism 41, 43, 45, 135–36, 140–41, 145–46
 Phase I 140
 Phase II 141
 Phase III 136, 140
Metarhizium 28
 mice 152, 158, 179, 318

microbiome 11–12, 24, 27, 121, 125–31
 bee gut 131–32
 community 26, 129
 compositions 127
 core 128
 drone 127
 gut 12, 121, 126–31, 144
 queen 127
 worker 126–29
 microbiome community, distinct 127
 microbiome composition
 altered 129
 conserved 127
 microbiota, natural 129
 micro-environment xix
 microsporidia 87, 129, 295
 midgut 38, 42, 106, 126, 136, 296
 Minor Use and Minor Species Animal Health Act 193
 Mite-a-thol 139
 Miteaway II 139
 mite control 13
 mite guano 349
 mite infestation 235
 mite levels 211
 mite reproduction 13
 mite-resistance traits 248
 mite-resistant bees 11, 14, 76–77
 mites
 tracheal 139, 230, 307–8, 334–35
 Tropilaelaps 210, 253, 312–13
 Varroa. *See* *Varroa* mites
 miticides 7, 14, 138–39, 142, 145
 Moku Virus (MV) 254, 263
 mummies 87, 301–2
 MV. *See* Moku Virus

n

nAChR (insect nicotinic acetylcholine receptor) 137, 142, 145
 Nasonov gland 39, 51
 native bees 81
 necropsy 339, 342
 nectar, toxic 103
 nectar and pollen 120, 139, 168
 nectar flow 63, 101, 108–10, 118, 177, 340, 352, 356
 neonicotinoid insecticides 137, 140–41, 145, 232, 324
 nervous system, peripheral 37, 44
 nest cavity 9, 13–14, 24, 27, 46

nest insulation 7
 New World carniolan 74
 next-generation sequencing. *See* NGS
 NGS (next-generation sequencing) 268
 nitrile/latex gloves 161, 341
 non-*Apis* bees 81
 Norway 6
 nosema 12, 87, 102, 106, 129, 210, 222–23, 295, 297–300, 329, 335
Nosema apis 61, 87, 253, 296
Nosema bombi 225
Nosema ceranae 86, 210, 225, 253, 295–96, 303
 nosema infections 87, 102, 210, 295, 297–300, 344
 nucs, queenright 70
 nurse bees 11, 25–26, 45–46, 51, 55–56, 99, 104–7, 237, 264, 300
 nutrition 12, 93, 95, 101, 103, 105, 109, 111, 113, 117, 119
 nutritional requirements 97

O

ocelli 33–34, 44
 odor 283
 One Health xvii, xviii
 ommatidia 34
 Ontario 370
 open reading frame. *See* ORFs
Oplostomus fuliginus 312
Oplostomus haroldi 312
 ORFs (open reading frame) 254, 258–60
 ORFs, large 257
 organophosphates 140–41, 144, 322, 326
 organs, sensory 33, 44
 orientation flights 355
 overwintering 38, 73, 76, 114, 342, 349
 oxalic acid 139, 143–45, 152, 243, 246–47, 300
 oxytetracycline 125, 129, 131, 139, 141–43, 145, 192–93, 195, 197, 288
 oxytetracycline-exposed 129
 oxytetracycline exposure 129
 oxytetracycline/Terramycin 288

P

package bees 4, 96–97, 177, 354
Paenibacillus 280

Paenibacillus alvei/*Bacillus alvei* 278
Paenibacillus dendritiformis 278
Paenibacillus larvae 26, 87, 125, 193, 221, 281
 paralysis virus, acute 222
 parasites 320
 parasites and pathogens 3
 parasite transmission 221–23, 225
 parasitic mite brood syndrome 242, 349. *See also* PMBS
 Parasitic Mite Syndrome (PMS). *See* parasitic mite brood syndrome
 Paris bees 15
 pathogens 87
 mite-vectored 6–7, 18
 opportunistic 12, 127, 129
 PCR, basic 267
 persistence, asymptomatic 257
 personal protective equipment 160. *See also* PPE
 pesticide applications 321, 325
 pesticide labels 324, 328
 pesticide use 164
 pests and pathogens, resistance to 5
 pharmacodynamics 135–37
 pharmacogenetics 135, 137
 pharmacogenomics 137
 pharmacokinetics 135–36, 146
 pheromones 34, 45, 47–48, 64, 141
 alarm 51, 161, 186
 brood 45, 48, 51
 drone 51
 footprint 50
 primer 48
 queen 49–50, 55, 64
 queen retinue 49–50
 worker mandibular 51
 phoretic phase 6
 phoretic phase (varroa) 237–38
 physiology 3, 38, 45, 95
 better queen 5
 forager bee 46
 organismal 46
 social 48
 winter bee 95
 worker 50
 piping 52, 364–65
 planetary health xvii
 PMBS (parasitic mite brood syndrome) 242, 282, 284, 349
 PMS (Parasitic Mite Syndrome). *See* Parasitic Mite Brood Syndrome

policing 23. *See also* enforced altruism
 pollen
 almond 104, 177
 autumn 114
 contaminated 104, 326, 328, 347
 nutritional value of 104–5
 stored 105, 109–10
 toxic 68, 103–4
 pollen and nectar, almond 104
 pollen availability 93–94, 162
 pollen band 101, 106, 108, 110
 pollen baskets 35, 163
 pollen bound 163
 pollen collection 15, 21, 28
 pollen flow 94, 109
 pollen foragers 104–5
 pollen grains 117
 pollen sources
 monoculture 4
 substitute 98
 pollen stores 11, 29, 112
 pollen substitutes 12, 95, 98–99, 105, 107, 112, 114, 116–18
 pollen traps 160, 162–64
 mounted 163
 pollination, almond 98, 104, 114, 118, 176–77
 pollination services 81, 125, 176, 198, 351
 pollinators, decline 4
 polyandry 15, 366
 polyethism
 normal bee 297
 physical 25
 temporal 25
 polymerase chain reaction. *See* PCR
 population phase 343
 PPE (personal protective equipment) 160, 164, 183
 precautions, proper safety 163
 Prescription and Veterinary Feed Directive 192
 prescription(s) 125, 191, 194, 197, 204, 288
 electronic 197
 prescription label 196
 pressures, vapor 139
 probiotics 119, 130
 commercial 121
 probiotic therapy 130
 proboscis 34–35, 38, 41, 138

- propolis 9, 11, 14, 17, 21, 26–27, 29, 35, 136, 159, 161
 barrier 7, 27
 envelope 7, 9, 24
 extracts 11, 27
 health benefits of 9, 27
 production 27
 traps 11, 27
 use of 11, 27
 protocols, food production system 198
 proventriculus 12, 42
 Provincial Apiary Programs 199
 Provincial Veterinary Regulatory Body 199
- q**
- quarantine 17
 localized 24
 queen(s)
 aging 59, 62
 drone-laying 67
 emergency 59, 61
 laying 60, 65, 177
 new 16, 63, 177, 364
 queen, longevity 30, 61
 queen bees 4, 55
 queen cage 69
 queen cells 8, 13, 16, 59, 62, 65, 69, 108, 177, 363, 365
 queen clip 354
 queen excluders 18, 79, 156, 158, 186–87
 queen failure 56, 61, 64, 344
 queen larvae 55–56
 queenless 65–66
 queenless colonies 51, 66, 348
 queenless roar 66
 queen piping 364–65
 queen production 167, 363
 queen quality 16
 queen rearing 14, 16, 49–50, 363–64
 process of 51, 363
 queen replacement 346, 359
 queenright 65, 354
 queen supersedure 49–50
- r**
- raccoons 158, 317–18, 352
 races 63, 70, 73, 78, 95
 reactions 136, 194, 267
 receptors, sensory 34
 rectum 38, 126
 registration, provincial 200
 reproductive phase (varroa mite) 237
 requeen 65, 77
 residues 145, 310
 resins 11, 24, 27–28, 183
 sticky 26
See also propolis
 resistance 4–6, 14, 17–18, 43, 131, 299, 366
 antimicrobial 367
Rhabdoviridae 263
 risk, potential safety 163
 RNA 254, 267
 single stranded 263
 RNAi (RNA interference) 45, 266, 299
 RNA interference. *See* RNAi
 RNA viruses
 double stranded 262
 non-enveloped 257
 single stranded 263
 robbing 316–17, 358
 robbing behavior 13, 17, 78, 115, 152, 162–63, 222, 278, 316–17, 320, 355, 358
 royalisin 26
 royal jelly 26, 29, 55, 98, 108, 128, 146, 259–60, 266, 297, 363–64
 RT25 324
 RT-PCR 257, 267
 RT-qPCR 267
 Russian bees 59, 76, 249
- s**
- sacbrood 300, 345, 348
 sacbrood disease 255
 Sacbrood Virus. *See* SBV
 safety 146, 151, 160, 164, 179, 351
 hive product 146
 personal 151
 safety hazards 164
 safety information 321
 Sagan, Karl xvii
 salivary glands, thoracic 39
 sanitation 214
 Saskatraz bee 76
 SBPV (slow bee paralysis virus) 210, 239, 254–57, 263, 311
 SBV (Sacbrood Virus) 239, 254–56, 263–64, 311
 SBV infection 256
 scale 282
 scopa 83
 selective breeding 189
 sensory organs 44
 sex alleles 67
 sex determination locus (SDL) 23
 shaking dance 48
 SHBs (small hive beetle) 17, 253, 281, 310–12, 341, 351
 shook swarm method 286–88
 signage 179, 213, 351
 skep hives 73, 158
 skunks 158, 160, 318, 340
 slow bee paralysis virus. *See* SBPV
 Slow bee paralysis virus 210, 239, 254, 256
 small hive beetle. *See* SHBs
 smoke 161–63, 185–86
 cool white 184
 overusing 161
 use of 160–61
 smoker 161, 163, 183–84, 352
 social insects 11, 24, 135
 solitary 83
 solubility 137–38
 solubilization 140
 spiders 318
 spillover 86, 88
 parasite 221, 226
 pathogen 88
 spiracles 37
 respiratory 138
 split, queenless 70
 splits 13, 17–18, 62, 231, 346, 355, 357
 reversing hive bodies 355
 Varroa mite control 18
 starvation 95, 111–12, 116, 230, 280, 343–45
 sticky board 5, 243, 247
 sting apparatus 33, 36, 44, 50–51, 78
 stings 160–61, 163
 stonebrood 300–302
 sucrose 100, 115, 141–42, 255, 343
 sucrose octanoate 139, 246–47
 sugar, powdered 192, 194, 243–45, 248, 288, 334–35
 sugar roll 245, 332, 335
 sugar shake 244
 superorganism 12, 17, 21–22, 24, 26, 28–29, 41, 55, 97, 135
 superorganism and herd health 23, 25, 27, 29, 31
 supersedure 50, 59–61, 65, 341, 347
 swarm(s) 7, 13, 21, 59–60, 62, 65

swarm cells 59–63, 65
 swarm control 13
 swarming 7, 13–14, 48, 58–59, 62–64, 94, 240, 357
 syndrome, hairless black 261
 synergistic effects 86, 261, 323
 synergistic impacts 233
 synergistic interactions 298, 308
 syrup 94, 97, 100, 102, 111, 113, 115–16, 139–40, 174, 177–78, 195, 197, 355
 system
 central nervous 44
 nervous 41, 44, 144
 respiratory 37, 43, 138
 tracheal 37

t

tasks
 age-related 51
 allocation 24
 telehealth 201
 Telehealth Resource Center 202
 temperature 4, 8, 10, 22
 brood comb 28–29
 buffered 7
 cavity 8
 colony's cluster core 8
 temperature nest 46
 Terramycin 125, 139, 193
 test, ropey 329–30, 346
 thermoregulation 6, 28–29, 131
 cluster 46
 colony 46
 thorax 33–35, 38, 42, 140, 297, 308
 thymol 139, 141, 143–45, 246–47, 300
 tibia 35
 Tobacco Ringspot Virus (TRSV) 263
 tolerances, chemicals in honey and wax 145
 tongues, pupal 283
 tools, grafting 363–64
 toxicity 103, 136–37, 141, 144, 146, 324
 additive 146
 synergistic 142
 toxins 103, 129, 136, 139
 trachea 43, 283, 307–9
 tract
 digestive 38, 106, 126
 gastrointestinal 33

treatments, following
 oxytetracycline 131
 tree cavities 7–8, 59
 trembledance 48
 trophylaxis 25–26
Tropilaelaps 312–14
Tropilaelaps clareae 253, 312
Tropilaelaps koenigerum 312
Tropilaelaps mercedesae 253, 312
Tropilaelaps thaii 312
 TRSV (Tobacco Ringspot Virus) 263
 turnover 95
 tylosin 125, 131, 139, 142–43, 145, 192–93, 197, 288
 tylosin and lincomycin 192, 288
 Type A medicated article 197
 Type I/Type II medications 192

u

USDA Bee Research Laboratory 285
 usurpations, aggressive 64

v

valve, proventricular 38
Varroa destructor 4, 27, 88, 137, 210, 221, 229, 235–36, 246
 Varroa Destructor Virus 254
Varroa jacobsoni 235–36, 238
 Varroa mites 4–7, 12, 16–18, 28, 38, 41, 231, 236, 253–63, 265, 281, 331, 334
 Varroa-sensitive hygienic behavior. *See* VSH
 varroosis 239
 VCPR (Veterinary-Client-Patient-Relationship) 29, 194, 201–4, 368
 VCPR for honey bees 194
 veil 160
 venereal transmission 265
 venom peptides 25
 ventral nerve cord 37
 ventriculus 38
Vespa mandarinia 315–16, 320
Vespa velutina 314
Vespa velutinanigrithorax 314
 Vespidae 316
Vespalapensylvanica 263
 veterinarians, food-production 198
 Veterinary-Client-Patient-Relationship. *See* VCPR
 Veterinary Feed Directive. *See* VFD

Veterinary Feed Directives/Prescriptions 203
 veterinary prescriptions 204
 VFD (Veterinary Feed Directive) 125, 183, 191–95, 197–98, 201, 204
 drugs 192, 194–97
 order 125, 183
 requirements 183
 sample 196
 virgin queens 57, 66–67, 347, 365
 virulence 7, 12, 19, 86
 virus 89
 vitellogenin 12, 45–46, 107, 340
 volatility 138–39
 higher 139
 Von Frisch, Karl xvii, 47
 VSH (Varroa Sensitive Hygiene) 5–6, 76, 249

w

waggle dance xvii, 44, 46, 48
 Warre hives 158
 wasps 88, 179, 317
 masarine 81
 social 316
 sphecid 81–82
 waste, digestive 38
 wax moth(s) 139, 309–10, 341
 cocoons 309
 greater 309
 Wheeler 22
 wild
 bees 14, 86
 colonies 3–9, 13–15, 22, 248
 honey bees 7, 11, 15–16, 27
 pollinators 221, 225
 Wilson, Edward O. 22, 135
 wings 35
 crippled 254
 deformed 35
 winter bees 94–95, 98, 107, 119, 121
 withdrawal times 145–46, 196–98
 extended 196
 withholding time 192–93

x

xenobiotics 135–38

z

Zoonotic diseases xvii
 zoopharmacognosy 28